1)DrivingLicence

```java
public class DrivingLicence {
    public static void main(String[] args) {
        int age = 18;

        if (age >= 18) {
            System.out.println("Eligible for DrivingLicence");
        } else {
            System.out.println("Not eligible for DrivingLicence");
        }
    }
}
```

2)EmployeeBonus

```java
class EmployeeBonus {
    public static void main(String[] args) {
        int salary = 30000;
        int score = 90;
        int projects = 5;

        if (score >= 80 && projects >= 4) {
            System.out.println("Bonus: Rs." + (salary * 10 / 100));
        } else {
            System.out.println("No Bonus");
        }
    }
}
```

3)Calculator

```java
class Calculator {
    public static void main(String[] args) {
        int a = 10, b = 5;

        System.out.println("Sum: " + (a + b));
        System.out.println("Difference: " + (a - b));
        System.out.println("Product: " + (a * b));
        System.out.println("Quotient: " + (a / b));
    }
}
```

4)EmployeeSalary

```
class EmployeeSalary {
    public static void main(String[] args) {
        String name = "Arun";
        int salary = 25000, bonus = 5000;

        System.out.println("Name: " + name);
        System.out.println("Total Salary: " + (salary + bonus));
    }
}
```

5)EvenNumber

```
public class EvenNumber {
    public static void main(String[] args) {
        int n = 12;

        if (n % 2 == 0 && n > 10) {
            System.out.println("Yes");
        } else {
            System.out.println("No");
        }
    }
}
```

6)ExamRegistration

```
class ExamRegistration {
    public static void main(String[] args) {
        int attendance = 80;
        boolean feesPaid = true;

        if (attendance >= 75 && feesPaid) {
            System.out.println("Registration Allowed");
        } else {
            System.out.println("Registration Not Allowed");
        }
    }
}
```

7)FreeDelivery

```java
class FreeDelivery {
    public static void main(String[] args) {
        int amount = 600;
        boolean premium = true;

        if (amount >= 500 || premium) {
            System.out.println("Free Delivery");
        } else {
            System.out.println("Delivery Charges Apply");
        }
    }
}
```

8)InventoryReorder

```java
class InventoryReorder {
    public static void main(String[] args) {
        int stock = 10;
        int minStock = 20;
        int incomingStock = 5;

        if (stock + incomingStock < minStock) {
            System.out.println("Reorder Required");
        } else {
            System.out.println("Stock Sufficient");
        }
    }
}
```

9)LoginAttempt

```
class LoginAttempt {
    public static void main(String[] args) {
        int maxAttempts = 3;
        int failedAttempts = 2;

        if (failedAttempts < maxAttempts) {
            System.out.println("Login Allowed");
        } else {
            System.out.println("Account Locked");
        }
    }
}
```

10)PasswordValidator

```
class PasswordValidator {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        System.out.print("Enter password: ");
        String password = sc.nextLine();

        if (password.length() >= 8) {
            System.out.println("Valid Password");
        } else {
            System.out.println("Invalid Password");
        }

        sc.close();
    }
}
```

11)PersonalInfo

```java
class PersonalInfo {
    public static void main(String[] args) {
        String name = "Janani";
        int age = 20;
        String city = "Chennai";

        System.out.println(name);
        System.out.println(age);
        System.out.println(city);
    }
}
```

12)Rectangle

```java
class Rectangle {
    public static void main(String[] args) {
        int length = 10, breadth = 5;

        System.out.println("Area: " + (length * breadth));
        System.out.println("Perimeter: " + (2 * (length + breadth)));
    }
}
```

13)RideFare

```java
class RideFare {
    public static void main(String[] args) {
        int distance = 10;
        int rate = 15;

        int fare = distance * rate;

        System.out.println("Ride Fare: Rs." + fare);
    }
}
```

14)Scholarship

```java
class Scholarship {
    public static void main(String[] args) {
        int marks = 85;
        int income = 200000;
        int points = 8;

        if (marks >= 80 && income <= 300000 && points >= 5) {
            System.out.println("Scholarship Eligible");
        } else {
            System.out.println("Scholarship Not Eligible");
        }
    }
}
```

15)SecureTransaction

```java
class SecureTransaction {
    public static void main(String[] args) {
        int balance = 5000;
        int amount = 2000;
        boolean verified = true;

        if (amount > 0 && amount <= balance && verified) {
            System.out.println("Transaction Successful");
        } else {
            System.out.println("Transaction Failed");
        }
    }
}
```

16)ShoppingDiscount

```
class ShoppingDiscount {
    public static void main(String[] args) {
        int amount = 1500;
        boolean member = true;

        if (amount >= 1000 && member) {
            System.out.println("Discount Eligible");
        } else {
            System.out.println("Discount Not Eligible");
        }
    }
}
```

17)SmartBattery

```
class SmartBattery {
    public static void main(String[] args) {
        int battery = 30;
        int temperature = 35;

        if (battery < 80 && temperature < 45) {
            System.out.println("Charging Allowed");
        } else {
            System.out.println("Charging Not Allowed");
        }
    }
}
```

18)StudentPass

```java
public class StudentPass {
    public static void main(String[] args) {
        int marks = 60;
        int attendance = 80;

        if (marks >= 35 && attendance >= 75) {
            System.out.println("Student is Pass");
        } else {
            System.out.println("Student is Fail");
        }
    }
}
```

19)StudentMarks

```java
class StudentMarks {
    public static void main(String[] args) {
        String name = "Rahul";
        int a = 80, b = 70, c = 90, d = 85, e = 75;

        int total = a + b + c + d + e;
        double average = total / 5.0;

        System.out.println("Name: " + name);
        System.out.println("Total: " + total);
        System.out.println("Average: " + average);
    }
}
```

20)SwapNumber

```java
class SwapNumbers {
    public static void main(String[] args) {
        int a = 10, b = 20, temp;

        temp = a;
        a = b;
        b = temp;

        System.out.println("a = " + a);
        System.out.println("b = " + b);
    }
}
```

```java
class ATM {
    public static void main(String[] args) {
        int balance = 5000;
        int amount = 2000;

        if (amount <= balance && amount > 0) {
            System.out.println("Withdrawal Successful");
        } else {
            System.out.println("Insufficient Balance");
        }
    }
}
```