

```
1 #include <stdio.h>
2 int main()
3 {
4     int n;
5     scanf("%d",&n);
6     if (n>0)
7         printf("positive");
8     else if (n<0)
9         printf("negaive");
10    else
11        printf("zero");
12    return 0;
13 }
```

```
1 #include <stdio.h>
2 int main()
3 {
4     int a,b;
5     scanf("%d%d",&a,&b);
6     if (a>b)
7         printf("%d",a);
8     else
9         printf("%d",b);
10    return 0;
11 }
12
```

```
1 #include <stdio.h>
2 #include<ctypeh>
3 int main()
4 {
5
6     char ch1,ch;
7     scanf("%c",ch1);
8     ch=toupper&(ch1);
9     if(ch=='a' || ch=='E' || ch=='I' || ch=='O' || ch=='U')
10     printf("vowel");
11     elseprintf("consonent")
12 }
```

```
1 #include <stdio.h>
2 int main()
3 {
4     int age;
5     scanf("%d",&age);
6     if (age<13)
7         printf("child");
8     else if (age<20)
9         printf("teenager");
10    else if (age<60)
11        printf("adult");
12    else
13        printf("senior citizen");
14    return 0;
15 }
```

```
1 #include <stdio.h>
2 int main()
3 {
4     int temp;
5     scanf("%d",&temp);
6     if (temp>=35)
7         printf("hot");
8     else if (temp>=20)
9         printf("warm");
10    else
11        printf("cold");
12    return 0;
13 }
```

```
1 #include <stdio.h>
2 int main()
3 {
4     char ch;
5     scanf("%c", &ch);
6     if(ch>='A' && ch<='Z')
7         printf("Uppercase");
8     else if(ch>='a' && ch<='z')
9         printf("lowercase");
10    else
11        printf("not an alphabet");
12    return 0;
13 }
```

```
1 #include <stdio.h>
2 int main()
3 {
4     int n;
5     scanf("%d",&n);
6     if(n%3==0 | n%5==0)
7         printf("multiple of 3 or 5");
8     else
9         printf("not a multiple of 3 or 5");
10    return 0;
11 }
```

```
1 #include <stdio.h>
2 int main()
3 {
4     int mark;
5     scanf("%d",&mark);
6     if(mark>=90)
7         printf("A");
8     else if(mark>=80)
9         printf("B");
10    else if (mark>=70)
11        printf("C");
12    else if (mark>=60)
13        printf("D");
14    else
15        printf("Fail");
16    return 0;
17 }
18
```