

```
1 #include <stdio.h>
2
3 int main()
4 {
5     FILE *fp;
6     char ch;
7     char filename[100];
8
9     scanf("%99s", filename);
10
11     fp = fopen(filename, "w");
12
13     if (fp == NULL)
14     {
15         printf("Unable to create file");
16         return 1;
17     }
18
19     printf("Enter text:\n");
20
21     while ((ch = getchar()) != '\n');
```

```
1 #include <stdio.h>
2 #include <ctype.h>
3
4 int main() {
5     char text[1000];
6     int i, lines = 0, words = 0, characters = 0;
7     int inWord = 0;
8
9     scanf("%[^\n]", text);
10
11     for (i = 0; text[i] != '\0'; i++) {
12         characters++;
13
14         if (text[i] == '\n') {
15             lines++;
16         }
17
18         if (isspace(text[i])) {
19             inWord = 0;
20         } else if (inWord == 0) {
21             words++;
22         }
23     }
```

```
1 #include <stdio.h>
2
3 int main() {
4     FILE *fp;
5     char text[500];
6
7     printf("Enter text: ");
8     fgets(text, sizeof(text), stdin);
9
10    fp = fopen("output.txt", "w");
11
12    if (fp == NULL) {
13        printf("File cannot be created");
14        return 1;
15    }
16
17    fputs(text, fp);
18
19    fclose(fp);
20
21    printf("Text saved successfully");
```

```
1 #include <stdio.h>
2
3 int main()
4 {
5     char oldname[100], newname[100];
6
7     printf("Enter the name of the file: ");
8     scanf("%s", oldname);
9
10    printf("Enter the new name of the file: ");
11    scanf("%s", newname);
12
13    if (rename(oldname, newname) == 0)
14        printf("File renamed successfully.\n");
15    else
16        printf("Unable to rename the file.\n");
17
18    return 0;
19 }
```

```
1 #include <stdio.h>
2
3 int main()
4 {
5     FILE *fp, *out;
6     int arr[100], n, i, j, temp;
7     char input[100], output[100];
8
9     printf("Enter the input binary file name: ");
10    scanf("%s", input);
11
12    printf("Enter the output binary file name: ");
13    scanf("%s", output);
14
15    fp = fopen(input, "rb");
16
17    if (fp == NULL)
18    {
19        printf("Unable to open input file.\n");
20        return 1;
21    }
```

```
1 #include <stdio.h>
2
3 int main()
4 {
5     FILE *fp, *out;
6     char filename[100], encrypted[100];
7     char ch;
8     int key = 3;
9
10    printf("Enter the file name: ");
11    scanf("%s", filename);
12
13    fp = fopen(filename, "w");
14
15    if (fp == NULL)
16    {
17        printf("Unable to create file.\n");
18        return 1;
19    }
20
21    printf("Enter text to write into the file: ");
```

```
1 #include <stdio.h>
2
3 int main()
4 {
5     FILE *fp, *temp;
6     char filename[100];
7     char word[50], replace[50];
8     char buffer[1000];
9     int i, j, k, found;
10
11     printf("Enter the file name: ");
12     scanf("%s", filename);
13
14     printf("Enter the word to replace: ");
15     scanf("%s", word);
16
17     printf("Enter the replacement word: ");
18     scanf("%s", replace);
19
20     fp = fopen(filename, "r");
21
```

```
1 #include <stdio.h>
2
3 struct Student
4 {
5     int rollno;
6     char name[50];
7     float marks;
8 };
9
10 int main()
11 {
12     FILE *fp;
13     struct Student s, s1;
14     char filename[100];
15
16     printf("Enter the binary file name: ");
17     scanf("%s", filename);
18
19     printf("Enter student roll number: ");
20     scanf("%d", &s.rollno);
21
```



```
1 #include <stdio.h>
2 #include <math.h>
3
4 int main()
5 {
6     FILE *fp;
7     char filename[100];
8     double num, sum = 0, average, variance = 0, standard_deviation;
9     int count = 0;
10
11     printf("Enter the file name: ");
12     scanf("%s", filename);
13
14     fp = fopen(filename, "r");
15
16     if (fp == NULL)
17     {
18         printf("Unable to open file.\n");
19         return 1;
20     }
21
```

```
1 #include <stdio.h>
2
3 int main()
4 {
5     FILE *fp, *out;
6     char filename[100], output[100];
7     char names[100][50], temp[50];
8     int n, i, j;
9
10    printf("Enter the input file name: ");
11    scanf("%s", filename);
12
13    printf("Enter the output file name: ");
14    scanf("%s", output);
15
16    fp = fopen(filename, "w");
17
18    if (fp == NULL)
19    {
20        printf("Unable to create file.\n");
21        return 1;
```