

Individual Case Safety Report (ICSR) Narrative Report

Workora pharmacovigilance internship • Educational/synthetic case pack • 12 source cases

Cases	Serious cases	Non-serious	Expected	Unexpected
12	10	2	11	1

Data handling: The report uses only information supplied in the source case workbook and synthetic coding reference. Missing patient/reporter identifiers, dates, medical history, and other fields are recorded as unknown/not provided; they are not invented. The coding reference did not provide a MedDRA version, so no version is assigned in this report. Reaction-to-PT/SOC mappings below are educational mappings to the supplied reaction descriptions.

ICSR Coding & Case Overview

Case	Patient	Suspect product / dose	Reaction	MedDRA PT	SOC	Seriousness	Expectedness	Outcome
SYN-PV-001	30 y / Male	Amoxicillin / 20 mg once daily	Rash	Rash	Skin and subcutaneous tissue disorders	Other medically important condition	Known	Not recovered
SYN-PV-002	36 y / Unknown	Atorvastatin / 5 mg once daily	Myalgia	Myalgia	Musculoskeletal and connective tissue disorders	No seriousness criterion stated	Known	Recovered
SYN-PV-003	34 y / Female	Metformin / 5 mg once daily	Nausea	Nausea	Gastrointestinal disorders	Hospitalisation	Known	Recovered
SYN-PV-004	61 y / Male	Amlodipine / 500 mg twice daily	Peripheral oedema	Peripheral oedema	General disorders and administration site conditions	Other medically important condition	Known	Recovered
SYN-PV-005	33 y / Unknown	Ciprofloxacin / 500 mg twice daily	Tendon pain	Tendon pain	Musculoskeletal and connective tissue disorders	Other medically important condition	Known	Not recovered
SYN-PV-006	31 y / Unknown	Sertraline / 20 mg once daily	Dizziness	Dizziness	Nervous system disorders	Other medically important condition	Known	Recovering
SYN-PV-007	63 y / Male	Omeprazole / 500 mg twice daily	Headache	Headache	Nervous system disorders	Other medically important condition	Known	Recovered
SYN-PV-008	36 y / Male	Losartan / 5 mg once daily	Fatigue	Fatigue	General disorders and administration site conditions	No seriousness criterion stated	Unexpected	Recovering

ICSR Coding & Case Overview — continued

Case	Patient	Suspect product / dose	Reaction	MedDRA PT	SOC	Seriousness	Expectedness	Outcome
SYN-PV-009	78 y / Unknown	Amoxicillin / 5 mg once daily	Rash	Rash	Skin and subcutaneous tissue disorders	Other medically important condition	Known	Recovering
SYN-PV-010	57 y / Female	Atorvastatin / 5 mg once daily	Myalgia	Myalgia	Musculoskeletal and connective tissue disorders	Hospitalisation	Known	Recovered
SYN-PV-011	23 y / Unknown	Metformin / 5 mg once daily	Nausea	Nausea	Gastrointestinal disorders	Other medically important condition	Known	Recovering
SYN-PV-012	24 y / Female	Amlodipine / 5 mg once daily	Peripheral oedema	Peripheral oedema	General disorders and administration site conditions	Other medically important condition	Known	Not recovered

SYN-PV-001
— Completed ICSR Assessment

Patient	30 years; Male
Reporter	Consumer (name/contact: not provided)
Suspect product	Amoxicillin — 20 mg once daily — Oral
Indication	Anxiety
Adverse event	Rash
MedDRA PT	Rash
MedDRA SOC	Skin and subcutaneous tissue disorders
Chronology	Onset 17 day(s) after treatment began
Seriousness	Other medically important condition
Expectedness	Known
Outcome	Not recovered
Dechallenge	Negative
Rechallenge	Positive
Concomitant medication(s)	None reported
Medical history	Not provided / unknown

Audit-ready narrative

A 30-year-old male patient received Amoxicillin 20 mg once daily by the oral route for a documented indication. Rash was reported 17 day(s) after treatment began. Treatment was stopped. The reported outcome was not recovered. The case was reported by a consumer. Expectedness against the supplied synthetic reference was known. Seriousness was classified as medically important. Dechallenge was reported as negative and rechallenge as positive. Concomitant medication(s): None reported. No additional medical history or patient/reporter identifying details were provided in the source case; these are recorded as unknown/not provided rather than inferred.

Causality note: A formal causality category was not supplied by the source pack. Temporal relationship, dechallenge and rechallenge are documented above; no additional causal conclusion is inferred.

SYN-PV-002
— Completed ICSR Assessment

Patient	36 years; Unknown
Reporter	Pharmacist (name/contact: not provided)
Suspect product	Atorvastatin — 5 mg once daily — Oral
Indication	Anxiety
Adverse event	Myalgia
MedDRA PT	Myalgia
MedDRA SOC	Musculoskeletal and connective tissue disorders
Chronology	Onset 1 day(s) after treatment began
Seriousness	No seriousness criterion stated
Expectedness	Known
Outcome	Recovered
Dechallenge	Unknown
Rechallenge	Negative
Concomitant medication(s)	None reported
Medical history	Not provided / unknown

Audit-ready narrative

A 36-year-old unknown patient received Atorvastatin 5 mg once daily by the oral route for a documented indication. Myalgia was reported 1 day(s) after treatment began. Treatment was stopped. The reported outcome was recovered. The case was reported by a pharmacist. Expectedness against the supplied synthetic reference was known. Seriousness was classified as not serious. Dechallenge was reported as unknown and rechallenge as negative. Concomitant medication(s): None reported. No additional medical history or patient/reporter identifying details were provided in the source case; these are recorded as unknown/not provided rather than inferred.

Causality note: A formal causality category was not supplied by the source pack. Temporal relationship, dechallenge and rechallenge are documented above; no additional causal conclusion is inferred.

SYN-PV-003 — Completed ICSR Assessment

Patient	34 years; Female
Reporter	Consumer (name/contact: not provided)
Suspect product	Metformin — 5 mg once daily — Oral
Indication	Anxiety
Adverse event	Nausea
MedDRA PT	Nausea
MedDRA SOC	Gastrointestinal disorders
Chronology	Onset 13 day(s) after treatment began
Seriousness	Hospitalisation
Expectedness	Known
Outcome	Recovered
Dechallenge	Negative
Rechallenge	Negative
Concomitant medication(s)	Vitamin D
Medical history	Not provided / unknown

Audit-ready narrative

A 34-year-old female patient received Metformin 5 mg once daily by the oral route for a documented indication. Nausea was reported 13 day(s) after treatment began. Treatment was stopped. The reported outcome was recovered. The case was reported by a consumer. Expectedness against the supplied synthetic reference was known. Seriousness was classified as hospitalisation. Dechallenge was reported as negative and rechallenge as negative. Concomitant medication(s): Vitamin D. No additional medical history or patient/reporter identifying details were provided in the source case; these are recorded as unknown/not provided rather than inferred.

Causality note: A formal causality category was not supplied by the source pack. Temporal relationship, dechallenge and rechallenge are documented above; no additional causal conclusion is inferred.

SYN-PV-004 — Completed ICSR Assessment

Patient	61 years; Male
Reporter	Pharmacist (name/contact: not provided)
Suspect product	Amlodipine — 500 mg twice daily — Oral
Indication	Anxiety
Adverse event	Peripheral oedema
MedDRA PT	Peripheral oedema
MedDRA SOC	General disorders and administration site conditions
Chronology	Onset 21 day(s) after treatment began
Seriousness	Other medically important condition
Expectedness	Known
Outcome	Recovered
Dechallenge	Positive
Rechallenge	Negative
Concomitant medication(s)	None reported
Medical history	Not provided / unknown

Audit-ready narrative

A 61-year-old male patient received Amlodipine 500 mg twice daily by the oral route for a documented indication. Peripheral oedema was reported 21 day(s) after treatment began. Treatment was stopped. The reported outcome was recovered. The case was reported by a pharmacist. Expectedness against the supplied synthetic reference was known. Seriousness was classified as medically important. Dechallenge was reported as positive and rechallenge as negative. Concomitant medication(s): None reported. No additional medical history or patient/reporter identifying details were provided in the source case; these are recorded as unknown/not provided rather than inferred.

Causality note: A formal causality category was not supplied by the source pack. Temporal relationship, dechallenge and rechallenge are documented above; no additional causal conclusion is inferred.

SYN-PV-005
— Completed ICSR Assessment

Patient	33 years; Unknown
Reporter	Pharmacist (name/contact: not provided)
Suspect product	Ciprofloxacin — 500 mg twice daily — Oral
Indication	Infection
Adverse event	Tendon pain
MedDRA PT	Tendon pain
MedDRA SOC	Musculoskeletal and connective tissue disorders
Chronology	Onset 15 day(s) after treatment began
Seriousness	Other medically important condition
Expectedness	Known
Outcome	Not recovered
Dechallenge	Unknown
Rechallenge	Not done
Concomitant medication(s)	None reported
Medical history	Not provided / unknown

Audit-ready narrative

A 33-year-old unknown patient received Ciprofloxacin 500 mg twice daily by the oral route for a documented indication. Tendon pain was reported 15 day(s) after treatment began. Treatment was stopped. The reported outcome was not recovered. The case was reported by a pharmacist. Expectedness against the supplied synthetic reference was known. Seriousness was classified as medically important. Dechallenge was reported as unknown and rechallenge as not done. Concomitant medication(s): None reported. No additional medical history or patient/reporter identifying details were provided in the source case; these are recorded as unknown/not provided rather than inferred.

Causality note: A formal causality category was not supplied by the source pack. Temporal relationship, dechallenge and rechallenge are documented above; no additional causal conclusion is inferred.

SYN-PV-006
— Completed ICSR Assessment

Patient	31 years; Unknown
Reporter	Physician (name/contact: not provided)
Suspect product	Sertraline — 20 mg once daily — Oral
Indication	Hypertension
Adverse event	Dizziness
MedDRA PT	Dizziness
MedDRA SOC	Nervous system disorders
Chronology	Onset 3 day(s) after treatment began
Seriousness	Other medically important condition
Expectedness	Known
Outcome	Recovering
Dechallenge	Positive
Rechallenge	Not done
Concomitant medication(s)	Paracetamol
Medical history	Not provided / unknown

Audit-ready narrative

A 31-year-old unknown patient received Sertraline 20 mg once daily by the oral route for a documented indication. Dizziness was reported 3 day(s) after treatment began. Treatment was stopped. The reported outcome was recovering. The case was reported by a physician. Expectedness against the supplied synthetic reference was known. Seriousness was classified as medically important. Dechallenge was reported as positive and rechallenge as not done. Concomitant medication(s): Paracetamol. No additional medical history or patient/reporter identifying details were provided in the source case; these are recorded as unknown/not provided rather than inferred.

Causality note: A formal causality category was not supplied by the source pack. Temporal relationship, dechallenge and rechallenge are documented above; no additional causal conclusion is inferred.

SYN-PV-007
Completed ICSR Assessment

Patient	63 years; Male
Reporter	Consumer (name/contact: not provided)
Suspect product	Omeprazole — 500 mg twice daily — Oral
Indication	Hypertension
Adverse event	Headache
MedDRA PT	Headache
MedDRA SOC	Nervous system disorders
Chronology	Onset 16 day(s) after treatment began
Seriousness	Other medically important condition
Expectedness	Known
Outcome	Recovered
Dechallenge	Negative
Rechallenge	Negative
Concomitant medication(s)	Paracetamol
Medical history	Not provided / unknown

Audit-ready narrative

A 63-year-old male patient received Omeprazole 500 mg twice daily by the oral route for a documented indication. Headache was reported 16 day(s) after treatment began. Treatment was stopped. The reported outcome was recovered. The case was reported by a consumer. Expectedness against the supplied synthetic reference was known. Seriousness was classified as medically important. Dechallenge was reported as negative and rechallenge as negative. Concomitant medication(s): Paracetamol. No additional medical history or patient/reporter identifying details were provided in the source case; these are recorded as unknown/not provided rather than inferred.

Causality note: A formal causality category was not supplied by the source pack. Temporal relationship, dechallenge and rechallenge are documented above; no additional causal conclusion is inferred.

SYN-PV-008
Completed ICSR Assessment

Patient	36 years; Male
Reporter	Pharmacist (name/contact: not provided)
Suspect product	Losartan — 5 mg once daily — Oral
Indication	Infection
Adverse event	Fatigue
MedDRA PT	Fatigue
MedDRA SOC	General disorders and administration site conditions
Chronology	Onset 2 day(s) after treatment began
Seriousness	No seriousness criterion stated
Expectedness	Unexpected
Outcome	Recovering
Dechallenge	Negative
Rechallenge	Not done
Concomitant medication(s)	Paracetamol
Medical history	Not provided / unknown

Audit-ready narrative

A 36-year-old male patient received Losartan 5 mg once daily by the oral route for a documented indication. Fatigue was reported 2 day(s) after treatment began. Treatment was stopped. The reported outcome was recovering. The case was reported by a pharmacist. Expectedness against the supplied synthetic reference was unexpected. Seriousness was classified as not serious. Dechallenge was reported as negative and rechallenge as not done. Concomitant medication(s): Paracetamol. No additional medical history or patient/reporter identifying details were provided in the source case; these are recorded as unknown/not provided rather than inferred.

Causality note: A formal causality category was not supplied by the source pack. Temporal relationship, dechallenge and rechallenge are documented above; no additional causal conclusion is inferred.

SYN-PV-009
— Completed ICSR Assessment

Patient	78 years; Unknown
Reporter	Physician (name/contact: not provided)
Suspect product	Amoxicillin — 5 mg once daily — Oral
Indication	Anxiety
Adverse event	Rash
MedDRA PT	Rash
MedDRA SOC	Skin and subcutaneous tissue disorders
Chronology	Onset 7 day(s) after treatment began
Seriousness	Other medically important condition
Expectedness	Known
Outcome	Recovering
Dechallenge	Positive
Rechallenge	Not done
Concomitant medication(s)	Vitamin D
Medical history	Not provided / unknown

Audit-ready narrative

A 78-year-old unknown patient received Amoxicillin 5 mg once daily by the oral route for a documented indication. Rash was reported 7 day(s) after treatment began. Treatment was stopped. The reported outcome was recovering. The case was reported by a physician. Expectedness against the supplied synthetic reference was known. Seriousness was classified as medically important. Dechallenge was reported as positive and rechallenge as not done. Concomitant medication(s): Vitamin D. No additional medical history or patient/reporter identifying details were provided in the source case; these are recorded as unknown/not provided rather than inferred.

Causality note: A formal causality category was not supplied by the source pack. Temporal relationship, dechallenge and rechallenge are documented above; no additional causal conclusion is inferred.

SYN-PV-010
— Completed ICSR Assessment

Patient	57 years; Female
Reporter	Pharmacist (name/contact: not provided)
Suspect product	Atorvastatin — 5 mg once daily — Oral
Indication	Infection
Adverse event	Myalgia
MedDRA PT	Myalgia
MedDRA SOC	Musculoskeletal and connective tissue disorders
Chronology	Onset 21 day(s) after treatment began
Seriousness	Hospitalisation
Expectedness	Known
Outcome	Recovered
Dechallenge	Unknown
Rechallenge	Negative
Concomitant medication(s)	Paracetamol
Medical history	Not provided / unknown

Audit-ready narrative

A 57-year-old female patient received Atorvastatin 5 mg once daily by the oral route for a documented indication. Myalgia was reported 21 day(s) after treatment began. Treatment was stopped. The reported outcome was recovered. The case was reported by a pharmacist. Expectedness against the supplied synthetic reference was known. Seriousness was classified as hospitalisation. Dechallenge was reported as unknown and rechallenge as negative. Concomitant medication(s): Paracetamol. No additional medical history or patient/reporter identifying details were provided in the source case; these are recorded as unknown/not provided rather than inferred.

Causality note: A formal causality category was not supplied by the source pack. Temporal relationship, dechallenge and rechallenge are documented above; no additional causal conclusion is inferred.

SYN-PV-011
— Completed ICSR Assessment

Patient	23 years; Unknown
Reporter	Consumer (name/contact: not provided)
Suspect product	Metformin — 5 mg once daily — Oral
Indication	Hypertension
Adverse event	Nausea
MedDRA PT	Nausea
MedDRA SOC	Gastrointestinal disorders
Chronology	Onset 19 day(s) after treatment began
Seriousness	Other medically important condition
Expectedness	Known
Outcome	Recovering
Dechallenge	Unknown
Rechallenge	Positive
Concomitant medication(s)	None reported
Medical history	Not provided / unknown

Audit-ready narrative

A 23-year-old unknown patient received Metformin 5 mg once daily by the oral route for a documented indication. Nausea was reported 19 day(s) after treatment began. Treatment was stopped. The reported outcome was recovering. The case was reported by a consumer. Expectedness against the supplied synthetic reference was known. Seriousness was classified as medically important. Dechallenge was reported as unknown and rechallenge as positive. Concomitant medication(s): None reported. No additional medical history or patient/reporter identifying details were provided in the source case; these are recorded as unknown/not provided rather than inferred.

Causality note: A formal causality category was not supplied by the source pack. Temporal relationship, dechallenge and rechallenge are documented above; no additional causal conclusion is inferred.

SYN-PV-012
— Completed ICSR Assessment

Patient	24 years; Female
Reporter	Pharmacist (name/contact: not provided)
Suspect product	Amlodipine — 5 mg once daily — Oral
Indication	Hypertension
Adverse event	Peripheral oedema
MedDRA PT	Peripheral oedema
MedDRA SOC	General disorders and administration site conditions
Chronology	Onset 4 day(s) after treatment began
Seriousness	Other medically important condition
Expectedness	Known
Outcome	Not recovered
Dechallenge	Unknown
Rechallenge	Positive
Concomitant medication(s)	None reported
Medical history	Not provided / unknown

Audit-ready narrative

A 24-year-old female patient received Amlodipine 5 mg once daily by the oral route for a documented indication. Peripheral oedema was reported 4 day(s) after treatment began. Treatment was stopped. The reported outcome was not recovered. The case was reported by a pharmacist. Expectedness against the supplied synthetic reference was known. Seriousness was classified as medically important. Dechallenge was reported as unknown and rechallenge as positive. Concomitant medication(s): None reported. No additional medical history or patient/reporter identifying details were provided in the source case; these are recorded as unknown/not provided rather than inferred.

Causality note: A formal causality category was not supplied by the source pack. Temporal relationship, dechallenge and rechallenge are documented above; no additional causal conclusion is inferred.

ICSR Completeness & Submission Checklist

Required ICSR element	Status / handling
Identifiable patient	Patient age/sex available; no unique patient identifier supplied
Identifiable reporter	Reporter type/qualification supplied; name/contact not provided
Suspect product	Captured for all 12 cases
Adverse event	Captured and mapped to PT + SOC
Chronology	Onset interval captured for all 12 cases
Seriousness	Captured from source case
Expectedness	Captured against supplied synthetic reference
Outcome	Captured from source narrative
Dechallenge/rechallenge	Captured where supplied
Concomitant medication	Captured; 'None reported' retained where stated
Medical history	Not supplied; recorded as unknown/not provided

Source files: icsr_source_cases.xlsx; synthetic_coding_reference.xlsx; blank_icsr_fields.xlsx. This document is prepared as an educational internship submission and is not a real regulatory submission.