Cucumber Report

Start : Jan 29, 8:49:39.454 PM	End : Jan 29, 8:49:49.534 PM	Duration : 10.080 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 1 SKIPPED - 0

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
hooks_test	10.080 s	1	0	1	0	3	2	1	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@failed_tests	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	hooks_test	1	0	1	0	10.080 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	hooks_test	TC_01_test	3	2	1	0	10.078 s

hooks_test

FAILED	DURATION - 10.080 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 8:49:39.454 PM // 8:49:49.534 PM /			1		3

TC_01_test

FAILED	DURATION - 10.078 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 8:49:39.456 PM // 8:49:49.534 PM /				3
hooks_test				
@failed_tests				

#	Step / Hook Details	Status	Duration
1	Given user is on "https://www.bluerentalcars.com/login" page	PASSED	2.428 s
2	And user enters customer_email and customer_password	PASSED	2.015 s
	username password jack@gmail.com 12345		
3	Then verify the next page url contains login keyword	FAILED	5.042 s

	java.lang.AssertionError
	   at org.junit.Assert.fail(Assert.java:87)
	   at org.junit.Assert.assertTrue(Assert.java:42)
	   at org.junit.Assert.assertTrue(Assert.java:53)
	   at stepdefinitions.LoginStepDefinitions.verify_the_next_page_url_contains_login_keyword(LoginStepDefinitions.java:43)
	   at ?.verify the next page url contains login keyword(file:///C:/Users/JANAT/IdeaProjects/my-cucumber-project/./src/test/resources/features/day26_failed_test_cases.feature:8)
	* Not displayable characters are replaced by '?'.		

	AFTER - hooks.Hooks.tearDownScenario(io.cucumber.java.Scenario)	PASSED	0.578 s
	failed_scenarioTC_01_test		

#	Step / Hook Details	Status	Duration