1. Definite integral (baseline — msubsup):

$\int_{\square}^{\square}()$ # ~~m:m Matrix Test Fixtures~~

~~Each section tests a~~

2. Word's indefinite integral (uses subHide/supHide m:val=1):

$$\int ()$$

3. Summation default limLoc — Finding A trigger:

$$\sum_{\square}^{\square} \square$$

4. Summation explicit limLoc=subSup (control, different vars):~~m:m matrix shape.~~

~~1. Plain 2x2 matrix (no delimiter)~~

¿

~~2.~~ $\sum_{\square}^{\square} \square$

5. Product default limLoc — Finding A:

$$\prod_{\square}^{\square} \square$$

6. Union default limLoc — Finding A (also supHide from Word):

$$¿\square\square_{\square}$$

2b. Crafted indefinite integral — NO m:sub/m:sup elements (Finding C real trigger):

$$\int_{\square}^{\square} \square$$

7. subHide m:val="true" (Finding B — anchors commit 2bd58d3):

$$\int^{\square} \square$$

8. Bare subHide (Finding B — spec bare-flag=ON):

$$\int^{\square} \square$$

~~2x2 matrix inside [ ] delimiter~~

$$[¿]$$

~~3. Matrix with nested math (fraction + superscript)~~

$$\left(\frac{\square}{\square} \quad ¿\square^{\square}\right)$$

~~4. Matrix with multi-run cells (a+b)~~

$$[¿]$$

~~5. Matrix with empty cells (gaps)~~

$$[¿]$$

~~6. Matrix with per-column justification (left/center/right)~~

$$¿$$

~~7. 1x3 row vector~~

$$[¿]$$

~~8. 3x1 column vector~~

$$[¿]$$

9. limLoc present-no-val (Finding A — spec default=undOvr):

$\sum_{\square}^{\square} \square$~~Matrix with &~~

10. chr present-no-val (Finding D — empty **character**): ~~in cell (edge case)~~

$$¿$$

~~10.~~ $\int_{\square}^{\square} \square$

12. subHide m:val="0" (ST_OnOff OFF value — §22.9.2.7): sub should stay visible → msubsup

$$\int_{\square}^{\square} \square$$

13. m:grow m:val="0" (Finding E — §22.1.2.72): operator should NOT grow (expect largeop/stretchy=false on mo)

$\sum_{\square}^{\square} \square$ ~~Inline matrix with baseJc=top~~

~~a + ¿ + b~~