- First
- Second

Third~~m:d Delimiter - ECMA-376 Compliance Tests~~

~~Basic Structure~~

~~Case 1: Default parentheses, single expression~~

~~No dPr. Expected: (x+y)~~

$$()$$

~~Case 2: Multiple expressions, default separator~~

~~Two m:e, no dPr. Default sep is U+2502~~

$$(|)$$

~~Case 3: Three expressions, default separator~~

~~Three m:e, no dPr. Default sep is U+2502~~

$$(||)$$

~~Beginning Character (begChr)~~

~~Case 4: Custom begChr = [~~

~~Expected: [x+y)~~

$$[)$$

~~Case 5: begChr present, no val (suppress opening) [BUG]~~

~~Element present without m:val. Expected: x+y) with no opening delimiter~~

$$)$$

~~Case 6: begChr explicit empty val~~

~~m:val="". Expected: x+y) same as Case 5~~

$$)$$

~~Ending Character (endChr)~~

~~Case 7: Custom endChr =]~~

~~Expected: (x+y]~~

$$(]$$

~~Case 8: endChr present, no val (suppress closing) [BUG]~~

~~Expected: (x+y with no closing delimiter~~

$$($$

~~Combined Suppression~~

~~Case 9: Both present, no val (suppress both) [BUG]~~

~~Expected: x+y with no delimiters at all~~

~~Case 10: Both explicit empty val~~

~~m:val="" on both. Expected: x+y same as Case 9~~

~~Separator Character (sepChr)~~

~~Case 11: Custom separator (semicolon)~~

~~Expected: (a;b)~~

$$(;)$$

~~Case 12: sepChr present, no val (suppress separator) [BUG]~~

~~Expected: (xy) with no separator between expressions~~

$$\left(\right)$$

~~Common Patterns~~

~~Case 13: Absolute value~~

~~Expected: |x|~~

$$\left|\right|$$

~~Case 14: Half-open interval [a,b)~~

~~Mixed delimiters with comma separator~~

$$\left[,\right)$$

~~Case 15: Floor function~~

~~Unicode delimiters U+230A, U+230B~~

$$\lfloor\ \rfloor$$

~~Case 16: Ceiling function~~

~~Unicode delimiters U+2308, U+2309~~

$$\lceil\ \rceil$$

~~Case 17: Nested delimiters~~

~~Delimiter inside delimiter. Expected: ((x+y)+z)~~

$$\left(\left(\right)\right)$$

~~Grow Property~~

~~Case 18: grow=1 (default) with fraction~~

~~Delimiters should grow to match fraction height~~

$$\left(\frac{\square}{\square}\right)$$

~~Case 19: grow=0 with fraction~~

~~Delimiters should NOT grow, stay at text height~~

$$\left(\frac{\square}{\square}\right)$$

~~Shape Property~~

~~Case 20: shp=centered (default) with stacked fraction~~

~~Delimiters centered around math axis~~

$$\left(\frac{\frac{\square}{\square}}{\square}\right)$$

~~Case 21: shp=match with stacked fraction~~

~~Delimiters match exact shape of contents~~

- $\left(\frac{\frac{\square}{\square}}{\square}\right)$