

eigenpal/docx-editor

Project Charter &Contributor Agreement

npm [@eigenpal/docx-js-editor](#)

github [eigenpal/docx-editor](#)

1. Whatthis is - Track ChangesDemo

An open-source WYSIWYG docx editor for React. Drop in `<DocxEditor documentBuffer={file} />` and your users can open, edit, and save Word documents entirely in the browser —no backend required, no document data leaving the client.

Most editors serialise to HTML and back: DOCX → HTML → edits → HTML → DOCX. Every hop loses formatting, tracked changes, and styles. This library skips it —OOXML is the canonical format throughout.

```
import { DocxEditor } from '@eigenpal/docx-js-editor'
import '@eigenpal/docx-js-editor/styles.css'

function App({ file }: { file: ArrayBuffer }) {
  return (
    <DocxEditor
      documentBuffer={file}
      onSave={(buffer) => uploadToServer(buffer)}
    />
  )
}
```

2. Collaboration—Tracked Changes&Comments

Both features round-trip through OOXML so documents open correctly in Word, LibreOffice, and Google Docs.

Suggestionmode

Toggle between Editing and Suggesting via the toolbar dropdown. In Suggesting mode, every edit becomes a tracked insertion (**green underline**) or deletion (**red strikethrough**). Consecutive keystrokes group into a single change. Accept or reject individually or all at once.

Serialises to `w:ins / w:del` —the same OOXML markup Word uses. Tracked changes survive a save/reload cycle and are reviewable in Word with full accept/reject UI.

Comments

Select text and click the floating button on the page edge to add a comment anchored to that selection. A Google Docs-style sidebar shows threaded cards positioned at their anchor point in the document. Reply, resolve, reopen, or delete inline.

Serialises to `comments.xml` with `w:commentRangeStart` / `w:commentRangeEnd` markers. Comments and reply threads are preserved on round-trip.

Agentfriendly

Because tracked changes and comments are native OOXML, an AI agent can write `w:ins` / `w:del` / `w:comment` markup directly into a document and hand it to `<DocxEditor />` for human review —no custom diff format, no proprietary API.

3. Props

Pass `author="Your App"` to set the author name for comments and tracked changes. Toggle suggestion mode via the toolbar dropdown.

Prop	Type	Default	Description
<code>documentBuffer</code>	<code>ArrayBuffer</code>	—	.docx file contents to load
<code>readOnly</code>	<code>boolean</code>	<code>false</code>	Preview mode —no editing UI
<code>showToolbar</code>	<code>boolean</code>	<code>true</code>	Show formatting toolbar
<code>author</code>	<code>string</code>	<code>'User'</code>	Author name for comments and tracked changes
<code>onChange</code>	<code>function</code>	—	Called on every document change
<code>onSave</code>	<code>function</code>	—	Called on save, receives <code>ArrayBuffer</code>
<code>onError</code>	<code>function</code>	—	Called on error

Ref methods

```
const ref = useRef<DocxEditorRef>(null)

await ref.current.save()           // ArrayBuffer of the .docx
ref.current.getDocument()         // current document object
ref.current.setZoom(1.5)          // set zoom to 150%
ref.current.scrollToPage(3)       // scroll to page 3
ref.current.print()               // print
```

4. Contributing

Read [docs/PLUGINS.md](#) before opening a pull request that touches the plugin API.

Ground rules

Every PR must pass the round-trip test: load a .docx, apply an edit, export, reload — content and formatting must be stable on unchanged content.

Run `bun test` and `bun run test:e2e` locally before pushing.

Avoid intermediate HTML serialisation where possible.

Tracked changes and comments must survive a full OOXML round-trip — save, open in Word, verify changes are reviewable, reload in the editor.

Dev setup

```
bun install
bun run dev           // Vite demo on localhost:5173
```

Sign-off

EigenPal

Maintainer · [eigenpal.com](#)

signature · date

Contributor

on behalf of the community

signature · date