

# eigenpal/docx-editor

## Project Charter & Contributor Agreement

[npm @eigenpal/docx-js-editor](#)

[github eigenpal/docx-editor](#)

## 1. What this is - Track Changes **Double Spacing Bold Demo**

An open-source WYSIWYG .docx editor for React. Drop in `<DocxEditor` `documentBuffer={file}` `/>` and your users can open, edit, and save Word documents entirely in the browser — no backend required, no document data leaving the client.

Most editors serialise to HTML and back: DOCX → HTML → edits → HTML → DOCX. Every hop loses formatting, tracked changes, and styles. This library skips it — OOXML is the canonical format throughout.

```
import { DocxEditor } from '@eigenpal/docx-js-editor'  
import '@eigenpal/docx-js-editor/styles.css'  
  
function App({ file }: { file: ArrayBuffer }) {  
  return (  
    <DocxEditor  
      documentBuffer={file}  
      onSave={(buffer) => uploadToServer(buffer)}  
    />  
  )  
}
```

## 2. Collaboration — Tracked Changes & Comments

Both features round-trip through OOXML so documents open correctly in Word, LibreOffice, and Google Docs.

### Suggestion mode

Toggle between Editing and Suggesting via the toolbar dropdown. In Suggesting mode, every edit becomes a tracked insertion (green underline) or deletion (red strikethrough). Consecutive keystrokes group into a single change. Accept or reject individually or all at once.

Serialises to `w:ins / w:del` — the same OOXML markup Word uses. Tracked changes survive a save/reload cycle and are reviewable in Word with full accept/reject UI.

### Comments

Select text and click the floating button on the page edge to add a comment anchored to that selection. A Google Docs-style sidebar shows threaded cards positioned at their anchor point in the document. Reply, resolve, reopen, or delete inline.

Serialises to `comments.xml` with `w:commentRangeStart / w:commentRangeEnd` markers. Comments and reply threads are preserved on round-trip.

### Agent-friendly

Because tracked changes and comments are native OOXML, an AI agent can write `w:ins / w:del / w:comment` markup directly into a document and hand it to `<DocxEditor />` for human review — no custom diff format, no proprietary API.

## 3. Props

Pass `author="Your App"` to set the author name for comments and tracked changes. Toggle suggestion mode via the toolbar dropdown.

| Prop                        | Type                     | Default            | Description                              |
|-----------------------------|--------------------------|--------------------|------------------------------------------|
| <code>documentBuffer</code> | <code>ArrayBuffer</code> | <code>=</code>     | <code>.docx</code> file contents to load |
| <code>readOnly</code>       | <code>boolean</code>     | <code>false</code> | Preview mode — no editing UI             |
| <code>showToolbar</code>    | <code>boolean</code>     | <code>true</code>  | Show formatting toolbar                  |

|                 |                 |               |                                                     |
|-----------------|-----------------|---------------|-----------------------------------------------------|
|                 |                 |               |                                                     |
| <u>author</u>   | <u>string</u>   | <u>'User'</u> | <u>Author name for comments and tracked changes</u> |
| <u>onChange</u> | <u>function</u> | =             | <u>Called on every document change</u>              |
| <u>onSave</u>   | <u>function</u> | =             | <u>Called on save, receives ArrayBuffer</u>         |
| <u>onError</u>  | <u>function</u> | =             | <u>Called on error</u>                              |