

S1 Table

Variable	Tumor sample	Plasma/ serum	RNA
Ang-2	Zhang L., 2003 [1]: 52 specimen Result: Expression in endothelium and 12% of tumor cells	Sallinen H., 2010 [5]: 150 patients Result: Higher pre-operative Ang-2 levels in cancer. Poor PFS and OS.	Hata K., 2004 [9]: 85 specimens Result: Low Ang-1/ Ang-2 predicted poor OS (univariate analysis)
	Lin Z., 2011 [2]: 21 patients Result: No correlation with clinicopathological parameters, no difference between cancer vs benign	Sallinen H., 2014 [6]: 75 patients Result: Higher Ang-2 and Ang-2/ VEGFR2 in cancer. Poor PFS and OS.	
Tie-2/ Ang-2	Li S., 2010 [3]: 12 specimens Result: Cytoplasmic expression, higher expression in cancer, no correlation with clinical parameters	Backen A., Clin Cancer Res 2014 [7]: 91 patients Result: High Ang-1/ Tie-2 improved PFS in bevacizumab treated patients	Hata K., Oncology 2002 [10]: 19 patients Result: No difference with Ang-2 and Tie-2 expression in cancer vs benign tumors
	Brunckhorst M.K., 2014 [4]: 12 cancer and 12 omental metastatic samples Result: Ang-2 expression in tumor cells, Tie-2 in endothelium and fibroblasts. Higher Ang-2 expression in cancer.	Zhou C., 2016 [8]: 92 patients Result: 50% increase of Tie-2 from the nadir predicted tumor progression after bevacizumab	

S2 Table

Variable	Correlation coefficient (r)	<i>p</i>
Ang-2 IRS	-0.64	0.002
Ang-2 IRS*	-0.79	0.004
Ang-2 IRS (HGSC)	-0.87	<0.001
Ang-2 met PP	0.75	0.005
Tie-1 IRS	0.008	0.972
Tie-1 IRS (* /HGSC)	-0.087	0.799
Tie-1 met IRS	0.215	0.502
Tie-2 IRS	0.163	0.479
Tie-2 IRS (* /HGSC)	-0.319	0.339
Tie-2 met IRS	0.211	0.510

p-values determined by Spearman's test, IRS immunoreactive score, HGSC high grade serous carcinoma, Ang-2 met angiopoietin-2 metastasis, PP percentage of positively stained epithelial cells, * serous histologic type

S3 Table

	Ang2	<i>p</i>	Tie1	<i>p</i>	Tie2	<i>p</i>
Grade						
<i>Low</i>						
IRS	8		3		2	
PP	80		65		40	
<i>High</i>						
IRS	6	0.075	2	0.018	2	0.108
PP	65	0.008	25	0.007	30	0.016
Stage						
<i>I-II</i>						
IRS	9		2		2	
PP	75		20		40	
<i>III-IV</i>						
IRS	6	0.185 (0.047*)	2	0.781	2	0.141
PP	65	0.370	35	0.657	35	0.375
Histology						
<i>Serous</i>						
IRS	6	0.436	2	0.002	2	0.002
PP	65	0.110	40	0.002	30	<0.001
<i>Mucinous</i>						
IRS	6	0.867	3	0.029	6	0.001
PP	75	0.255	60	0.024	75	<0.001
<i>Endometrioid</i>						
IRS	6	0.175	2	0.411	2	0.672
PP	65	0.878	20	0.136	33	0.890
<i>Clear cell</i>						
IRS	4	0.477	1	0.001	1	0.095
PP	30	0.020	5	0.003	10	0.024
Residual tumor						
<i>None</i>						
IRS	6		2.5		3	
PP	70		45		40	
<i>≤1cm</i>						
IRS	6	0.109	2.5	0.583	2	0.923
PP	65	0.746	45	0.496	30	0.854
<i>>1cm</i>						
IRS	6	0.012	2	0.465 (0.008*)	2	0.688
PP	60	0.092	25	0.284 (0.020*)	30	0.526
Recurrence						
<i>No</i>						