

SuperDoc math: m:box / m:borderBox

spec coverage test

Each scenario below tests a specific branch of ECMA-376 §22.1.2.11-14 and §22.9.2.7. Labels describe the expected MathML.

A. m:borderBox defaults

1. No borderBoxPr (expect notation=box)

2. Empty borderBoxPr (expect notation=box)

B. ST_OnOff value variants (on m:hideTop)

3. m:val=1 (expect top hidden)

4. m:val=true (expect top hidden)

5. m:val=on (Annex L.6.1.3 uses this — expect top hidden)

6. Bare tag hideTop/ (expect top hidden — spec default val=1)

7. m:val=0 (expect NOT hidden)

8. m:val=false (expect NOT hidden)

C. Individual hide flags in isolation

9. hideBot only (expect top left right)

10. hideLeft only (expect top bottom right)

11. hideRight only (expect top bottom left)

12. hideTop + hideRight — spec §22.1.2.12 example (expect bottom left)

13. All four hides, no strikes (expect fallback to mrow, no border)

D. Strike directions (all borders hidden)

14. strikeBLTR alone (BL to TR = slash = updiagonalstrike)

15. strikeTLBR alone (TL to BR = backslash = downdiagonalstrike)

16. strikeH alone (horizontalstrike)



17. strikeV alone (verticalstrike)

E. Strike combinations

18. strikeBLTR + strikeTLBR = X pattern

19. All four strikes



20. Default box + strikeH (expect: box horizontalstrike)



21. hideTop + strikeH (expect: bottom left right horizontalstrike)



F. Spec Annex L.6.1.3 example

22. $a^2 = b^2 + c^2$ crossed out with TL-BR diagonal, using m:val=on from spec



G. m:box scenarios

23. Plain m:box with content == (expect mrow)

24. m:box with boxPr/opEmu — spec §22.1.2.13 example (opEmu currently dropped)

25. m:box with boxPr/noBreak (noBreak currently dropped)

26. m:box with all boxPr flags (all currently dropped)

27. Empty m:box (expect null/dropped)

H. Nested structures

28. m:box inside m:borderBox

29. m:borderBox inside m:box

30. Nested m:borderBox inside m:borderBox (outer partial-hide + inner strike)

 TIFF test document

