

- List item 1
- List item 2
 - o Indentation 1
- Back

1. Numbered 1
2. Num 2
 - a. With indend 1

~~lastSuperDoc math:m:box / m:borderBox~~

~~spec coverage test~~

~~Each scenario below tests a specific branch of ECMA-376 §22.1.2.11-14 and §22.9.2.7.
Labels describe the expected MathML:~~

~~A. m:borderBox defaults~~

- ~~1. No borderBoxPr (expect notation=box)~~

~~$\boxed{abc}$~~

- ~~2. Empty borderBoxPr (expect notation=box)~~

~~$\boxed{abc2}$~~

~~B. ST_OnOff value variants (on m:hideTop)~~

- ~~3. m:val=1 (expect top hidden)~~

~~$\boxed{T1}$~~

- ~~4. m:val=true (expect top hidden)~~

~~$\boxed{Ttr}$~~

- ~~5. m:val=on (Annex L.6.1.3 uses this — expect top hidden)~~

~~$\boxed{Ton}$~~

- ~~6. Bare tag hideTop/ (expect top hidden — spec default val=1)~~

~~$\boxed{Tbr}$~~

- ~~7. m:val=0 (expect NOT hidden)~~

$\boxed{T0}$

8. ~~m:val=false~~ (expect NOT hidden)

$\boxed{Tf}$

C. Individual hide flags in isolation

9. ~~hideBot~~ only (expect top left right)

$\boxed{B}$

10. ~~hideLeft~~ only (expect top bottom right)

$\boxed{L}$

11. ~~hideRight~~ only (expect top bottom left)

$\boxed{R}$

12. ~~hideTop + hideRight~~ — spec §22.1.2.12 example (expect bottom left)

$\boxed{\times}$

13. All four hides, no strikes (expect fallback to mrow, no border)

nobdr

D. Strike directions (all borders hidden)

14. ~~strikeBLTR~~ alone (BL to TR = slash = updiagonalstrike)

$\text{\textit{BLTR}}$

15. ~~strikeTLBR~~ alone (TL to BR = backslash = downdiagonalstrike)

$\text{\textit{TLBR}}$

16. ~~strikeH~~ alone (horizontalstrike)

$\text{\textit{H}}$

17. ~~strikeV~~ alone (verticalstrike)

$\text{\textit{V}}$

E. Strike combinations

18. `strikeBLTR + strikeTLBR` = X pattern

✕

19. All four strikes

~~~~~~~~~~all~~~~~~~~~~

20. Default box + `strikeH` (expect: box horizontalstrike)

~~boxH~~

21. `hideTop + strikeH` (expect: bottom left right horizontalstrike)

|pH|

## F. Spec Annex L.6.1.3 example

22. `a squared = b squared + c squared` crossed out with TL-BR diagonal, using `m:val=on` from spec

~~$a^2 = b^2 + c^2$~~

## G. m:box scenarios

23. Plain `m:box` with `content ==` (expect mrow)

==

24. `m:box` with `boxPr/opEmu` — spec §22.1.2.13 example (opEmu currently dropped)

$a == b$

25. `m:box` with `boxPr/noBreak` (noBreak currently dropped)

$nbr$

26. `m:box` with all `boxPr` flags (all currently dropped)

$pAll$

27. Empty `m:box` (expect null/dropped)

—

## H. Nested structures

28. ~~m:box inside m:borderBox~~

~~$nx$~~

29. ~~m:borderBox inside m:box~~

~~$ny$~~

30. ~~Nested m:borderBox inside m:borderBox (outer partial-hide + inner strike)~~

3.  ~~$nz$~~