

Aa Alpha
Bβ Beta
Γγ Gamma
Δδ Delta
Εε Epsilon
Ζζ Zeta
Ηη Eta
Θθ Theta
Ιι Iota
Κκ Kappa
Λλ Lambda
Μμ Mu
Νν Nu
Ξξ Xi
Οο Omicron
Ππ Pi
Ρρ Rho
Σσς Sigma
Ττ Tau
Υυ Upsilon
Φφ Phi
Χχ Chi
Ψψ Psi

Ωω Omega~~OOXML w:b (bold) tester: ST_OnOff variants, rStyle-only cases, rStyle + inline overrides, and a linked style pair (paragraph+character) to verify behavior.~~

~~A) ST_OnOff values for <w:b> on a run:~~

~~—w:b w:val=(w:val omitted): **Sample text**~~

~~—w:b w:val=true: **Sample text**~~

~~—w:b w:val=1: **Sample text**~~

~~—w:b w:val=on: **Sample text**~~

~~—w:b w:val=false: Sample text~~

~~—w:b w:val=0: Sample text~~

~~—w:b w:val=off: Sample text~~

~~B) rStyle-only cases (no inline <w:b>):~~

~~—rStyle='SD_BoldChar' (should be bold): **Sample via SD_BoldChar**~~

~~—rStyle='Strong' (built-in bold): **Sample via Strong**~~

~~—rStyle='SD_PlainChar' (not bold): Sample via SD_PlainChar~~

C) rStyle + inline <w:b> combinations (inline overrides style):

- ~~--rStyle='SD_BoldChar' + <w:b w:val='0'> => expect NOT bold: Styled bold, overridden off~~
- ~~--rStyle='SD_BoldChar' + <w:b w:val='1'> => expect bold: **Styled bold, reinforced on**~~
- ~~--rStyle='SD_PlainChar' + <w:b w:val='on'> => expect bold: **Plain style, inline turns bold on**~~
- ~~--rStyle='Strong' + <w:b w:val='off'> => expect NOT bold: Strong style, explicit bold off~~
- ~~--rStyle='Strong' + <w:b w:val='true'> => expect bold: **Strong style, inline bold on**~~

D) Linked style (paragraph+character) demonstrations:

- ~~--rStyle='SD_LinkedHeadingChar' (character side of linked pair) => expect bold: **Linked Char style applied to run**~~
- ~~--rStyle='SD_LinkedHeadingChar' + <w:b w:val='0'> => expect NOT bold: Linked Char style overridden off~~
- ~~--pStyle='SD_LinkedHeading' + inline <w:b w:val='0'>: Paragraph style makes text bold, but inline turns it off here~~
- ~~--pStyle='SD_LinkedHeading' (no inline) => expect bold: **All runs inherit bold from the paragraph style**~~

Table examples (linked style + inline overrides):

rStyle='SD_LinkedHeadingChar' (no inline)	Should be bold
rStyle='SD_LinkedHeadingChar' + w:b='0'	Should NOT be bold