

OOXML w:strike tester – ST_OnOff forms, rStyle-only strike, inline overrides, and linked styles.
(Bonus: a line with w:dstrike.)

A) <w:strike> ST_OnOff variants:

- w:strike w:val=(omitted): ~~Strikethrough sample~~
- w:strike w:val=true: ~~Strikethrough sample~~
- w:strike w:val=1: ~~Strikethrough sample~~
- w:strike w:val=on: ~~Strikethrough sample~~
- w:strike w:val=false: ~~Strikethrough sample~~
- w:strike w:val=0: ~~Strikethrough sample~~
- w:strike w:val=off: ~~Strikethrough sample~~

B) rStyle-only strike (no inline <w:strike>):

- rStyle='SD_StrikeChar' => expect strikethrough: ~~Styled strike~~
- rStyle='SD_NoStrikeChar' => expect normal text: ~~Styled no-strike~~

C) rStyle + inline <w:strike> (inline overrides style):

- rStyle='SD_StrikeChar' + inline 'off' => expect NOT strikethrough: ~~Strike style overridden off~~
- rStyle='SD_NoStrikeChar' + inline 'on' => expect strikethrough: ~~No-strike style overridden on~~

D) Linked style pair (paragraph+character) with strike:

- rStyle='SD_LinkedStrikeHeadingChar' => strike: ~~Linked Char style applied~~
- pStyle='SD_LinkedStrikeHeading' + inline 'off' on a run: This part should NOT be struck


Table examples (strike combos):

<u>rStyle=Strike</u>	<u>Struck cell</u>
<u>rStyle=NoStrike + inline on</u>	<u>Should be struck</u>
<u>Bonus) <w:dstrike/> example (double strike): Double struck sample</u>	

My test with some shapes.

My test with some shapes.

My test with some shapes.



My test with some shapes.

My test with some shapes.

My test with some shapes.

My test with some shapes.

My test with some shapes.

My test with some shapes.

My test with some shapes.

My test with some shapes.

My test with some shapes.

My test with some shapes.

My test with some shapes.



My test with some shapes.

