

m:groupChr ECMA-376 §22.1.2.41 — All Variations

Each labeled line below is followed by the math object it describes. Empty m:chr should render with no bracket/arrow.

1. Default (no groupChrPr) — expect U+23DF bottom curly, below base

$$\underbrace{x + y + z}$$

2. Empty m:chr (no m:val) — spec says character is hidden

$$a + b$$

3. Explicit bottom curly bracket U+23DF, pos=bot (underbrace)

$$\underbrace{a + b + c}$$

4. Top curly bracket U+23DE, pos=top (overbrace)

$$\overbrace{x+y}$$

5. Leftward arrow U+2190, pos=top

$$\overleftarrow{n \text{ terms}}$$

6. Rightward arrow U+2192, pos=bot

$$\underline{\overrightarrow{vector}}$$

7. vertJc combo: pos=top, vertJc=top

$$\overbrace{p+q}$$

8. vertJc combo: pos=top, vertJc=bot

$$\overbrace{r + s}$$

9. vertJc combo: pos=bot, vertJc=top

$$\underbrace{t + u}$$

10. vertJc combo: pos=bot, vertJc=bot

$$\underbrace{v+w}$$

11. vertJc with empty m:val (defaults to bot per spec)

$$\underbrace{\tilde{x}}$$

12. Complex base — summation inside groupChr

$$\underbrace{x_1 + x_2 + \cdots + x_n}_{m:\text{func}}$$

Test 1: sin x

$$\sin x$$

Test 2: cos θ

$$\cos \theta$$

Test 3: tan x (no funcPr)

$$\tan x$$

Test 4: log 10

$$\log 10$$

Test 5: ln x

$$\ln x$$

Test 6: f x (single-char)

$$f x$$

Test 7: sin(x+1) multi-part

$$\sin x + 1$$

Test 8: Nested sin(cos x)

$$\sin \cos x$$

Test 9: sin x / x (in fraction)

$$\frac{\sin x}{x}$$

Test 10: sin x + cos x

$$\sin x + \cos x$$

Test 11: sin with subscript arg

$$\sin x_z$$

Test 12: No m:sty on fName

~~*sin*~~ x