

[Some text](#)

[An image will be added below:](#)



~~_____m:d Delimiter - ECMA-376 Compliance Tests~~

Basic Structure

~~Case 1: Default parentheses, single expression~~

No dPr. Expected: (x+y)

~~(x+y)~~

~~Case 2: Multiple expressions, default separator~~

Two m:e, no dPr. Default sep is U+2502

~~(x|y)~~

~~Case 3: Three expressions, default separator~~

Three m:e, no dPr. Default sep is U+2502

~~(a|b|c)~~

Beginning Character (begChr)

Case 4: Custom begChr=[

Expected: [x+y)

~~[x+y)~~

Case 5: begChr present, no val (suppress opening) [BUG]

Element present without m:val. Expected: $x+y$ with no opening delimiter

$x+y$)

Case 6: begChr explicit empty val

m:val="". Expected: $x+y$) same as Case 5

$x+y$)

Ending Character (endChr)

Case 7: Custom endChr = }

Expected: $(x+y)$

$(x+y)$

Case 8: endChr present, no val (suppress closing) [BUG]

Expected: $(x+y$ with no closing delimiter

$(x+y$

Combined Suppression

Case 9: Both present, no val (suppress both) [BUG]

Expected: $x+y$ with no delimiters at all

$x+y$

Case 10: Both explicit empty val

m:val="" on both. Expected: $x+y$ same as Case 9

$x+y$

Separator Character (sepChr)

Case 11: Custom separator (semicolon)

Expected: (a;b)

$(a;b)$

Case 12: sepChr present, no val (suppress separator) [BUG]

Expected: (xy) with no separator between expressions

(xy)

Common Patterns

Case 13: Absolute value

Expected: |x|

$|x|$

Case 14: Half-open interval [a,b)

Mixed delimiters with comma separator

$[a,b)$

Case 15: Floor function

Unicode delimiters U+230A, U+230B

$\lfloor x \rfloor$

Case 16: Ceiling function

Unicode delimiters U+2308, U+2309

$\lceil x \rceil$

Case 17: Nested delimiters

Delimiter inside delimiter. Expected: $((x+y)+z)$

$$((x+y)+z)$$

Grow Property

Case 18: grow=1 (default) with fraction

Delimiters should grow to match fraction height

$$\left(\frac{a+b}{c+d}\right)$$

Case 19: grow=0 with fraction

Delimiters should NOT grow, stay at text height

$$\left(\frac{a+b}{c+d}\right)$$

Shape Property

Case 20: shp=centered (default) with stacked fraction

Delimiters centered around math axis

$$\left(\frac{a}{\frac{b}{c}}\right)$$

Case 21: shp=match with stacked fraction

Delimiters match exact shape of contents

$$\left(\frac{a}{\frac{b}{c}}\right)$$