

This is the end. ~~m:d Delimiter - ECMA-376 Compliance Tests~~

Basic Structure

~~Case 1: Default parentheses, single expression~~

~~No dPr. Expected: (x+y)~~

~~(x+y)~~

~~Case 2: Multiple expressions, default separator~~

~~Two m:e, no dPr. Default sep is U+2502~~

~~(x|y)~~

~~Case 3: Three expressions, default separator~~

~~Three m:e, no dPr. Default sep is U+2502~~

~~(a|b|c)~~

Beginning Character (begChr)

~~Case 4: Custom begChr=[~~

~~Expected: [x+y)~~

~~[x+y)~~

~~Case 5: begChr present, no val (suppress opening) [BUG]~~

~~Element present without m:val. Expected: x+y) with no opening delimiter~~

~~x+y)~~

~~Case 6: begChr explicit empty val~~

~~m:val="". Expected: x+y) same as Case 5~~

~~$x+y$~~

Ending Character (endChr)

Case 7: Custom endChr =]

Expected: ~~$(x+y)$~~

~~$(x+y]$~~

Case 8: endChr present, no val (suppress closing) [BUG]

Expected: ~~$(x+y$ with no closing delimiter~~

~~$(x+y$~~

Combined Suppression

Case 9: Both present, no val (suppress both) [BUG]

Expected: ~~$x+y$ with no delimiters at all~~

~~$x+y$~~

Case 10: Both explicit empty val

~~m:val="" on both. Expected: $x+y$ same as Case 9~~

~~$x+y$~~

Separator Character (sepChr)

Case 11: Custom separator (semicolon)

Expected: ~~$(a;b)$~~

~~$(a;b)$~~

Case 12: sepChr present, no val (suppress separator) [BUG]

Expected: ~~(xy)~~ with no separator between expressions

~~(xy)~~

Common Patterns

Case 13: Absolute value

Expected: ~~|x|~~

~~|x|~~

Case 14: Half-open interval [a,b)

Mixed delimiters with comma separator

~~[a,b)~~

Case 15: Floor function

Unicode delimiters U+230A, U+230B

~~⌊x⌋~~

Case 16: Ceiling function

Unicode delimiters U+2308, U+2309

~~⌈x⌉~~

Case 17: Nested delimiters

Delimiter inside delimiter. Expected: ~~((x+y)+z)~~

~~((x+y)+z)~~

Grow Property

Case 18: grow=1 (default) with fraction

Delimiters should grow to match fraction height

$$\left(\frac{a+b}{c+d}\right)$$

Case 19: grow=0 with fraction

Delimiters should NOT grow, stay at text height

$$\left(\frac{a+b}{c+d}\right)$$

Shape Property

Case 20: shp=centered (default) with stacked fraction

Delimiters centered around math axis

$$\left(\frac{a}{b}\right)$$

Case 21: shp=match with stacked fraction

Delimiters match exact shape of contents

$$\left(\frac{a}{b}\right)$$