

$x = 1$
 $y = 2$

$\frac{a}{b} = c$
 $x = y$

$x_1 = a$
 $y = b$

$x = 1$
 $yy = 22$

$x = 1$
 $y = 2$

~~m:d Delimiter - ECMA-376 Compliance Tests~~

~~Basic Structure~~

~~Case 1: Default parentheses, single expression~~

No dPr. Expected: (x+y)

~~(x+y)~~

~~Case 2: Multiple expressions, default separator~~

Two m:e, no dPr. Default sep is U+2502

~~(x|y)~~

~~Case 3: Three expressions, default separator~~

Three m:e, no dPr. Default sep is U+2502

~~(a|b|c)~~

~~Beginning Character (begChr)~~

~~Case 4: Custom begChr=[~~

Expected: [x+y)

~~{x+y}~~

Case 5: begChr present, no val (suppress opening) [BUG]

Element present without m:val. Expected: x+y) with no opening delimiter

~~x+y)~~

Case 6: begChr explicit empty val

m:val="". Expected: x+y) same as Case 5

~~x+y)~~

Ending Character (endChr)

Case 7: Custom endChr = }

Expected: (x+y}

~~(x+y}~~

Case 8: endChr present, no val (suppress closing) [BUG]

Expected: (x+y with no closing delimiter

~~(x+y~~

Combined Suppression

Case 9: Both present, no val (suppress both) [BUG]

Expected: x+y with no delimiters at all

~~x+y~~

Case 10: Both explicit empty val

m:val="" on both. Expected: x+y same as Case 9

$$x+y$$

Separator Character (sepChr)

Case 11: Custom separator (semicolon)

Expected: (a;b)

$$(a;b)$$

Case 12: sepChr present, no val (suppress separator) [BUG]

Expected: (xy) with no separator between expressions

$$(xy)$$

Common Patterns

Case 13: Absolute value

Expected: |x|

$$|x|$$

Case 14: Half-open interval [a,b)

Mixed delimiters with comma separator

$$[a,b)$$

Case 15: Floor function

Unicode delimiters U+230A, U+230B

$$\lfloor x \rfloor$$

Case 16: Ceiling function

Unicode delimiters U+2308, U+2309

$$\{x\}$$

Case 17: Nested delimiters

Delimiter inside delimiter. Expected: $((x+y)+z)$

$$((x+y)+z)$$

Grow Property

Case 18: grow=1 (default) with fraction

Delimiters should grow to match fraction height

$$\left(\frac{a+b}{c+d}\right)$$

Case 19: grow=0 with fraction

Delimiters should NOT grow, stay at text height

$$\left(\frac{a+b}{c+d}\right)$$

Shape Property

Case 20: shp=centered (default) with stacked fraction

Delimiters centered around math axis

$$\left(\frac{a}{\frac{b}{c}}\right)$$

Case 21: shp=match with stacked fraction

Delimiters match exact shape of contents

$$\left(\frac{a}{\frac{b}{c}}\right)$$