

m:d Delimiter - ECMA-376 Compliance Tests

Basic Structure

Case 1: Default parentheses, single expression

No dPr. Expected: (x+y)

()

Case 2: 1. Inline E=mc²: □ □

2. Multiple expressions, default separator inline:-

Two m:e, no dPr. Default sep is U+2502

(|)

Case 3: Three expressions, default separator

Three m:e, no dPr. Default sep is U+2502

(||)

Beginning Character (begChr)

Case 4: Custom begChr = [

Expected: [x+y)

[)

Case 5: begChr present, no val (suppress opening) [BUG]

Element present without m:val. Expected: x+y) with no opening delimiter

)

Case 6: begChr explicit empty val

m:val="". Expected: x+y) same as Case 5

)

Ending Character (endChr)

Case 7: Custom endChr =]

Expected: (x+y]

(]

Case 8: endChr present, no val (suppress closing) [BUG]

Expected: (x+y with no closing delimiter

(

Combined Suppression

Case 9: Both present, no val (suppress both) [BUG]

Expected: x+y with no delimiters at all

Case 10: Both explicit empty val

m:val="" on both. Expected: x+y same as Case 9

Separator Character (sepChr)

Case 11: Custom separator (semicolon)

Expected: (a;b)

(;)

Case 12: sepChr present, no val (suppress separator) [BUG]

Expected: (xy) with no separator between expressions

()

Common Patterns

Case 13: Absolute value

Expected: |x|

||

Case 14: Half-open interval [a,b)

Mixed delimiters with comma separator

[,)

Case 15: Floor function

Unicode delimiters U+230A, U+230B

⌊ ⌋

Case 16: Ceiling function

Unicode delimiters U+2308, U+2309

⌈ ⌉

Case 17: Nested delimiters

Delimiter inside delimiter. Expected: ((x+y)+z)

(())

Grow Property

Case 18: grow=1 (default) with. Display fraction:

Delimiters should grow to match fraction height

$$\left(\frac{\square}{\square}\right)$$

Case 19: grow=0 $\frac{\square}{\square}$

4. Quadratic formula:

$$\frac{\sqrt{\square}}{\square}$$

5. Superscript: $\square^\square$

6. Subscript: $\square_\square$

7. Sub+Super: $\square^\square_\square$

8. Square root: $\sqrt{\square}$

9. Summation:

$$\sum_{\square}^{\square} \square^\square$$

10. Integral:

$$\int_{\square}^{\square} \square^\square$$

11. Matrix:

$$[\mathcal{L}]$$

12. Accent hat: $\hat{\square}$

13. Function sin: $(\square)$

14. Overbar: $\overline{\square}$

15. Lower limit: $\mathcal{L}\square$

16. Group char: $\{\square\}$

17. Delimiter: $(\square)$

18. Mixed paragraph with **fraction**

Delimiters should NOT grow, stay at math and text height

$$\left(\frac{\square}{\square}\right)$$

Shape Property

Case 20: shp=centered (default) with stacked fraction

Delimiters centered around math axis

$$\left(\frac{\square}{\square}\right)$$

Case 21: shp=match with stacked fraction

Delimiters match exact shape of contents

$$\left(\frac{\square}{\square}\right)^{\pm}$$