

Table Widths

This document includes tables with explicitly defined widths, both in fixed pixel-equivalent twips and in relative percentage widths.

Test 1 – Fixed Width Table (4.17in)

<u>R1C1</u>	<u>R1C2</u>	<u>R1C3</u>
<u>R2C1</u>	<u>R2C2</u>	<u>R2C3</u>
<u>R3C1</u>	<u>R3C2</u>	<u>R3C3</u>

Test 2 – Fixed Width Table (8.33in)

<u>R1C1</u>	<u>R1C2</u>	<u>R1C3</u>	<u>R1C4</u>
<u>R2C1</u>	<u>R2C2</u>	<u>R2C3</u>	<u>R2C4</u>
<u>R3C1</u>	<u>R3C2</u>	<u>R3C3</u>	<u>R3C4</u>

Test 3 – Relative Width Table (60%)

<u>R1C1</u>	<u>R1C2</u>
<u>R2C1</u>	<u>R2C2</u>

Test 4 – Relative Width Table (100%)

<u>R1C1</u>	<u>R1C2</u>	<u>R1C3</u>
<u>R2C1</u>	<u>R2C2</u>	<u>R2C3</u>

Test 5 – Relative Width Table (200%)

<u>R1C1</u>	<u>R1C2</u>	<u>R1C3</u>	<u>R1C4</u>	<u>R1C5</u>
<u>R2C1</u>	<u>R2C2</u>	<u>R2C3</u>	<u>R2C4</u>	<u>R2C5</u>
<u>R3C1</u>	<u>R3C2</u>	<u>R3C3</u>	<u>R3C4</u>	<u>R3C5</u>

Test 6 – Fixed Width Table with overridden cell widths

<u>R1C1</u>	<u>R1C2</u>	<u>R1C3</u>
<u>R2C1</u>	<u>R2C2</u>	<u>R2C3</u>
<u>R3C1</u>	<u>R3C2</u>	<u>R3C3</u>

Test 7 – Auto Width Table

<u>R1C1</u>	<u>R1C2</u>	<u>R1C3</u>
<u>R2C1</u> this cell has some wide content	<u>R2C2</u>	<u>R2C3</u>
<u>R3C1</u>	<u>R3C2</u> – This	<u>R3C3</u> – This cell will not wrap text with spaces (until it does)

	cell has some wrappe d content	
--	--	--

Test 8 – Fixed Width Table (4.17in) with custom margins

<u>R1C</u> <u>1</u>	<u>R1C</u> <u>2</u>	<u>R1C</u> <u>3</u>
<u>R2C</u> <u>1</u>	<u>R2C</u> <u>2</u>	<u>R2C</u> <u>3</u>
<u>R3C</u> <u>1</u>	<u>R3C</u> <u>2</u>	<u>R3C</u> <u>3</u>

Introduction.....1

 Background.....1

Methodology.....2

 Data Collection.....2

 Analysis.....2

Results.....3

Conclusion.....4

Introduction

This is the introduction section.

Background

Prior work focused on narrow aspects.

Methodology

Three-step approach.

Data Collection

We gathered data for six months.

Analysis

Two-phase analysis.

Results

Primary finding confirms the hypothesis.

Conclusion

~~Small fix preserves correctness.~~