

Requirement Number and Definition

Identify the customized control name / identifier for each control used to meet the Customized Approach Objective.

(Note: use the Customized Control name from the assessed entity's controls matrix)

—

Describe each control used to meet the Customized Approach Objective.

(Note: Refer to the Payment Card Industry Data Security Standard (PCI DSS) Requirements and Testing Procedures for the Customized Approach Objective)

—

Describe how the control(s) meet the Customized Approach Objective.

—

Identify the Controls Matrix documentation reviewed that supports a customized approach for this requirement.

—

Identify the Targeted Risk Analysis documentation reviewed that supports the customized approach for this requirement.

—

Identify name(s) of the assessor(s) who attests that:

- The entity completed the Controls Matrix including all information specified in the Controls Matrix Template in *PCI DSS v4.x: Sample Templates to Support Customized Approach on the PCI SSC website*, and the results of the Controls Matrix support the customized approach for this requirement.
- The entity completed the Targeted Risk Analysis including all information specified in the Targeted Risk Analysis Template in *PCI DSS v4.x: Sample Templates to Support Customized Approach on the PCI SSC website*, and that the results of the Risk Analysis support use of the customized approach for this requirement.

—

Requirement Number and Definition

Describe the testing procedures derived and performed by the assessor to validate that the **implemented controls meet the Customized Approach Objective**; for example, whether the customized control(s) is sufficiently robust to provide at least an equivalent level of protection as provided by the defined approach.

Note 1: *Technical reviews (for example, reviewing configuration settings, operating effectiveness, etc.) should be performed where possible and appropriate.*

Note 2: *Add additional rows for each assessor-derived testing procedure, as needed. Ensure that all rows to the right of the “Assessor-derived testing procedure” are copied for each assessor-derived testing procedure that is added.*

Enter assessor-derived testing procedure here:

—

Identify what was tested (for example, individuals interviewed, system components reviewed, processes observed, etc.)

Note: *all items tested must be uniquely identified.*

—

Identify all evidence examined for this testing procedure.

—

Describe the results of the testing performed by the assessor for this testing procedure and how these results verify the implemented controls meet the Customized Approach Objective.

—

Document the testing procedures derived and performed by the assessor to validate **the controls are maintained to ensure ongoing effectiveness**; for example, how the entity monitors for control effectiveness and how control failures are detected, responded to, and the actions taken.

Note 1: *Technical reviews (for example, reviewing configuration settings, operating effectiveness, etc.) should be performed where possible and appropriate.*

Note 2: *Add additional rows for each assessor-derived testing procedure, as needed. Ensure that all rows to the right of the “Assessor-derived testing procedure” are copied for each assessor-derived testing procedure that is added.*

Enter assessor-derived testing procedure here:

—

Identify what was tested (for example, individuals interviewed, system components reviewed, processes observed, etc.)

Note: *all items tested must be uniquely identified.*

—

Identify all evidence examined for this testing procedure.

—

Requirement Number and Definition

Describe the results of the testing performed by the assessor for this testing procedure and how these results verify the implemented controls are maintained to ensure ongoing effectiveness.

—

~~SuperDoc math: m:box / m:borderBox-spec coverage test~~

Each scenario below tests a specific branch of ECMA-376 §22.1.2.11-14 and §22.9.2.7. Labels describe the expected MathML.

~~A. m:borderBox defaults~~

~~1. No borderBoxPr (expect notation=box)~~

~~2. Empty borderBoxPr (expect notation=box)~~

~~B. ST_OnOff value variants (on m:hideTop)~~

~~3. m:val=1 (expect top hidden)~~

~~4. m:val=true (expect top hidden)~~

~~5. m:val=on (Annex L.6.1.3 uses this — expect top hidden)~~

~~6. Bare tag hideTop/ (expect top hidden — spec default val=1)~~

~~7. m:val=0 (expect NOT hidden)~~

~~8. m:val=false (expect NOT hidden)~~

C. Individual hide flags in isolation

9. hideBot only (expect top-left-right)



10. hideLeft only (expect top-bottom-right)



11. hideRight only (expect top-bottom-left)



12. hideTop + hideRight — spec §22.1.2.12 example (expect bottom-left)



13. All four hides, no strikes (expect fallback to mrow, no border)



D. Strike directions (all borders hidden)

14. strikeBLTR alone (BL to TR = slash = updiagonalstrike)



15. strikeTLBR alone (TL to BR = backslash = downdiagonalstrike)



16. strikeH alone (horizontalstrike)



17. strikeV alone (verticalstrike)



E. Strike combinations

18. strikeBLTR + strikeTLBR = X-pattern



19. All four strikes



20. Default box + strikeH (expect: box horizontalstrike)



21. hideTop + strikeH (expect: bottom-left-right horizontalstrike)



F. ~~Spec Annex L.6.1.3 example~~

~~22. $a^2 = b^2 + c^2$ crossed out with TL-BR diagonal, using m:val=on from spec~~



G. ~~m:box scenarios~~

~~23. Plain m:box with content == (expect mrow)~~

~~24. m:box with boxPr/opEmu — spec §22.1.2.13 example (opEmu currently dropped)~~

~~25. m:box with boxPr/noBreak (noBreak currently dropped)~~

~~26. m:box with all boxPr flags (all currently dropped)~~

~~27. Empty m:box (expect null/dropped)~~

H. ~~Nested structures~~

~~28. m:box inside m:borderBox~~

~~29. m:borderBox inside m:box~~

~~30. Nested m:borderBox inside m:borderBox (outer partial-hide + inner-strike)~~

