

| Num words: 0

| Num chars: 0

| Num pages: 4

|

| test

|

page 300XML w:color tester—direct values (hex/auto/theme), rStyle-only, inline-overrides, and linked styles with theme tint/shade examples.

A) Direct <w:color> variants on runs:

—w:color hex FF0000 (red): Color sample text

—w:color hex 00AA00 (green): Color sample text

—w:color hex 0000FF (blue): Color sample text

—w:color auto: Color sample text

—w:color theme-accent1: Color sample text

—w:color theme-accent2: Color sample text

—w:color theme-accent3: Color sample text

—w:color theme-accent4: Color sample text

—w:color theme-accent5: Color sample text

—w:color theme-accent6: Color sample text

—w:color theme-hyperlink: Color sample text

—w:color theme-followedHyperlink: Color sample text

—w:color theme-accent1 + tint 99: Color sample text

—w:color theme-accent1 + shade 33: Color sample text

B) rStyle-only color (no inline <w:color>):

—rStyle='SD_ColorRedChar' (red): Styled red text

—rStyle='SD_ColorAccent2Char' (theme-accent2): Styled theme-accent2 text

—rStyle='SD_ColorAutoChar' (auto): Styled auto-color text

C) rStyle + inline <w:color> (inline-overrides style):

—rStyle='SD_ColorAccent2Char' + inline hex FF0000 => expect red: Accent2 style overridden by inline red

—rStyle='SD_ColorRedChar' + inline auto => expect auto-color: Red style overridden by inline auto

D) Linked style pair (paragraph+character) with theme colors:

~~—rStyle='SD_LinkedColorHeadingChar'=> magenta: Linked Char style applied~~

~~—rStyle='SD_LinkedColorHeadingChar' + inline theme accent1=> expect accent1: Inline theme overrides char style color~~

~~—pStyle='SD_LinkedColorHeading' (accent1) + inline hex 0000FF on a run: This part should be blue (0000FF) overriding paragraph theme~~

Table examples (mixed color sources):

~~rStyle=Accent2~~

~~Theme accent2~~

~~rStyle=Red + inline auto~~

~~Should be auto color~~