

OOXML w:strike tester – ST_OnOff forms, rStyle-only strike, inline overrides, and linked styles.
(Bonus: a line with w:dstrike.)

A) <w:strike> ST_OnOff variants:

- w:strike w:val=(omitted): ~~Strikethrough sample~~
- w:strike w:val=true: ~~Strikethrough sample~~
- w:strike w:val=1: ~~Strikethrough sample~~
- w:strike w:val=on: ~~Strikethrough sample~~
- w:strike w:val=false: Strikethrough sample
- w:strike w:val=0: Strikethrough sample
- w:strike w:val=off: Strikethrough sample

B) rStyle-only strike (no inline <w:strike>):

- rStyle='SD_StrikeChar' => expect strikethrough: ~~Styled strike~~
- rStyle='SD_NoStrikeChar' => expect normal text: Styled no-strike

C) rStyle + inline <w:strike> (inline overrides style):

- rStyle='SD_StrikeChar' + inline 'off' => expect NOT strikethrough: Strike style overridden off
- rStyle='SD_NoStrikeChar' + inline 'on' => expect strikethrough: ~~No-strike style overridden on~~

D) Linked style pair (paragraph+character) with strike:

- rStyle='SD_LinkedStrikeHeadingChar' => strike: ~~Linked Char style applied~~
- ~~pStyle='SD_LinkedStrikeHeading' + inline 'off' on a run: This part should NOT be struck~~

Table examples (strike combos):

rStyle=Strike	Struck cell
rStyle=NoStrike + inline on	Should be struck

Bonus) `<w:dstrike/>` example (double strike): ~~Double struck sample~~