

1. Definite integral (baseline — msubsup):

$$\int_0^1 f(x)dx$$

2. Word's indefinite integral (uses subHide/supHide m:val=1):

$$\int f(x)dx$$

3. Summation default limLoc — Finding A trigger:

$$\sum_{i=1}^n i$$

4. Summation explicit limLoc=subSup (control, different vars):

$$\sum_{j=0}^m j$$

5. Product default limLoc — Finding A:

$$\prod_{k=1}^N k$$

6. Union default limLoc — Finding A (also supHide from Word):

$$\bigcup_i A_i$$

2b. Crafted indefinite integral — NO m:sub/m:sup elements (Finding C real trigger):

$$\int f(x)dx$$

7. subHide m:val="true" (Finding B — anchors commit 2bd58d3):

$$\int^{01} f$$

8. Bare subHide (Finding B — spec bare-flag=ON):

$$\int^{01} f$$

9. limLoc present-no-val (Finding A — spec default=undOvr):

$$\sum_{i=1}^n i$$

10. chr present-no-val (Finding D — empty character):

$${}_a^b x$$

12. subHide m:val="0" (ST_OnOff OFF value — §22.9.2.7): sub should stay visible → msubsup

$$\int_0^1 f$$

13. m:grow m:val="0" (Finding E — §22.1.2.72): operator should NOT grow (expect largeop/stretchy=false on mo)

$$\sum_{i=1}^n i$$