

1st District Effectiveness Report

Facilities Management 2018-2019

Executive Summary


The Mesquite ISO Facilities Management Department supports the vision of Mesquite ISO - Success for All Students with Excellence Always. Because a good physical learning environments important for student success, our mission is to provide and maintain a cost-effective, safe, secure and healthy learning environment for the students and staff of MISD.

Each facilities management employee is a critical part of this mission; 135 employees make up the Facilities Management Department and maintain 60+ buildings and facilities throughout the district.

The Goals for the Facilities Management Department are:

- Handle each request and project with 5-Star customer service, from the office staff to the field personnel
- Complete projects in a way that makes our customers feel valued and satisfied no matter how small or large the project.
- Maintain and restore each physical property to its original (optimal) operational state in a timely manner.
- Use personnel and supplies in a cost-effective way.
- Meet 100% completion dates for scheduled projects.

Facilities Management 2018/2019





1st District Effectiveness Report

Facilities Management 2018-2019

Description

General Function:


The purpose of the Facilities Management Department is to support the mission and goals of MISD. Keeping all facilities, campuses, machinery and grounds functioning at peak performance is critical to providing a safe and healthy learning and working atmosphere for students and teachers that allows them to learn and work at the highest levels possible.

To accomplish this, the department employees approach each work order request with a "can-do" mindset. We use efficient systems including the work order process to ensure that requests are prioritized and completed in a timely manner. An emergency procedure is utilized to ensure efficient service is provided even during off-hours.

District Effectiveness Report

Effectiveness Indicators

WORK ORDER COMPARISON



Work Orders per Day	
2018/2019:	96
2017/2018:	102
2016/2017:	99



District Effectiveness Report

Effectiveness Indicators

WORK ORDER DAYS AGED





istrict Effectiveness Report

Effectiveness Indicators

The following items contribute to the efficiency and operation of Facilities Management:

- Project Managers
- Staggered Work Schedule
- North and South Division of Responsibilities
- Night and Weekend Emergency Call Service
- Prioritized Work Orders and Call-in Requests
- Monitored Monthly Fuel Consumption

The following items illustrate the effectiveness of the Job Performance of Facilities Management:

- District Wide Satisfaction Survey: 93% satisfaction rate
- Completion of Work Orders
- Special Projects Completed:
 - Poteet - New SRO office and room swap
 - AC New - Coach's office and restroom renovation
 - Moss - installed 7 new humidity controls; connected 14 on line; library renovation

istrict Effectiveness Report

Effectiveness Indicators

Communication office renovation

North Mesquite - security fence installed; ticket booth remodel; Gym concession remodel; C5 Grant project;

New SRO Office in I wing

Mesquite High - security fence installed

Installed new security entrance doors at: Cannaday; Austin; Moss; Kimball; Shaw & Pirrung

Henrie - remodeled room for Food Pantry

New roof/roof work at: North Mesquite; McDonald; McKenzie; Price; Tosch

Food Service Office - remodeled for new refrigerator

Agnew room 33 - add sink and cabinet for new Art room

Wilkinson- Teacher's lounge and vending machine room remodels

Vanston- C1 Darkroom remodel

TV projects for- Black; Floyd


Parent Engagement Center - renovation

BEES Center - renovation

Ruge! - renovation

District Effectiveness Report

EffectivenessIndicators




1str1c Effectiveness Report

MISCRIPT(N>EFOID9<T


MISCRIPT(N>EFOID9<T
MISCRIPT(N>EFOID9<T
SCNOCLOISTRler

Cost of Program



Facilities Management Annual Budgets

2016/2017	\$14,345,500
2017/2018	\$14,047,700
2018/2019	\$17,215,000



1st ct Effectiveness Report

Facilities Management
2018-2019

Vision for the Future

The vision for the future for the Facilities Management Department of Mesquite ISD is a department that works seamlessly with campuses and facilities to ensure optimal work and learning environments for MISD employees and students.

As MISD buildings age and new facilities are added it will be critical for work processes to be even more efficient. This will be accomplished through the continuous training and learning of our team that will lead to innovation and improvement of our processes. To achieve this vision, we must:

Continually work to improve response times and customer satisfaction

Inspire both experienced and new employees to be top performers

Strive for all facilities management employees to motivate each other to continuously improve their abilities and skills

Provide training and guidance for both new and tenured employees that will ensure their success and continued growth with our department

Continually strive for effective communication with campuses and facilities




Figure 1A. The levels of Nrf2, phosphorylated Nrf2 (p Nrf2) and its inhibitor Kelch like ECH associated protein 1 (Keap1) as well as heme oxygenase 1 (HO 1) in the granulocytes of patients divided into female and man with COVID-19, including those who recovered (n_F=7 and n_M=9) and those who deceased (n_F=8 and n_M=8) as well as healthy subjects (n_F=7 and n_M=9). Data points represent the mean ± SD; b—significant differences in relation to healthy people (among women (hatched bars)/men (dotted bars), p<0.05; c—significant differences in relation to recovered people with COVID-19 (female/man), p<0.05; z—significant differences between females and males in group of healthy people, patients with COVID-19 recovered and patients with COVID-19 deceased, p<0.05.




Figure 2A. The activity of superoxide dismutase (cytosolic Cu,Zn SOD and mitochondrial Mn SOD) in granulocytes of patients divided into female and man with COVID-19, including those who recovered (n_F=7 and n_M=9) and those who deceased (n_F=8 and n_M=8) as well as healthy subjects (n_F=7 and n_M=9). Data points represent the mean ± SD; b—significant differences in relation to healthy people (among women (hatched bars)/men (dotted bars), p<0.05; c—significant differences in relation to recovered people with COVID-19 (female/man), p<0.05; z—significant differences between females and males in group of healthy people, patients with COVID-19 recovered and patients with COVID-19 deceased, p<0.05.




Figure 3A. The level of proteins playing essential role in development of inflammation, such as two family members of nuclear factor kappa-light chain-enhancer of activated B cells (NFκB p52 and NFκB p65) as well as tumor necrosis factor alpha (TNF α), in the granulocytes of patients divided into female and man with COVID 19, including those who recovered ($n_F=7$ and $n_M=9$) and those who deceased ($n_F=8$ and $n_M=8$) as well as healthy subjects ($n_F=7$ and $n_M=9$). Data points represent the mean $\pm$ SD; b—significant differences in relation to healthy people (among women (hatched bars)/men (dotted bars), $p < 0.05$; c—significant differences in relation to recovered people with COVID 19 (female/man), $p < 0.05$; z—significant differences between females and males in group of healthy people, patients with COVID 19 recovered and patients with COVID 19 deceased, $p < 0.05$.




Figure 4A. The level of anti-inflammatory interleukin 10 (IL 10) and pro-inflammatory interleukin 2 (IL 2) and interleukin 6 (IL 6) in the granulocytes of patients divided into female and man with COVID 19, including those who recovered ($n_F=7$ and $n_M=9$) and those who deceased ($n_F=8$ and $n_M=8$) as well as healthy subjects ($n_F=7$ and $n_M=9$). Data points represent the mean $\pm$ SD; b—significant differences in relation to healthy people (among women (hatched bars)/men (dotted bars), $p < 0.05$; c—significant differences in relation to recovered people with COVID 19 (female/man), $p < 0.05$; z—significant differences between females and males in group of healthy people, patients with COVID 19 recovered and patients with COVID 19 deceased, $p < 0.05$.




Figure 5A. The level of pro-inflammatory eicosanoids (A): thromboxane B₂ (TXB₂) and prostaglandin E₂ (PGE₂) and anti-inflammatory eicosanoids (B): 15-deoxy delta^{12,14} prostaglandin J₂ (15d-PGJ₂) and 5-hydroxyeicosatetraenoic acid (5-HETE) in the granulocytes of patients divided into female and male with COVID-19, including those who recovered ($n_F=7$ and $n_M=9$) and those who deceased ($n_F=8$ and $n_M=8$) as well as healthy subjects ($n_F=7$ and $n_M=9$). Data points represent the mean $\pm$ SD; b—significant differences in relation to healthy people (among women (hatched bars)/men (dotted bars), $p < 0.05$; c—significant differences in relation to recovered people with COVID-19 (female/man), $p < 0.05$; z—significant differences between females and males in group of healthy people, patients with COVID-19 recovered and patients with COVID-19 deceased, $p < 0.05$.




Figure 6A. The level of receptors involved in oxidative and inflammatory reactions of granulocytes from patients divided into female and male with COVID-19, including those who recovered ($n_F=7$ and $n_M=9$) and those who deceased ($n_F=8$ and $n_M=8$) as well as healthy subjects ($n_F=7$ and $n_M=9$). CB1 and CB2—cannabinoid receptors 1 and 2; TRPV1—the transient receptor potential cation channel subfamily V member 1; PPAR γ —peroxisome proliferator activated receptor gamma. Data points represent the mean $\pm$ SD; b—significant differences in relation to healthy people (among women (hatched bars)/men (dotted bars), $p < 0.05$; c—significant differences in relation to recovered people with COVID-19 (female/man), $p < 0.05$; z—

significant differences between females and males in group of healthy people, patients with COVID-19 recovered and patients with COVID-19 deceased, $p < 0.05$.