

How to use sound enhancer in Beltone HearMax app

[UPLIFTING MUSIC]

S3 Table. Main regression coefficients of the models used to predict volume purchased.

	T Post-tax period (0=2012-2013; 1=2014)	S 2nd semester (0=Jan-Jun; 1=Jul-Dec)	T*S Post-tax and semester interaction	Y Year (0=2012; 1=2013; 2=2014)
	<i>β (95% Confidence Interval)</i>			
Taxed foods				
—All sample	-16 (-30, -3)	14 (7, 20)	-17 (-28, -6)	-8 (-17, 2)
—Low SES	-38 (-66, -10)	5 (-7, 16)	-12 (-29, 5)	2 (-19, 23)
—Medium SES	-19 (-37, -2)	20 (10, 30)	-18 (-34, -2)	1 (-13, 14)
—High SES	-4 (-31, 23)	8 (-6, 23)	-18 (-40, 4)	-24 (-44, -4)
Untaxed foods	-	-	-	-
—All sample	6 (-27, 40)	25 (7, 43)	-23 (-49, 4)	7 (-15, 30)
—Low SES	-3 (-63, 57)	15 (-15, 45)	-35 (-81, 11)	35 (-11, 81)
—Medium SES	-24 (-73, 26)	30 (5, 55)	-25 (-63, 14)	34 (2, 67)
—High SES	44 (-32, 120)	31 (-8, 69)	-6 (-63, 51)	-49 (-107, 8)
Taxed food subcategories				
Probit model				
—Salty snacks	-0.15 (-0.19, -0.1)	-0.02 (-0.04, 0.01)	-0.03 (-0.07, 0.01)	0.07 (0.04, 0.1)
—Cereal-based sweets	-0.06 (-0.11, 0)	0.06 (0.03, 0.09)	-0.09 (-0.13, -0.05)	0.04 (0, 0.07)
—RTE cereals	-0.05 (-0.09, -0.01)	0.05 (0.03, 0.08)	-0.02 (-0.05, 0.02)	0.01 (-0.02, 0.03)
—Non-cereal-based sweets	-0.07 (-0.11, -0.02)	-0.01 (-0.03, 0.02)	0 (-0.04, 0.03)	0.05 (0.03, 0.08)
Linear model				
—Salty snacks	2 (-3, 8)	4 (1, 7)	-4 (-8, 1)	-1 (-5, 3)
—Cereal-based sweets	1 (-9, 10)	17 (12, 22)	-14 (-22, -7)	-5 (-11, 2)
—RTE cereals	2 (-8, 12)	-1 (-6, 3)	7 (0, 14)	-7 (-13, -1)
—Non-cereal-based sweets	2 (-5, 9)	2 (-1, 6)	7 (0, 14)	3 (-1, 7)
Untaxed food subcategories				
Probit model				
—Sugar & sugar substitutes	-0.05 (-0.09, 0)	0.07 (0.04, 0.09)	-0.03 (-0.06, 0.01)	0.1 (0.07, 0.13)
—Cereals	0.04 (-0.03, 0.1)	0.08 (0.05, 0.12)	-0.08 (-0.13, -0.03)	0.02 (-0.02, 0.04)
—Dairy	0.01 (-0.07, 0.08)	0.02 (-0.02, 0.06)	-0.11 (-0.17, -0.05)	0.04 (-0.01, 0.09)
—Processed fruits & vegetables	0.04 (0, 0.08)	0.1 (0.08, 0.12)	-0.04 (-0.07, -0.01)	0 (-0.03, 0.02)
—Salty snacks	-0.03 (-0.07, 0.02)	-0.06 (-0.09, -0.04)	-0.04 (-0.08, -0.01)	0.02 (0, 0.05)
—Non-cereal-based sweets	0.01 (-0.03, 0.05)	-0.01 (-0.04, 0.01)	-0.01 (-0.05, 0.03)	0 (-0.02, 0.03)
—Other	0.02 (-0.03, 0.08)	-0.03 (-0.05, 0)	0 (-0.04, 0.05)	-0.03 (-0.06, 0)
Linear model				

—Sugar & sugar substitutes	-13 (-47, 22)	9 (-9, 27)	-5 (-36, 25)	27 (6, 48)
—Cereals	-5 (-18, 8)	24 (18, 31)	2 (-8, 12)	3 (-6, 12)
—Dairy	14 (-5, 33)	13 (3, 22)	-11 (-25, 3)	-13 (-26, 1)
—Processed fruits & vegetables	4 (-11, 18)	18 (12, 24)	-3 (-12, 6)	1 (-8, 10)
—Salty snacks	8 (3, 12)	-3 (-6, 1)	-5 (-8, 1)	-3 (-6, 0)
—Non-cereal based sweets	12 (-5, 29)	1 (-7, 8)	4 (-7, 15)	-9 (-18, 1)
—Other	15 (5, 25)	-2 (-7, 4)	11 (3, 19)	-5 (-11, 2)

Source: Authors' own analyses and calculations based on data from Nielsen through its Mexico Consumer Panel Service (CPS) for the food and beverage categories for January 2012–December 2014.