

1. a
test

bSuperDoc math: m:box / m:borderBox spec coverage test

Each scenario below tests a specific branch of ECMA-376 §22.1.2.11-14 and §22.9.2.7.
Labels describe the expected MathML.

A. m:borderBox defaults

1. No borderBoxPr (expect notation=box)

$\boxed{abc}$

2. Empty borderBoxPr (expect notation=box)

$\boxed{abc2}$

B. ST_OnOff value variants (on m:hideTop)

3. m:val=1 (expect top hidden)

$\boxed{T1}$

4. m:val=true (expect top hidden)

$\boxed{Ttr}$

5. m:val=on (Annex L.6.1.3 uses this — expect top hidden)

$\boxed{Ton}$

6. Bare tag hideTop/ (expect top hidden — spec default val=1)

$\boxed{Tbr}$

7. m:val=0 (expect NOT hidden)

$\boxed{T0}$

8. m:val=false (expect NOT hidden)

$\boxed{Tf}$

C. Individual hide flags in isolation

9. ~~hideBot~~ only (expect top left right)

~~$\boxed{B}$~~

10. ~~hideLeft~~ only (expect top bottom right)

~~$\boxed{L}$~~

11. ~~hideRight~~ only (expect top bottom left)

~~$\boxed{R}$~~

12. ~~hideTop + hideRight~~ — spec §22.1.2.12 example (expect bottom left)

~~$\boxed{x}$~~

13. All four hides, no strikes (expect fallback to mrow, no border)

~~*no\border*~~

D. Strike directions (all borders hidden)

14. ~~strikeBLTR~~ alone (BL to TR = slash = updiagonalstrike)

~~*BLTR*~~

15. ~~strikeTLBR~~ alone (TL to BR = backslash = downdiagonalstrike)

~~*TLBR*~~

16. ~~strikeH~~ alone (horizontalstrike)

~~*H*~~

17. ~~strikeV~~ alone (verticalstrike)

~~*V*~~

E. Strike combinations

18. ~~strikeBLTR + strikeTLBR~~ = X-pattern

~~*X*~~

19. All four strikes

~~strike~~

20. Default box + strikeH (expect: box horizontalstrike)

~~boxH~~

21. hideTop + strikeH (expect: bottom left right horizontalstrike)

~~pH~~

F. Spec Annex L.6.1.3 example

22. a squared + b squared + c squared crossed out with TL-BR diagonal, using m:val=on from spec

~~$a^2 + b^2 + c^2$~~

G. m:box scenarios

23. Plain m:box with content == (expect mrow)

==

24. m:box with boxPr/opEmu — spec §22.1.2.13 example (opEmu currently dropped)

$a == b$

25. m:box with boxPr/noBreak (noBreak currently dropped)

nbr

26. m:box with all boxPr flags (all currently dropped)

$pAll$

27. Empty m:box (expect null/dropped)

—

H. Nested structures

28. m:box inside m:borderBox

~~nx~~

29. m:borderBox inside m:box

ny

~~30. Nested m:borderBox inside m:borderBox (outer partial-hide + inner strike)~~

2. ~~nz~~