

- List item 1
- List item 2
  - o Indentation 1
- Back

1. Numbered 1
2. Num 2
  - a. With indend 1

## ~~lastSuperDoc math:m:box / m:borderBox spec coverage test~~

~~Each scenario below tests a specific branch of ECMA-376 §22.1.2.11-14 and §22.9.2.7.  
Labels describe the expected MathML.~~

### ~~A. m:borderBox defaults~~

- ~~1. No borderBoxPr (expect notation=box)~~

~~$\boxed{abc}$~~

- ~~2. Empty borderBoxPr (expect notation=box)~~

~~$\boxed{abc2}$~~

### ~~B. ST\_OnOff value variants (on m:hideTop)~~

- ~~3. m:val=1 (expect top hidden)~~

~~$\boxed{T1}$~~

- ~~4. m:val=true (expect top hidden)~~

~~$\boxed{Ttr}$~~

- ~~5. m:val=on (Annex L.6.1.3 uses this — expect top hidden)~~

~~$\boxed{Ton}$~~

- ~~6. Bare tag hideTop/ (expect top hidden — spec default val=1)~~

~~$\boxed{Tbr}$~~

- ~~7. m:val=0 (expect NOT hidden)~~

$\boxed{T0}$

8. `m:val=false` (expect NOT hidden)

$\boxed{Tf}$

## C. Individual hide flags in isolation

9. `hideBot` only (expect top left right)

$\boxed{B}$

10. `hideLeft` only (expect top bottom right)

$\boxed{L}$

11. `hideRight` only (expect top bottom left)

$\boxed{R}$

12. `hideTop + hideRight` — spec §22.1.2.12 example (expect bottom left)

$\boxed{x}$

13. All four hides, no strikes (expect fallback to `mrow`, no border)

*`nobdr`*

## D. Strike directions (all borders hidden)

14. `strikeBLTR` alone (BL to TR = slash = updiagonalstrike)

*$\textit{BLTR}$*

15. `strikeTLBR` alone (TL to BR = backslash = downdiagonalstrike)

*$\textit{TLBR}$*

16. `strikeH` alone (horizontalstrike)

*$\textit{\#}$*

17. `strikeV` alone (verticalstrike)

*$\textit{\#}$*

## E. Strike combinations

18. ~~strikeBLTR~~ + ~~strikeTLBR~~ = X pattern

✕

19. All four strikes

~~~~~~~~all~~~~~~~~

20. Default box + ~~strikeH~~ (expect: box horizontalstrike)

~~boxH~~

21. ~~hideTop~~ + ~~strikeH~~ (expect: bottom left right horizontalstrike)

~~pH~~

## F. Spec Annex L.6.1.3 example

22. ~~a squared = b squared + c squared~~ crossed out with TL-BR diagonal, using ~~m:val=on~~ from spec

~~$a^2 = b^2 + c^2$~~

## G. ~~m:box~~ scenarios

23. Plain ~~m:box~~ with content == (expect mrow)

==

24. ~~m:box~~ with ~~boxPr/opEmu~~ — spec §22.1.2.13 example (opEmu currently dropped)

~~$a == b$~~

25. ~~m:box~~ with ~~boxPr/noBreak~~ (noBreak currently dropped)

~~$nbr$~~

26. ~~m:box~~ with all ~~boxPr~~ flags (all currently dropped)

~~$pAll$~~

27. Empty ~~m:box~~ (expect null/dropped)

—

## H. Nested structures

28. ~~m:box inside m:borderBox~~

~~$nx$~~

29. ~~m:borderBox inside m:box~~

~~$ny$~~

30. ~~Nested m:borderBox inside m:borderBox (outer partial-hide + inner strike)~~

3.  ~~$nz$~~