

[Hyperlink test: click here](#)~~SuperDoc math:~~ ~~m:box / m:borderBox spec coverage test~~

Each scenario below tests a specific branch of ECMA-376 §22.1.2.11-14 and §22.9.2.7. Labels describe the expected MathML.

~~A. m:borderBox defaults~~

1. No borderBoxPr (expect notation=box)

$\boxed{abc}$

2. Empty borderBoxPr (expect notation=box)

$\boxed{abc2}$

~~B. ST_OnOff value variants (on m:hideTop)~~

3. m:val=1 (expect top hidden)

$\boxed{T1}$

4. m:val=true (expect top hidden)

$\boxed{Ttr}$

5. m:val=on (Annex L.6.1.3 uses this — expect top hidden)

$\boxed{Ton}$

6. Bare tag hideTop/ (expect top hidden — spec default val=1)

$\boxed{Tbr}$

7. m:val=0 (expect NOT hidden)

$\boxed{T0}$

8. m:val=false (expect NOT hidden)

$\boxed{Tf}$

C. Individual hide flags in isolation

9. ~~hideBot~~ only (expect top left right)

~~$\boxed{B}$~~

10. ~~hideLeft~~ only (expect top bottom right)

~~$\boxed{L}$~~

11. ~~hideRight~~ only (expect top bottom left)

~~$\boxed{R}$~~

12. ~~hideTop + hideRight~~ — spec §22.1.2.12 example (expect bottom left)

~~$\boxed{x}$~~

13. All four hides, no strikes (expect fallback to mrow, no border)

~~*no bdr*~~

D. Strike directions (all borders hidden)

14. ~~strikeBLTR~~ alone (BL to TR = slash = updiagonalstrike)

~~*BLTR*~~

15. ~~strikeTLBR~~ alone (TL to BR = backslash = downdiagonalstrike)

~~*TLBR*~~

16. ~~strikeH~~ alone (horizontalstrike)

~~*H*~~

17. ~~strikeV~~ alone (verticalstrike)

~~*V*~~

E. Strike combinations

18. ~~strikeBLTR + strikeTLBR~~ = X pattern

~~$\times$~~

19. All four strikes

~~20. $\frac{a}{b}$~~

20. Default box + strikeH (expect: box horizontalstrike)

$\frac{boxH}{}$

21. hideTop + strikeH (expect: bottom left right horizontalstrike)

$\frac{pH}{}$

F. Spec Annex L.6.1.3 example

22. a squared = b squared + c squared crossed out with TL-BR diagonal, using m:val=on from spec

$\frac{a^2 = b^2 + c^2}{}$

G. m:box scenarios

23. Plain m:box with content == (expect mrow)

$==$

24. m:box with boxPr/opEmu = spec §22.1.2.13 example (opEmu currently dropped)

$a == b$

25. m:box with boxPr/noBreak (noBreak currently dropped)

nbr

26. m:box with all boxPr flags (all currently dropped)

$pAll$

27. Empty m:box (expect null/dropped)

$—$

H. Nested structures

28. m:box inside m:borderBox

$\frac{nx}{}$

29. m:borderBox inside m:box

ny

30. Nested m:borderBox inside m:borderBox (outer partial-hide + inner strike)

~~Hz~~