

1. Definite integral (baseline — msubsup):

$$\int_0^1 f(x) dx$$

m:m Matrix Test Fixtures

Each section tests a

2. Word's indefinite integral (uses subHide/supHide m:val=1):

$$\int f(x) dx$$

3. Summation default limLoc — Finding A trigger:

$$\sum_{i=1}^n i$$

4. Summation explicit limLoc=subSup (control, different vars):m:m matrix shape:

1. Plain 2x2 matrix (no delimiter)

$$\begin{matrix} a & b \\ c & d \end{matrix}$$

~~2.~~
$$\sum_{j=0}^m j$$

5. Product default limLoc — Finding A:

$$\prod_{k=1}^N k$$

6. Union default limLoc — Finding A (also supHide from Word):

$$\bigcup_i A_i$$

2b. Crafted indefinite integral — NO m:sub/m:sup elements (Finding C real trigger):

$$\int f(x) dx$$

7. subHide m:val="true" (Finding B — anchors commit 2bd58d3):

$$\int^{01} f$$

8. Bare subHide (Finding B — spec bare-flag=ON):

$$\int^{01} f$$

2x2 matrix inside [] delimiter

$$\begin{bmatrix} 1 & z \\ 3 & 4 \end{bmatrix}$$

3. Matrix with nested math (fraction + superscript)

$$\begin{pmatrix} \frac{a}{b} & x \\ y & z^2 \end{pmatrix}$$

4. Matrix with multi-run cells (a+b)

$$\begin{bmatrix} a+b & c-d \\ x+y & p-q \end{bmatrix}$$

5. Matrix with empty cells (gaps)

$$\begin{bmatrix} a & & e \\ & e & f \end{bmatrix}$$

6. Matrix with per-column justification (left/center/right)

$$\begin{array}{ccc} 1 & 2222 & 3 \\ 4444 & 5 & 6666 \end{array}$$

7. 1x3 row vector

$$[x \ y \ z]$$

8. 3x1 column vector

$$\begin{bmatrix} a \\ b \\ c \end{bmatrix}$$

9. limLoc present-no-val (Finding A — spec default=undOvr):

$$\sum_{i=1}^n i$$

Matrix with &

10. chr present-no-val (Finding D — empty character): in cell (edge case)

$$x\&=1 \ y\&=2$$

$$10. \frac{b}{a} x$$

12. subHide m:val="0" (ST_OnOff OFF value — §22.9.2.7): sub should stay visible → msubsup

$$\int_0^1 f$$

13. m:grow m:val="0" (Finding E — §22.1.2.72): operator should NOT grow (expect largeop/stretchy=false on mo)

$\sum_{i=1}^n i$ Inline matrix with baseJc=top

$$\frac{a+1}{3} - \frac{2+b}{4}$$