

OOXML w:strikosz tester – ST OnOff forms, demonstrates font size via half-points (<w:sz w:val='...'>), rStyle-only strikosizes, inline overrides, and linked styles. (Bonus: a line with w:dstrike.)

A) <w:strike> ST OnOff variants:

A) Direct <w:sz> sizes (pt shown; XML uses half-points):

- w:strike sz 8pt (w:val=(omitted): Strikethrough sample='16'): Sample size text
- w:strike sz 10pt (w:val=true: Strikethrough sample'20'): Sample size text
- w:strike sz 11pt (w:val=1: Strikethrough sample'22'): Sample size text
- w:strike sz 12pt (w:val=on: Strikethrough sample'24'): Sample size text
- w:strike sz 14pt (w:val=false: Strikethrough sample'28'): Sample size text
- w:strike sz 18pt (w:val=0: Strikethrough sample'36'): Sample size text
- w:strike sz 24pt (w:val=off: Strikethrough sample'48'): Sample size text

—w:sz 36pt (w:val='72'): Sample size text

B) rStyle-only strikosizes (no inline <w:strikosz>):

- rStyle='SD_StrikeChar' => expect strikethroughSz12ptChar' => 12pt: Styled strike12pt text

- rStyle='SD_NoStrikeChar' => expect normal textSz24ptChar' => 24pt: Styled no-strike 24pt text

—rStyle='SD_Sz18ptChar' => 18pt: Styled 18pt text

C) rStyle + inline <w:strikosz> (inline overrides style):

- rStyle='SD_StrikeChar'Sz24ptChar' + inline 'off'12pt => expect NOT strikethrough: Strike12pt: 24pt style overridden off to 12pt

- rStyle='SD_NoStrikeChar'Sz12ptChar' + inline 'on'36pt => expect strikethrough: No-strike36pt:

~~12pt~~ style overridden on ~~to 36pt~~

D) Linked style pair (paragraph+character) with strikesizes:

- rStyle='SD_LinkedStrikeHeadingChar' => strikeLinkedSizeHeadingChar' => 18pt: Linked Char
style appliedSize

~~—pStyle='SD_LinkedStrikeHeading'LinkedSizeHeading' (24pt) + inline 'off'36pt on a run:~~ This part

should NOT be struck ~~36pt overriding~~
~~paragraph size~~

Table examples (strike combossizes mixes):

rStyle=StrikeSz18

Struck cell18pt

rStyle=NoStrikeSz12 + inline on36pt

Should be struck36pt

Bonus) <w:dstrike/> example (double strike): Double-struck sample