

m:d Delimiter - ECMA-376 Compliance Tests

Basic Structure

Case 1: Default parentheses, single expression

No dPr. Expected: (x+y)

$(x + y)$

~~Case 2: 1. Inline E=mc²: $E = mc^2$~~

~~2. Multiple expressions, default separator inline: $x + y = z$~~

Two m:e, no dPr. Default sep is U+2502

$(x|y)$

Case 3: Three expressions, default separator

Three m:e, no dPr. Default sep is U+2502

$(a|b|c)$

Beginning Character (begChr)

Case 4: Custom begChr = [

Expected: [x+y)

$[x + y)$

Case 5: begChr present, no val (suppress opening) [BUG]

Element present without m:val. Expected: x+y) with no opening delimiter

$x + y)$

Case 6: begChr explicit empty val

m:val="". Expected: x+y) same as Case 5

$x + y)$

Ending Character (endChr)

Case 7: Custom endChr =]

Expected: (x+y]

$(x + y]$

Case 8: endChr present, no val (suppress closing) [BUG]

Expected: (x+y with no closing delimiter

$(x + y$

Combined Suppression

Case 9: Both present, no val (suppress both) [BUG]

Expected: x+y with no delimiters at all

$x + y$

Case 10: Both explicit empty val

m:val="" on both. Expected: x+y same as Case 9

$x + y$

Separator Character (sepChr)

Case 11: Custom separator (semicolon)

Expected: (a;b)

$(a; b)$

Case 12: sepChr present, no val (suppress separator) [BUG]

Expected: (xy) with no separator between expressions

(xy)

Common Patterns

Case 13: Absolute value

Expected: |x|

$|x|$

Case 14: Half-open interval [a,b)

Mixed delimiters with comma separator

$[a, b)$

Case 15: Floor function

Unicode delimiters U+230A, U+230B

$\lfloor x \rfloor$

Case 16: Ceiling function

Unicode delimiters U+2308, U+2309

$\lceil x \rceil$

Case 17: Nested delimiters

Delimiter inside delimiter. Expected: ((x+y)+z)

$((x + y) + z)$

Grow Property

Case 18: grow=1 (default) with-Display fraction:

Delimiters should grow to match fraction height

$$\left(\frac{a+b}{c+d}\right)$$

Case 19: grow=0_b^a

4. Quadratic formula:

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

5. Superscript: x^2

6. Subscript: a_i

7. Sub+Super: x_i^2

8. Square root: $\sqrt{x}$

9. Summation:

$$\sum_{i=1}^n i^2$$

10. Integrat:

$$\int_{\theta}^1 x^2 dx$$

11. Matrix:

$$\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$$

12. Accent hat: $\hat{x}$

13. Function sin: $\sin(x)$

14. Overbar: $\overline{x}$

15. Lower limit: $\lim_{n \rightarrow \infty}$

16. Group char: $\underbrace{a+b+c}$

17. Delimiter: $(x + y)$

18. Mixed paragraph **with fraction**

Delimiters should NOT grow, stay at math and text height

$$\left(\frac{a + b}{c + d}\right)$$

Shape Property

Case 20: shp=centered (default) with stacked fraction

Delimiters centered around math axis

$$\left(\frac{a}{\frac{b}{c}}\right)$$

Case 21: shp=match with stacked fraction

Delimiters match exact shape of contents

$$\left(\frac{\frac{a}{b}}{c}\right)^{\frac{1}{2}}$$