

S2 Table: Psychometric evaluations of participants during the pandemic period of observation. PANSS psychometric scale is composed of 30 questions, graded 1 to 7 for each question, and subdivided into 3 sub-scales: positive symptoms, negative symptoms, and general symptoms. More details in Methods.

ID Supplemental Table 1. Pneumococcal serotype prevalence by vaccine valency and collection year		Psychometric Evaluation					PANSS Negative Subscale														
Serotypes		PANSS Total 1 (n=264)		Positive 2016 (n=51)			Negative 2017 (n=92)			General 2018 (n=93)			N1 2019 (n=28)		N2	N3	N4	N5	N6	N7	
PCV13		72 (27%)		17 (33%)			24 (26%)			24 (26%)		7 (25%)									
		0 (0%)		0 (0%)			0 (0%)			0 (0%)		0 (0%)									
Sub001	1	493		75 (29%)			13	29	1 (2%)	1 (1%)	1	4	1	2	3 (3%)	0 (0%)					
Sub002	2	344	7	9	18	1 (1%)			10 (0%)	1 (1%)			10 (0%)		10 (0%)	1	3				
		5		0 (0%)			0 (0%)			0 (0%)			0 (0%)			0 (0%)					
Sub003	3	796A		1510 (49%)			165 (10%)			481 (1%)			3 (3%)								
Sub004	4	426B	9	9	24	3	2 (1%)	10 (0%)			1 (1%)										
Sub005	5	716C	12	17	42	4	4	3 (1%)	30 (0%)			1 (1%)									
Sub006	6	367F		71 (1%)			71 (1%)			220 (0%)											
Sub007		74	17	21	36	5	5	2	4	1	1	3									
Sub008	8	719V	8	18	45	3	2 (1%)	2 (4%)			40 (0%)										
Sub009		48	9	8	31	1	1	1	1	1	1	2									
Sub010		-	-	-	-	-	-	-	-	-	-	-									
Sub011		50	10	9	31	1	1	1	1	1	1	1	1	1	1	3					
Sub012		47	12	7	28	1	1	1	1	1	1	1	1	1	1	1					
Sub013		50	14	10	26	1	1	1	1	1	1	1	2	1	1	3					
Sub014	4	6914	18	11	40	2 (1%)		20 (0%)		1		2 (2%)									
Sub015	5	7018	16	16	38	3 (1%)	3	1 (2%)			21 (1%)										
Sub016		40	11	7	22	1	1	1	1	1	1	1	1	1	1	1					
Sub017	7	4319A		916 (6%)			114 (8%)			238 (9%)											
Sub018	8	5819F		20 (8%)			3 (6%)			5 (5%)											
Sub019	9	7123F		137 (3%)			16 (3%)	42	4		2	1	3 (3%)		1	1					

Sub037	23A	7 (3%)	2 (4%)	1 (1%)	2 (2%)	2 (7%)	-
Sub038	5723B	729 (11%)	3 (6%)	12 (13%)	14 (15%)	356 (40%)	1 4 2 2 1 1 4

	34	8 (3%)		2 (4%)		2 (2%)		2 (2%)		2 (7%)		
Sub039	6935B	10 (4%)	162 (4%)	432 (2%)		24 (4%)	32 (7%)	2	3	1	1	4
Sub040	5435F 17	9 (3%)	283 (6%)	12 (2%)		23 (3%)	1 (4%)	2	1	1	1	
Sub041	83 17	19	47	2	3	2	4	1	2	5		
Sub042	66Other	1529 (11%)	5 (10%)	4111 (12%)		113 (14%)	10 (0%)	1	1	1	1	4

*Serotype 6C is included as a PCV-13 serotype due to cross protection provided by serotype 6A

|