

A résztvevő adatai

MassHealth Pediatric Behavioral Health Medication Initiative

BACKGROUND

The Pediatric Behavioral Health Medication Initiative proactively requires prior authorization for pediatric members (generally members less than 18 years of age) for certain behavioral health medication classes and/or specific medication combinations (i.e., polypharmacy) that have limited evidence for safety and efficacy in the pediatric population.

As part of this initiative, the following situations will require a prior authorization:

1. **Behavioral health medication polypharmacy:** (i.e., alpha₂ agonists, antidepressants, antipsychotics, armodafinil, atomoxetine, benzodiazepines, buspirone, cerebral stimulants, donepezil, hypnotic agents, memantine, meprobamate, modafinil, mood stabilizers [agents considered to be used only for seizure diagnoses are not included], naltrexone, prazosin, viloxazine, and xanomeline/trospium) filled within a 45-day period for members less than 18 years of age:
 - Pharmacy claims for 4 or more behavioral health medications **if one of the following is included:** an antipsychotic, a benzodiazepine, divalproex/valproate, lithium, or a tricyclic antidepressant
 - Pharmacy claims for 5 or more behavioral health medications (regardless of the medications included)
2. **Antipsychotic polypharmacy:** overlapping pharmacy claims for two or more antipsychotics for at least 60 days within a 90-day period for members less than 18 years of age;
3. **Antidepressant polypharmacy:** overlapping pharmacy claims for two or more antidepressants for at least 60 days within a 90-day period for members less than 18 years of age;
4. **Cerebral stimulant polypharmacy:** overlapping pharmacy claims for two or more cerebral stimulants (immediate-release and extended-release formulations of the same chemical entity are counted as one) for at least 60 days within a 90-day period for members less than 18 years of age;
5. **Mood stabilizer polypharmacy:** overlapping pharmacy claims for three or more mood stabilizers (agents considered to be used only for seizure diagnoses are not included) for at least 60 days within a 90-day period for members less than 18 years of age;
6. **Benzodiazepine polypharmacy:** overlapping pharmacy claims for two or more benzodiazepines (hypnotic benzodiazepine agents, clobazam, nasal and rectal diazepam, and nasal midazolam are not included) for at least 60 days within a 90-day period for members less than 18 years of age;
7. **Antipsychotic** pharmacy claim for members less than ten years of age;
8. **Antidepressant, armodafinil, atomoxetine, benzodiazepine, buspirone, donepezil, hypnotic, memantine, meprobamate, modafinil, mood stabilizer** (agents considered to be used only for seizure diagnoses are not



Erasmus+

included, naltrexone, prazosin, viloxazine, or xanomeline/trospium pharmacy claim for members less than six years of age;

9. ~~Alpha₂ agonist or cerebral stimulant~~ pharmacy claim for members less than three years of age.

The reference table below lists the behavioral health medications included in the Pediatric Behavioral Health Medication Initiative. Further information on the prior authorization requirements, including approval criteria, can be found within the MassHealth Drug List at ~~www.mass.gov/druglist~~.

<u>Név</u> Pediatric Behavioral Health Medication Initiative Medication List¹			
<u>Beosztás</u> Antidepressants	Mood Stabilizers		
amitriptyline	levomilnacipran-	carbamazepine	oxcarbazepine-
amoxapine	mirtazapine-	divalproex	pregabalin-
bupropion	nefazodone-	gabapentin-	topiramate
citalopram	nortriptyline-	lamotrigine-	valproic acid-
clomipramine	paroxetine-	lithium-	
desipramine	phenelzine-	Antianxiety Agents	
desvenlafaxine	protriptyline-	alprazolam	diazepam³
dextromethorphan/bupropion	selegiline²	buspirone	lorazepam-
doxepin-	sertraline-	chlordiazepoxide	meprobamate-
duloxetine-	tranylcypromine-	chlordiazepoxide/ amitriptyline	midazolam³
escitalopram-	trazodone-	clonazepam-	oxazepam
esketamine-	trimipramine-	clorazepate-	
fluoxetine-	venlafaxine	Hypnotics	

fluvoxamine	vilazodone	daridorexant	quazepam
imipramine	vortioxetine	dexepin ⁴	suvorexant
isocarboxazid	zuranolone	estazolam	temazepam
Antipsychotics		eszopiclone	triazolam
aripiprazole	olanzapine/fluoxetine	flurazepam	zaleplon
asenapine	olanzapine/samidorphan	lomborexant	zolpidem
brexpiprazole	paliperidone	Alpha₂-Agonists	
cariprazine	perphenazine	clonidine	guanfacine
chlorpromazine	perphenazine/amitriptyline	Stimulants	
clozapine	pimozide	amphetamine	lisdexamfetamine
fluphenazine	quetiapine	dexmethylphenidate	methamphetamine
haloperidol	risperidone	dextroamphetamine	methylphenidate
iloperidone	thioridazine	dextroamphetamine/	serdexmethylphenidate/
loxapine	thiothixene	amphetamine	dexmethylphenidate
lumateperone	trifluoperazine	Miscellaneous	
lurasidone	xanomeline/trospium	armodafinil	modafinil
molindone	ziprasidone		

olanzapine		atomoxetine	naltrexone ⁵	<u>A mobilitás adatai</u>
		donepezil	prazosin	
		memantine	viloxazine	

<u>Mobilitás típusa</u> (nem helyes törlendő)	• <u>szakmai továbbképzés</u> • <u>nyelvtanfolyam</u> • <u>szakmai látogatás (job shadowing)</u> • <u>oktatási tevékenység</u>
<u>Továbbképzés címe</u> (amennyiben releváns)	
<u>Fogadó intézmény neve</u>	
<u>Fogadó intézmény típusa</u> (nem helyes törlendő)	• <u>oktatási intézmény</u> • <u>továbbképző intézmény</u>
<u>Fogadó ország</u>	
<u>Munkanyelv</u>	
<u>Mobilitás időtartama</u> (munkanapok száma)	<u>nap</u>

Tanulási eredmények

<u>Az elvárt tanulási eredmények meghatározása a mobilitás tervezési szakaszában (pályázat)</u>	<u>A tanulási eredmények értékelése a mobilitás után</u>	<u>Hogyan alkalmazhatóak a mobilitás során megszerzett tanulási eredmények a saját munkámban, illetve a küldő intézmény gyakorlatában?</u>
(A tanulási folyamat elvárt eredményét írja le, cselekvést jelentő igétet használ, specifikus, konkrét, világos, egyértelmű és mérhető.)	(Az elvárt tanulási eredmények teljesülésének „vizsgálata”, a személyes fejlődés nyomon követése, bizonyítékok a kompetenciafejlődésre.)	(A terjesztésre vonatkozó tervek.)

További információ: Az iskola és a világ TKA, 2016.

A továbbképzés programja / szakmai látogatás (job shadowing) munkaterve

A résztvevő feladatai a mobilitás előtt

Kérjük, röviden mutassa be, hogyan készült fel a mobilitásra.

Dátum: _____

résztvevő aláírása¹~~Short-acting intramuscular injectable and intravenous formulations are excluded from the Pediatric Behavioral Health Medication Initiative requirements.~~

²~~Emsam (selegiline) is the only selegiline formulation included in the Pediatric Behavioral Health Medication Initiative.~~

³~~Nasal and rectal diazepam and nasal midazolam formulations are excluded from the Pediatric Behavioral Health Medication Initiative requirements.~~

⁴~~Doxepin tablet is classified as a hypnotic agent and the Pediatric Behavioral Health Medication Initiative requirements for antidepressants do not apply. Pediatric Behavioral Health Medication Initiative requirements for hypnotics apply.~~

⁵~~Vivitrol (naltrexone injection) is excluded from the Pediatric Behavioral Health Medication Initiative requirements.~~