

ACB-kædemotor - frit konfigurerbar - CDC-1-ACB
24 V DC / Tilpasset efter kundeønsker

Elektrisk motor til integreret, usynlig montering i vinduesprofilen og til eftermontering.

Praktisk til motoriseret åbning og lukning af vinduer og lemme.

Kan bruges til Komfortopluk, røgudluftning og brandventilation iht. DS/EN12101-2

Kan kombineres med alle D+H låsemotorer.

Egenskaber:

Integreret, frit parametriserbar slukningselektronik for at forhindre en defekt i tilfælde af overbelastning af vindue og motor.

Integreret grænseflade ACB (Advanced Communication Bus) med åben Modbus RTU-protokol.

Direkte integration af motoren gennem åben buskommunikation via ACB (Advanced Communication Bus), f.eks. i CTS (bygningautomation).

Lav driftsstøj takket være innovativ, akustisk afkobling af drevkomponenterne.

Højpræcisionsmotor og synkron elektronik til synkron drift af op til 8 motorer.

Korrosionsbeskyttet, hærdet, stålkæde, vedligeholdelsesfri takket være livstidssmøring.

Highspeed-funktion (-HS) til hurtigt opluk af vinduer i tilfælde af brand (ABV).

Justerbart, flertrins klembeskyttelsessystem (løbetid, kraft, åbning).

Automatisk aflastning af tætningsbåndet efter lukning beskytter tætningslister.

Lavt kabelforbrug med mulighed for gennemsløjfning af op til 3 motorer.

Enkel installation takket være stik med beskyttelse mod omvendt polaritet.

Tilslutning valgfrit mulig fra venstre eller højre (forsyning inkl. bussignaler).

Kan parametriseres individuelt via D+H SCS-software.

Funktionsbeskrivelse ACB

Sikker ABV-central kommunikation gennem krypteret dataoverførsel mellem centraler og motorer fra D+H Mechatronic AG.

Direkte styring af motoren via ACB mulig.

Som standard er motoren indstillet med drift med pol-skift fra fabrikken.

Præcis styring af position og feedback, herunder angivelser af den faktiske position.

Åbne- og lukke meddelelser kommer direkte fra motoren via ACB-kommunikation.

Motorens generelle status, som f.eks. samlet kørestrækning, antal aktiveringer, diagnostik og nødfunktion, kan evalueres.

—

Udvidelsesfunktioner:

Option "SBD/SBU" - Korrosionsbeskyttet, hærdet stålkæde i sidebue-design til lave karmhøjder

Option "ZB" - Vindebroanvendelse til sidemontering af motoren på vinduet

Option "CP" - Brugertilpasset motorfunktionsprogrammering såsom løbetid, kraft og åbning

Option "HP" - Åbningsprogrammering

Option "VP" - Signal til forbindelse med D+H BSY+ låsemotorer

Option "KM" - Kraftig motor-gear-enhed med øget kraft (op til 400 N) til at åbne og lukke tunge parallelsprossede og hæve-/sænkevindue/tophængte vinduer.

Option "LS" - Lavhastigheds-programmering i LUKKET-retning til 5 mm/s

Option "SA" - "Afbryder ÅBEN" endepositionsmeddelelse

Option "SZ" - "Afbryder LUKKET" endepositionsmeddelelse

Option "SA-SZ" - "Afbryder ÅBEN" og "Afbryder LUKKET" endepositionsmeddelelse

Option "AS2" - Akustisk signal i overensstemmelse med beskyttelsesklasse 2 i henhold til
MaschRL/42/EG

Option "AS3" - Akustisk signal i overensstemmelse med beskyttelsesklasse 3 i henhold til
MaschRL/42/EG

Option "SKS" - Mulighed for direkte tilslutning af en klembeskyttelsesliste eller en optisk sensor til
overvågning af lukkekanten på motoren

Option "specialfarve" - lakering til perfekt integration i facadens udseende i henhold til RAL, DB, NCS

Tekniske data:

Forsyning: 24 V DC / ± 15 %

Strømforbrug:

0,6 A (til 350 mm åbning)

0,8 A (til 500 + 600 mm åbning)

1 A (til 700 mm åbning)

1 A (til 800 - 1300 mm åbning)

Indkoblingstid: 30 % (TIL: 3 Min. / FRA: 7 Min.)

Udkobling: Integreret elektronisk belastningsafbryder

Konfiguration: Main eller Sub

Design: Højre eller venstre

Trykkraft: 250 N

Trækkraft: 250 N

Nominel låsekraft **: 1500 N

Levetid: 20000 dobbeltoperationer *

Åbning: 300 mm - 1300 mm

Hastighed ÅBNE: 6,7 mm/s

Hastighed ÅBNE - ABV:

9,4 mm/s (til 350 mm åbning)

13,6 mm/s (til 500 + 700 mm åbning)

15 mm/s (til 800 - 1300 mm åbning)

Hastighed LUKKE:

5 mm/s (til 350 mm åbning)

6,7 mm/s (til 500 + 700 mm åbning)

6,7 mm/s (til 800 - 1300 mm åbning)

Beskyttelsesklasse: IP 32

Måling af lydtryk (støjemission): $L_p \leq 35$ dB(A)

Temperaturområde: -15 °C (-5 °C ***) ... $+75$ °C

Temperaturstandsikkerhed: B300 (30 min / 300 °C)

Hus: Aluminium

Farve: Specialfarve i henhold til RAL/DB/NCS

Tilslutning: Silikonekabel

B x H x D: 405-885 (åbningsafhængig) x 30 x 39 mm

* Ved lodret anvendelse skal D+H-forhandleren kontaktes!

** Afhængig af fastgørelsen, *** iht. VdS 2580

Leverance:

Motor, silikoneforbindelseskabel med systemstik, brugsanvisning

Brand: D+H

Type: CDC-1-ACB

Art.nr.: 26.100.00

Mængde: stk Pris: DKK Total: DKK

Gør din lokale D+H-partner tilgængelig for designvarianter.

<https://www.dh-partner.com/dk/da/service/projekterings-hjaelp>

Vigtige noter:

Denne produktbeskrivelse udgør ikke et udbud. Ansvar for overensstemmelse med udbudsretlige krav påhviler den udbudsgivende projektant eller arkitekt.

Montering og ibrugtagning skal ske i henhold til producentens anvisninger.

Med forbehold for tekniske ændringer. **Role of Ayurveda in Dry Eczema**

Krishna Kadam, Viraj Jadhav

1. ~~Asst. Professor, Department of Rog-Nidan, Government Ayurved College, Nanded~~
2. ~~Associate Prof, Vikriti Vigyan, SAM Ayu. College, Bhopal~~

Email: drkvjadhav@gmail.com

INTRODUCTION:

~~— In Ayurveda, various skin disorders are detailed under the heading Kushtha. It is one of the Mahagada defined by Ayurveda which not only affects the skin but also other dhatus for example Rakta, Mansa etc. Vicharchika is specially mentioned under the heading of Kshudra Kushtha (minor skin ailments). Even though, in terms of severity, incidence and prognosis it is not minor. Vicharchika, a type of Kshudra Kushtha (chronic skin disease) though involves only epidermis, its tendency of recurrence continues to pose problems to the~~

physician.Characteristics of Vicharchika as mentioned in the Brihat trayi are Atikandu, Shyavata, Pidika, Bahustrava or Rukshata and Raji. The consideration of characteristics of Vicharchika as Eczema may also reveal the same fact.

1. Atikandu (excessive itching) In eezema, itching varies from mild to severe paroxysm which even may interfere with work and sleep.
2. Bahu strava (lasikadhya) Eezema is characterized by superficial inflammatory oedema of epidermis associated with vesicle formation. In acute condition wet eezema is common
3. Rukshata (dryness) Chronic illness of Eezema also persists or it may be found in the same patients at different stages.
4. Shyaava Pidika In chronic cases of eezema, integument appears thickened and is hyperpigmented.
5. Raji (Lichenification) Due to scratching in chronic cases of eezema, the skin becomes thick, hyperpigmented with visible criss cross ridges known as lichenification.

Considering the fact that, the combination of external as well internal therapy will play its best role in cure of Eezema. With this view, for present research I have proposed to focus the upashayatmaka effect of Aragwadhadi Kashaya (kalpit compound) as internal medicine and Yashadamrut malahar as external application in patients of Vicharchika.

NEED OF STUDY:

- ❑ Incidence Great prevalence of the disease i.e. 3% in Indian Population
- ❑ Burning problem Severe itching disturbing routine and its nature susceptible to be chronic.
- ❑ Socio Psychological impacts Affects psychological status and disturb the social life due to its appearance,
- ❑ WHO celebrates 29th October as World Psoriasis day

AIMS:

- ❑ To study Nidanpanchaka (aetiopathogenesis) of Vicharchika and its Upashaya according to Ayurveda.
- ❑ To study the Upashaytmaka effect of Aragwadhadi Kashaya and Yashadamrut malahara lepa on Vicharchika.

OBJECTIVES:

- ❑ To assess the efficacy of Aragwadhadi kashaya and Yashadamruta Malahara in the management of Vicharchika w.r.to Eezema.

- ☐ ~~To draw a hypothesis regarding the mode of action of drugs used in the present research on the scientific basis.~~

~~MATERIALS AND METHODS:~~

~~1. Conceptual Study~~

~~Disease Review:~~ It comprises of

- ~~1) Ayurvedic review~~
- ~~2) Modern review~~

~~1) Ayurvedic review:~~ In this, Vicharchika will be defined according to Ayurvedic literature

~~2) Modern review:~~ In this, Eczema will be defined according to Modern literature

Following materials are used for this study.

- ☐ **~~Selection of Patient~~** Minimum 60 patients having signs and symptoms of “Vicharchika” were randomly selected from OPD and IPD wings of Government Ayurved College, Nanded
- ☐ **~~The patients will diagnosed on the basis of classical signs and symptoms of Vicharchika described in Ayurvedic classics like Kandu, Daha, Strava, Rukshata, Pidika, Vaivarnya, Raji and Vedna etc.~~**
- ☐ **~~Informed written consent~~** was taken
- ☐ **~~Type of study:~~** Clinical trial
- ☐ **~~Study design:~~** Parallel group
- ☐ **~~Patients selection:~~** Randomized
- ☐ **~~Examination of Patient~~** Examination of Patient was done according to special case proforma which was included
 - **~~Etiological factors of Vicharchika~~** with
 - **~~Dushti lakshan of Dosha,~~**
 - **~~Dushya,~~**
 - **~~Strotas etc.~~**
- ☐ **~~Resulting Pathogenesis or Samprapti after administration of hetu~~** was studied in detailed.

~~INCLUSION CRITERIA-~~

1. Patients showing Pratyatma Lakshana of Vicharchika (eczema) described in classical Ayurvedic texts as well in modern medical literature.
2. Age group of 16 to 60 years of either sex
3. Chronicity of disease not more than 3 years.

~~EXCLUSION CRITERIA~~

1. Patients suffering from disease like Anemia, Hemorrhagic disorders, Hemiplegia, Convulsion, Tuberculosis, Cancer; severe systemic diseases like Diabetes, Renal disease, H/O liver diseases etc.
2. Pregnancy, lactation

Registered 60 patients were divided in two groups as-

1. Group A: Control group

— 30 registered patients of Vicharchika were administered Tablet Defecort in the dose of 6 mg twice a day with a glass of water for 30 days.

2. Group B: Aragvadhadi Kashaya

— 30 registered patients of Vicharchika were administered with Aragvadhadi Kashaya (Kalpita compound) in the dose of 40ml twice a day for 30 days along with Yashadamruta Malahara lepa at night as external application on affected parts of body.

Tablet Defecort :

- ☐ **Dose** 6 mg twice a day with a glass of water after food,
- ☐ **Duration** at same time every day for 30 days.

Aragvadhadi Kashaya-

- ☐ **Period:** 4 weeks
- ☐ **Dosage:** 40 ml twice a day with parts of Ghrita
- ☐ **Duration:** Morning 40ml and Evening 40ml (daily)
- ☐ **Bhaishajya Kal:** Before meal
- ☐ **Mode of Administration:** Oral

Yashadamruta Malahara-

- ☐ **Period:** 4 weeks
- ☐ **Dosage:** Quantity sufficient as per affected area of body

~~☐ Period of application: In day time~~

~~☐ Mode of Administration: External application~~

~~LABORATORY INVESTIGATIONS-~~

~~☐ Routine investigations wherever needed~~

~~Actual Plan of Work-~~

~~☐ The patients were diagnosed on the basis of classical signs and symptoms of Vicharchika with the help of special standard case paper incorporating Nidanpanchaka~~

~~☐ More concentration was given on Evaluation of Hetus and resulting Samprapti or Nidanpanchaka.~~

~~☐ After diagnosis of the patients, study was intervened by Upashayatmaka therapy(exploration) in the form of Aragvadhadi kashaya and Yashadamruta Malahara~~

~~☐ Group A: Control Tab.Defcort 6mg twice a day~~

~~☐ Group B: Aragvadhadi Kwatha: 40ml twice~~

~~☐ Patients were studied for 6 weeks with the follow up after every 1 week interval.~~

~~☐ The Upashayatmaka effect of Aragvadhadi kashaya and Yashadamruta Malahara was assessed in regards to the clinical signs and symptoms on the basis of grading and scoring systems and overall upashaya.~~

~~☐ Place of work: OPD and IPD Wings of Government Ayurved College, Nanded~~

~~☐ Formulation of drug : Was carried out in Rasashala, Government Ayurved College, Nanded~~

~~☐ Duration of work: Was completed in scheduled course of 4 week~~

~~Criteria of assessment:~~

~~☐ Criteria of assessment were kept on the basis of relief in the signs and symptoms of the disease Vicharchika.~~

~~☐ For this, the cardinal signs and symptoms were given scores according to their severity, before and after treatment.~~

~~1. Kandu(Itching)~~

~~2. Daha (Burning sensation)~~

~~3. Vaivarnya (Discoloration)~~

4. Strava (discharge)
5. Raji (Lichenification, thickening and ridges on skin)
6. Rukshata (Dryness)
7. Pidika (Eruption)
8. Vedana (Pain)

Contents of Aragvadhadi Kashaya (Kalpita compound)

S. N.	Contents	Botanical name	Part used	Quantity
1	Aragwadha	Cassia fistula	Root	1 Part
2	Nimba	Azadiracta indica	Root	1 Part
3	Guduchi	Tinospora cordifolia	Kanda	1 Part
4	Khadir	Acacia catechu	Root	1 Part
5	Kutaja	Hollarhena antidysentria	Root	1 Part
6	Atrushaka	Adhatoda vasica	Root	1 Part

Contents of Yashadamruta Malahara (Rasa tarangini)

S. N.	Contents	Botanical name	Quantity
1.	Siktha	Wax	12 gm
2.	Tilataila	Sesamum indicum	q.s.
3.	Yashad	Zincum	1 tula

Praman of lepa — $\frac{1}{4}$ angul $\approx$ 5mm

GRADING AND SCORING OF SIGNS AND SYMPTOMS

Grading and Scoring

For symptoms ——— subjective parameters were considered

For signs ——— appropriate clinical parameters were considered

Scoring —

Grade III ——— +++ ——— severe

Grade II ——— ++ ——— moderate

Grade I ——— + ——— mild

Grade 0 ——— 0 ——— nil

1) Kandu (itching)

+++ ——— itching continuously and cannot concentrate on

- ~~———— routine work and in Night~~
- ~~++ ——— intermittent itching for more than 5 times per hour~~
- ~~+ ——— itching only once or twice a day~~
- ~~0 ——— no itching~~

~~2) Daha (burning sensation)–~~

- ~~+++ — continuously burning cannot concentrate on work and even during sleep~~
- ~~++ — burning sensation but can concentrate on work~~
- ~~+ — burning only 1 or 2 times a day~~
- ~~0 — no burning~~

~~3) Vaivarnya (discolouration)–~~

- ~~+++ — easily looking discolouration~~
- ~~++ — mild discolouration only visible in light~~
- ~~+ — very mild discolouration only visible in light~~
- ~~0 — no discolouration~~

~~4) Srava (discharge)–~~

- ~~+++ — continuous discharge – patient requires dressing to lesion to soak up the discharge and disturb his routine work~~
- ~~++ — need to put dressing but not disturbing~~
- ~~+ — need not to put dressing~~
- ~~0 — scanty discharge need not to soak or dressing and dries — their own~~

~~5) Raji–~~

- ~~+++ — multiple lines with discomfort~~
- ~~++ — lines without discomfort~~
- ~~+ — single line~~
- ~~0 — absent~~

~~6) Rookshata (dryness)–~~

- ~~+++ — with discomfort on skin~~

~~++—without discomfort on skin~~

~~+—negligible~~

~~0—absent~~

~~7) Pidika (eruption)–~~

~~Number of Pitika per square cm on the effected skin will be measured.~~

~~8) Ruja (pain)–~~

~~+++—continuously paining or aching cannot concentrate on~~

~~—work and even during sleep~~

~~++—pain is there but can concentrate on work~~

~~+—pain only 1 or 2 times a day~~

~~0—no pain~~

Observation	Result	Total % n=20
-------------	--------	--------------

~~OVERALL EFFECT OF THERAPY:~~

~~1. Cured:—100% relief in the sign and symptoms with plain skin surface and significant changes in the color of the affected skin lesion towards normal was considered as cured.~~

~~2. Complete Remission:—more than 76 to 99% relief in the sign and symptoms was recorded as complete remission with marked improvement in the pigmentation and thickening of the skin.~~

~~3. Marked improvement:—51-75% relief in sign and symptoms was considered as marked improve with in pigmentation and thickening of the skin.~~

~~4. Improvement:—patients showing improvement between 25-50% in sign and symptoms with slight improvement of pigmentation and thickening of the skin was taken as improvement.~~

~~5. No relief:—below 25% relief sign~~

~~OBSERVATIONS:~~

~~On the basis of results found during study upashayatmaka effect of Aragvadhadi kashaya and Yashadamruta Malahara was quoted as follows–~~



	31-40yrs	56
	Female	31
	Hindu	88
	Urban	95
Socio-economic	Middle	80
Education	Educated	86
Marital status	Married	76
Occupation	Housewife	26
Diet	Mix	86
Agni	Manda	41
Prakruti	Vata-pitta	40



Formed Malahara

Contents of Yasahdamruta Malhara and Aragadhadi kashaya

RESULT

Symptoms	Group A % (n=10)	Group B % (n=10)
Kandu	53	86
Ruja	50	75
Vaivarnya	50	77
Daha	50	88
Strava	20	83

Rukshata	58	81
Raji	77	80
Pidika	0	0
Average	<u>53</u>	<u>81</u>

**Before Treatment — After Treatment**

~~Before Treatment~~ ————— ~~After Treatment~~

CONCLUSION:

- ~~■ Combined effect of Aragwadhadi Kashaya with Yashadamruta malahara was found more effective in patients of Group B(81%) than that of Group A patients treated with Tab. Defecort (53%)~~
- ~~■ Aragwadhadi Kashaya, a concentrated Decoction of herbal drugs showed mild laxative and detoxifier action.~~
- ~~■ Yashadamruta malahara showed Shodhan property; reduction and thickness of skin by exfoliation and scrapping, ropan and rejuvenation~~
- ~~■ More rate of recurrence observed with control group than of study group was nil, observed in follow up study~~
- ~~■ Economical; Cost effective~~
- ~~■ Yashadamruta Malahara provided better relief in thick dispigmented lesions of dry Eczema~~
- ~~■ Drug used in present research, proved their best effect against Vicharchika, in their combination form.~~

REFERENCES:

- ~~□ sa kNDU ipiDka Syaavaa bahUs~avaa ivacaica-ka È ca.ica.7À26~~
- ~~□ rajyaa AitkNDU Ait\$jaa sa \$xaa Bavaint gaa~oYau ivacaica kayaama\ È sau.ina.5À137~~
- ~~□ ivaraoQalnyannapanaaina d`vaisnagQagau\$ina ca ÈBajataamaagataM Cid-M vaogaaMXcaanyaap`itGnatama\ È~~
- ~~vyaayaamamaitsaMtapmaitBau@%vaaopsaoivanaama~~
~~\ÈSaltaoYNala=Ganaaharana\ k`maM mau@%vaa inaYaoivaNaama\ ...~~
- ~~vyavaayaM ————— caaPyajaINao |nnaoinad`aM ————— ca~~
~~BajataMidvaaÈivap`ana\gau\$na\GaYa yataM papM kma M kuva tama\ È~~
~~ca.ica.7~~
- ~~□ i~kYa M isa@gatOlantu pUvaa->ivaiQasaaiQatma\ È~~
~~taolakOkimatM dVat\ yaSadM vaihnajaairtma\ È~~
~~Klvao |itmasaRNao xaud`o mad yoditya%nat: È~~
~~samaa#yaatao malahrao yaSadamaRtsaM&k: È r.t.19/146ú147~~
- ~~□ matao malahrao |yaM tu ivaivaQava`NaraopNa: È~~

~~ivacaica-kahr: kamamaignadgQava`Naaph: È r.t.19/148~~

ACKNOWLEDGEMENT:

- ~~• I take this priviliage to express my gratitude to all those who directly indirectly inspired during course of research.~~
- ~~• Prepared trial product for present study is not a coomercial or Industry product.~~
- ~~• There are no any conflicts of interests.~~