



Über den Gipfeln: Ballonfahren am Achensee

Hoch oben in der Luft entdecken Urlauber völlig neue Perspektiven auf die faszinierenden Landschaften zwischen See- und Bergwelt. www.achensee.com

Mit Freunden, zur Verlobung oder einfach zum Entschleunigen: Eine Fahrt in einem Heißluftballon ist ein unvergessliches Erlebnis. Schweben über weiß verschneite Winterlandschaften oder grüne Almen – am Achensee, Tirols Sport und Vital Park, heben das ganze Jahr über die bunten Ballone ab und ermöglichen Urlaubern eine völlig neue Perspektive auf das türkis-grün schimmernde Tiroler Meer, das Karwendel- und Rofangebirge. Im März steht mit täglichen Fahrten eine ganze Woche unter dem Zeichen der Himmelsstürmer.

Im siebten Himmel: Das ganze Jahr über Ballonfahren

Eine Ballonfahrt ist Entschleunigung pur: Die absolute Stille und Unmittelbarkeit der Natur sorgen für ein unvergessliches Erlebnis. Doch bevor der Heißluftballon in die Luft steigt und sich vom Wind tragen lässt, beobachten die Piloten die Wetterlage genau: Windrichtung, Bewölkung, Niederschlag, alles muss passen. Am Starttag wird dann noch mal genau gecheckt, ob die Prognose stimmt – nichts wird dem Zufall überlassen. Am Achensee starten die Ballone in Achenkirch bei Nord- oder Nordwestwind je nach Jahreszeit zwischen fünf und neun Uhr morgens. Nebelschwaden über dem Boden, erwartungsvolle Aufregung vor dem Start. Die Passagiere müssen mit anpacken, die 7800 Kubikmeter Luft fassende und 30 Meter hohe Ballonhülle mit ihren vielen Leinen muss sorgfältig ausgebreitet werden. An der breitesten Stelle hat sie einen Durchmesser von 25 Metern, einfach riesig. Zuerst wird der Ballon mit Luft gefüllt, dann mit dem Brenner erwärmt. Die warme Luft steigt im Inneren auf und plötzlich hebt man ab und steigt höher und höher – bis auf 3000 Meter Höhe.

Traumhafte Ausblicke über den Achensee, über das Rofan- oder Karwendelgebirge sind garantiert – malerischer Sonnenaufgang inklusive. Im Ballonkorb ist es übrigens windstill, am kältesten ist es am Startplatz. Also ist es auch im Winter nicht zu frisch – warme Kleidung in mehreren Schichten sowie gutes Schuhwerk werden trotzdem empfohlen. Während die Mitfahrer im Panorama schwelgen, checkt der Pilot noch einmal die Windrichtung. Denn einen Ballon kann man nicht lenken, er folgt dem Wind. Doch keine Sorge: Alle Ballonpiloten in den alpinen Fluggebieten haben viel Erfahrung und Knowhow. Sie können den bunten Himmelsstürmer bei Bedarf schneller zum Sinken bringen und so den optimalen Landeplatz anpeilen. Die Fahrt dauert mindestens eine Stunde, je nach Landemöglichkeit gerne auch länger. Wieder am Boden packen alle mit an. Zum Abschluss bekommen die Passagiere eine Urkunde, die sie feierlich in den Adelsstand der Ballonfahrer erhebt. Dann bringt das „Erdferkel“ – so wird der Fahrer des Begleitfahrzeugs genannt, der den Ballon am Boden „verfolgt“ – die glücklich Gelandeten zum Ausgangspunkt zurück. Tickets für die „kleine Alpenfahrt“ gibt es das ganze Jahr über. Online buchen über den Achensee Erlebnisshop. Anfragen per Mail an info@achensee.com bzw. info@alpineballooning.

Tipp: Achensee Ballontage von 13.01. – 20.01.2024. Nähere Infos unter: www.achensee.com



Der Achensee – Tirols Sport & Vital Park

Ankommen, aufatmen und abtauchen – in der Region rund um den größten See Tirols wird sportliche Aktivität, Naturerlebnis und Erholung großgeschrieben. Eingebettet zwischen dem Karwendel und dem Rofangebirge ist der Achensee Destination für Berghungrige und Wasserratten gleichermaßen. Mit dem ringsum frei zugänglichen Seeufer und den eindrucksvollen Pfaden in die Täler des Naturparks Karwendel sind im Sommer wie im Winter landschaftliche Erlebniswelten geboten. Egal ob zu Fuß, mit dem Mountainbike, den Langlaufskiern oder den Schneeschuhen – der Achensee begeistert und ist voller Momente, die bewegen!

Achensee Tourismus ist Ansprechpartner sowohl für Gäste als auch für Medien, wenn es um Informationen zu den touristischen Aktivitäten in Tirols Sport & Vital Park geht.

Medienvertreter*innen finden **druckfähige Fotos** zum Download auf der Bilddatenbank www.achensee.org. Nach erstmaliger Registrierung sowie deren Rückbestätigung per Mail können Dateien der Achensee Bilddatenbank gesichtet und die ausgewählten Fotos

heruntergeladen werden.

Krishna Kadam, Viraj Jadhav

1. ~~Asst. Professor, Department of Rog Nidan, Government Ayurved College, Nanded~~
2. ~~Associate Prof, Vikriti Vigyan, SAM Ayu. College, Bhopal~~

Email: drkvjadhav@gmail.com

INTRODUCTION:

~~———— In Ayurveda, various skin disorders are detailed under the heading Kushtha. It is one of the Mahagada defined by Ayurveda which not only affects the skin but also other dhatus for example Rakta, Mansa etc. Vicharchika is specially mentioned under the heading of Kshudra Kushtha (minor skin ailments). Even though, in terms of severity, incidence and prognosis it is not minor. Vicharchika, a type of Kshudra Kushtha (chronic skin disease) though involves only epidermis, its tendency of recurrence continues to pose problems to the physician. Characteristics of Vicharchika as mentioned in the Brihat trayi are Atikandu, Shyavata, Pidika, Bahustrava or Rukshata and Raji. The consideration of characteristics of Vicharchika as Eczema may also reveal the same fact.~~

1. ~~Atikandu (excessive itching) In eczema, itching varies from mild to severe paroxysm which even may interfere with work and sleep.~~
2. ~~Bahu strava (lasikadhya) Eczema is characterized by superficial inflammatory oedema of epidermis associated with vesicle formation. In acute condition wet eczema is common~~
3. ~~Rukshata (dryness) Chronic illness of Eczema also persists or it may be found in the same patients at different stages.~~

- ~~4. Shyaava Pidika—In chronic cases of eczema, integument appears thickened and is hyperpigmented.~~
- ~~5. Raji (Lichenification)—Due to scratching in chronic cases of eczema, the skin becomes thick, hyperpigmented with visible criss cross ridges known as lichenification. Considering the fact that, the combination of external as well internal therapy will play its best role in cure of Eczema. With this view, for present research I have proposed to focus the upashayatmaka effect of Aragwadhadi Kashaya (kalpit compound) as internal medicine and Yashadamrut malahar as external application in patients of Vicharchika.~~

~~NEED OF STUDY:~~

- ~~❑ Incidence—Great prevalence of the disease i.e. 3% in Indian Population~~
- ~~❑ Burning problem—Severe itching disturbing routine and its nature susceptible to be chronic.~~
- ~~❑ Socio Psychological impacts—Affects psychological status and disturb the social life due to its appearance,~~
- ~~❑ WHO celebrates 29th October as World Psoriasis day~~

~~AIMS:~~

- ~~❑ To study Nidanpanchaka (aetiopathogenesis) of Vicharchika and its Upashaya according to Ayurveda.~~
- ~~❑ To study the Upashaytmaka effect of Aragwadhadi Kashaya and Yashadamrut malahara lepa on Vicharchika.~~

~~OBJECTIVES:~~

- ~~❑ To assess the efficacy of Aragwadhadi kashaya and Yashadamruta Malahara in the management of Vicharchika w.r.to Eczema.~~
- ~~❑ To draw a hypothesis regarding the mode of action of drugs used in the present research on the scientific basis.~~

~~MATERIALS AND METHODS:~~

~~1. Conceptual Study~~

~~Disease Review: It comprises of~~

- ~~1) Ayurvedic review~~
- ~~2) Modern review~~

~~1) Ayurvedic review: In this, Vicharchika will be defined according to Ayurvedic literature~~

~~2) Modern review: In this, Eczema will be defined according to Modern literature~~

~~Following materials are used for this study:~~

- ~~☐ Selection of Patient~~ Minimum 60 patients having signs and symptoms of “Vicharchika” were randomly selected from OPD and IPD wings of Government Ayurved College, Nanded
- ~~☐ The patients will diagnosed on the basis of classical signs and symptoms of Vicharchika described in Ayurvedic classics like Kandu, Daha, Strava, Rukshata, Pidika, Vaivarnya, Raji and Vedna etc.~~
- ~~☐ Informed written consent~~ was taken
- ~~☐ Type of study:~~ Clinical trial
- ~~☐ Study design:~~ Parallel group
- ~~☐ Patients selection:~~ Randomized
- ~~☐ Examination of Patient~~ Examination of Patient was done according to special case proforma which was included
 - ~~○ Etiological factors of Vicharchika with~~
 - ~~○ Dushti lakshan of Dosha,~~
 - ~~○ Dushya,~~
 - ~~○ Strotas etc.~~
- ~~☐ Resulting Pathogenesis or Samprapti after administration of hetu~~ was studied in detailed.

~~INCLUSION CRITERIA-~~

- ~~1. Patients showing Pratyatma Lakshana of Vicharchika (eczema) described in classical Ayurvedic texts as well in modern medical literature.~~
- ~~2. Age group of 16 to 60 years of either sex~~
- ~~3. Chronicity of disease not more than 3 years.~~

~~EXCLUSION CRITERIA-~~

- ~~1. Patients suffering from disease like Anemia, Hemorrhagic disorders, Hemiplegia, Convulsion, Tuberculosis, Cancer; severe systemic diseases like Diabetes, Renal disease, H/O liver diseases etc.~~
- ~~2. Pregnancy, lactation~~

~~Registered 60 patients were divided in two groups as-~~

~~1. Group A: Control group~~

~~———30 registered patients of Vicharchika were administered Tablet Defcort in the dose of 6 mg twice a day with a glass of water for 30 days.~~

~~2. Group B: Aragvadhadi Kashaya~~

~~———30 registered patients of Vicharchika were administered with Aragvadhadi Kashaya (Kalpita compound) in the dose of 40ml twice a day for 30 days along with Yashadamruta Malahara lepa at night as external application on affected parts of body.~~

~~Tablet Defcort :~~

- ~~☐ Dose- 6 mg twice a day with a glass of water after food,~~
- ~~☐ Duration – at same time every day for 30 days.~~

~~Aragvadhadi Kashaya-~~

- ~~☐ Period: 4 weeks~~
- ~~☐ Dosage: 40 ml twice a day with parts of Ghrita~~
- ~~☐ Duration: Morning 40ml and Evening 40ml (daily)~~
- ~~☐ Bhaishajya Kal: Before meal~~
- ~~☐ Mode of Administration: Oral~~

~~Yashadamruta Malahara-~~

- ~~☐ Period: 4 weeks~~
- ~~☐ Dosage: Quantity sufficient as per affected area of body~~
- ~~☐ Period of application: In day time~~
- ~~☐ Mode of Administration: External application~~

~~LABORATORY INVESTIGATIONS-~~

- ~~☐ Routine investigations wherever needed~~

~~Actual Plan of Work-~~

- ~~☐ The patients were diagnosed on the basis of classical signs and symptoms of Vicharchika with the help of special standard case paper incorporating Nidanpanchaka~~

- ~~☐ More concentration was given on Evaluation of Hetus and resulting Samprapti or Nidanpanchaka.~~
- ~~☐ After diagnosis of the patients, study was intervened by Upashayatmaka therapy(exploration) in the form of Aragvadhadi kashaya and Yashadamruta Malahara~~
- ~~☐ Group A: Control Tab.Defeort 6mg twice a day~~
- ~~☐ Group B: Aragvadhadi Kwatha: 40ml twice~~
- ~~☐ Patients were studied for 6 weeks with the follow up after every 1 week interval.~~
- ~~☐ The Upashayatmaka effect of Aragvadhadi kashaya and Yashadamruta Malahara was assessed in regards to the clinical signs and symptoms on the basis of grading and scoring systems and overall upashaya.~~
- ~~☐ Place of work: OPD and IPD Wings of Government Ayurved College, Nanded~~
- ~~☐ Formulation of drug : Was carried out in Rasashala, Government Ayurved College, Nanded~~
- ~~☐ Duration of work: Was completed in scheduled course of 4 week~~

Criteria of assessment:

- ~~☐ Criteria of assessment were kept on the basis of relief in the signs and symptoms of the disease Vicharchika.~~
 - ~~☐ For this, the cardinal signs and symptoms were given scores according to their severity, before and after treatment.~~
- ~~1. Kandu(Itching)~~
 - ~~2. Daha (Burning sensation)~~
 - ~~3. Vaivarnya (Discoloration)~~
 - ~~4. Strava (discharge)~~
 - ~~5. Raji (Lichenification, thickening and ridges on skin)~~
 - ~~6. Rukshata (Dryness)~~
 - ~~7. Pidika (Eruption)~~
 - ~~8. Vedana (Pain)~~

Contents of Aragvadhadi Kashaya (Kalpita compound)

S. N.	Contents	Botanical name	Part used	Quantity
-------	----------	----------------	-----------	----------

1	Aragwadha	<i>Cassia fistula</i>	Root	1 Part
2	Nimba	<i>Azadirachta indica</i>	Root	1 Part
3	Guduchi	<i>Tinospora cordifolia</i>	Kanda	1 Part
4	Khadir	<i>Acacia catechu</i>	Root	1 Part
5	Kutaja	<i>Holarrhena antidysenterica</i>	Root	1 Part
6	Atrushaka	<i>Adhatoda vasica</i>	Root	1 Part

Contents of Yashadamruta Malahara (Rasa tarangini)

S. N.	Contents	Botanical name	Quantity
1.	Siktha	Wax	12 gm
2.	Tilataila	<i>Sesamum indicum</i>	q.s.
3.	Yashad	<i>Zincum</i>	1 tula

Praman of lepa — $\frac{1}{4}$ angul $\approx$ 5mm

GRADING AND SCORING OF SIGNS AND SYMPTOMS—

Grading and Scoring—

For symptoms — subjective parameters were considered

For signs — appropriate clinical parameters were considered

Scoring—

Grade III — +++ — severe

Grade II — ++ — moderate

Grade I — + — mild

Grade 0 — 0 — nil

1) **Kandu (itching)**—

+++ — itching continuously and cannot concentrate on
— routine work and in Night

++ — intermittent itching for more than 5 times per hour

+ — itching only once or twice a day

0 — no itching

2) **Daha (burning sensation)**—

+++ — continuously burning cannot concentrate on work and
— even during sleep



~~++ burning sensation but can concentrate on work~~

~~+ burning only 1 or 2 times a day~~

~~0 no burning~~

~~3) Vaivarnya (discolouration)-~~

~~+++ easily looking discolouration~~

~~++ mild discolouration only visible in light~~

~~+ very mild discolouration only visible in light~~

~~0 no discolouration~~

~~4) Srava (discharge)-~~

~~+++ continuous discharge patient requires dressing to
lesion to soak up the discharge and disturb his routine work~~

~~++ need to put dressing but not disturbing~~

~~+ need not to put dressing~~

~~0 scanty discharge need not to soak or dressing and dries
— their own~~

~~5) Raji-~~

~~+++ multiple lines with discomfort~~

~~++ lines without discomfort~~

~~+ single line~~

~~0 absent~~

~~6) Rookshata (dryness)-~~

~~+++ with discomfort on skin~~

~~++ without discomfort on skin~~

~~+ negligible~~

~~0 absent~~

~~7) Pidika (eruption)-~~

~~Number of Pitika per square cm on the effected skin will be measured.~~

~~8) Ruja (pain)-~~

~~+++ continuously paining or aching cannot concentrate on
— work and even during sleep~~



~~++~~ — pain is there but can concentrate on work

~~+~~ — pain only 1 or 2 times a day

~~0~~ — no pain

OVERALL EFFECT OF THERAPY:

~~1. Cured:~~ — 100% relief in the sign and symptoms with plain skin surface and significant changes in the color of the affected skin lesion towards normal was considered as cured.

~~2. Complete Remission:~~ — more than 76 to 99% relief in the sign and symptoms was recorded as complete remission with marked improvement in the pigmentation and thickening of the skin.

~~3. Marked improvement:~~ — 51-75% relief in sign and symptoms was considered as marked improve with in pigmentation and thickening of the skin.

~~4. Improvement:~~ patients showing improvement between 25-50% in sign and symptoms with

Observation	Result	Total % n=20
-------------	--------	--------------

~~slight improvement of pigmentation and thickening of the skin was taken as improvement.~~

~~5. No relief:~~ below 25% relief sign

OBSERVATIONS:

~~On the basis of results found during study upashayatmaka effect of Aragvadhadi kashaya and Yashadamruta Malahara was quoted as follows-~~

Ba... ut Land! | ganzjährig



31-40yrs 56

Female 31

Hindu 88

Urban 95

Socio-economic Middle 80

Education Educated 86

Marital-status Married 76

Occupation Housewife 26

Diet Mix 86

Agni Manda 41

Prakruti Vata-pitta 40



Formed Malahara

Contents of Yasahdamruta Malhara and Aragadhadi kashaya

RESULT


Symptoms	Group A % (n=10)	Group B % (n=10)
Kandu	53	86
Ruja	50	75
Vaivarnya	50	77
Daha	50	88

Presse Info Achensee | Tirols Sport & Vital Park

Ballonfahren | Glück ab gut Land! | ganzjährig



Strava	20	83
Rukshata	58	81
Raji	77	80
Pidika	0	0
Average	<u>53</u>	<u>81</u>



Before Treatment — **After Treatment**



~~Before Treatment~~ ~~After Treatment~~

~~CONCLUSION:~~

- ~~■ Combined effect of Aragwadhadi Kashaya with Yashadamruta malahara was found more effective in patients of Group B(81%) than that of Group A patients treated with Tab. Defecort (53%)~~
- ~~■ Aragwadhadi Kashaya, a concentrated Decoction of herbal drugs showed mild laxative and detoxifier action.~~
- ~~■ Yashadamruta malahara showed Shodhan property; reduction and thickness of skin by exfoliation and scrapping, ropan and rejuvenation~~
- ~~■ More rate of recurrence observed with control group than of study group was nil, observed in follow up study~~
- ~~■ Economical; Cost-effective~~
- ~~■ Yashadamruta Malahara provided better relief in thick dispigmented lesions of dry Eczema~~
- ~~■ Drug used in present research, proved their best effect against Vicharchika, in their combination form.~~

~~REFERENCES:~~

~~□ sa kNDU ipiDka Syaavaa bahUs~avaa ivacaica-ka È ca.ica.7À26~~



~~☐ rajyao AitkNDU Ait\$jaa sa \$xaa Bavaint gaa~oYau ivacaica kayaama\ È
sau.ina.5À137~~

~~☐ ivaraoQalNyannapanaaina d`vaisnagQagau\$ina ca ÈBajataamaagataM
Cid-M vaogaaMXcaanyaap`itGnatama\ È~~

~~vyaayaamamaitsaMtapmaitBau@%vaaopsaoivanaama
\ÈSaltaoYNala=Ganaaharana\k`maM mau@%vaa inaYaoivaNaama\...~~

~~vyavaayaM caaPyajaINao |nnaoinad`aM ca
BajataMidvaaÈivap`ana\gau\$na\GaYa yataM papM kma-M kuva tama\ È
ca.ica.7~~

~~☐ i~kYa-M isa@qatOlantu pUvao>ivaiQasaaiQatma\ È
taolakOkimatM dVat\ yaSadM vaihnajaairtma\ È
Klvao |itmasaRNao xaud`o mad yoditya%nat: È
samaa#yaatao malahrao yaSadamaRtsaM&k: È r.t.19/146ú147~~

~~☐ matao malahrao|yaM tu ivaivaQava`NaraopNa: È
ivacaica-kahr: kamamaignadgQava`Naaph: È r.t.19/148~~

ACKNOWLEDGEMENT:

- ~~• I take this priviliage to express my gratitude to all those who directly indirectly
inspired during course of research.~~
- ~~• Prepared trial product for present study is not a coomercial or Industry product.~~
- ~~• There are no any conflicts of interests.~~