



PPG Meeting
31/07/2025 – Start Time 13:13

Attendees:

MN – Deputy Manager

SA – Practice Manager

MC, GM,

JB, BB, ZF, JS, SN, AW

Apologies:

CC, AK, LU, MAS, DR

- Review of last minutes of meeting – everyone agreed no changes were needed.
- Meeting started at 13:13
- Asked PPG members if they would like anything to be added on Agenda to discuss in todays meeting.
- Discussed 2025 national survey report for the Practice. Gave each patient a coloured copy of the report to review. Once they had reviewed results, they were then given a coloured copy of last years report to compare the scores.
- The report was explained by Practice Manager. This is a national survey sent out yearly to randomly selected patients each year and returned to the provider. The results are of those who have returned the survey. Once they compile the results along with all the other practices, they then publish the national data online and notify the Practices of their results.
- PM went through each question and compared the data with the PPG members. On each question asked the Practice improved the percentage compared to last year.
- PPG members were asked what the Practice could do to get more patients to engage with completing such surveys.
- When checking data online you can also check neighbouring practices, and we compared ours to our PCN practice and we could see a higher percentage of returned surveys for other practices.
- SN suggested we send out text messages when we know surveys will be sent out and if patients struggle to complete, we could ask them to bring into the Surgery to help.
- MN explained that as we are not the ones sending out the surveys, we wouldn't know which patients the survey gets sent too and this would mean we would have to send a text msg to all 6000 patients registered at the Practice.
- MN also highlighted that we do not want any influence on the answers provided and we would like honest feedback from the patients. The patients if they do come in for help may feel obliged to give better scoring than how they actually feel.

- Overall, we are satisfied the outcome of the survey results – we will try and educate the patients who attend the surgery and encourage them to complete such forms/surveys in the future.
- Also decided to display notices before they get sent out.
- Updated the members about not being able to prescribe Mounjaro and this needs to be done through weight management.
- BB asked when they will be able to book in for flu jab. MN explained Flu Season starts from October. MN also explained that the local pharmacies received the vaccines around 2-3 weeks before GP practices if they wish to have it sooner they can find out from their local chemist.
- The Practice has not yet received a confirmation date of delivery for flu jabs.
- Updates around the PCN clinics were shared.
- Meeting was kept brief due to summer holidays and many apologies.

Meeting adjourned 13:51

Next meeting: October 2025 Role of Ayurveda in Dry Eczema **Krishna Kadam, Viraj Jadhav**

1. Asst. Professor, Department of Rog Nidan, Government Ayurved College, Nanded
2. Associate Prof, Vikriti Vigyan, SAM Ayu. College, Bhopal

Email: drkvjadhav@gmail.com

INTRODUCTION:

In Ayurveda, various skin disorders are detailed under the heading Kushtha. It is one of the Mahagada defined by Ayurveda which not only affects the skin but also other dhatus for example Rakta, Mansa etc. Vicharchika is specially mentioned under the heading of Kshudra Kushtha (minor skin ailments). Even though, in terms of severity, incidence and prognosis it is not minor. Vicharchika, a type of Kshudra Kushtha (chronic skin disease) though involves only epidermis, its tendency of recurrence continues to pose problems to the physician. Characteristics of Vicharchika as mentioned in the Brihat trayi are Atikandu, Shyavata, Pidika, Bahustrava or Rukshata and Raji. The consideration of characteristics of Vicharchika as Eczema may also reveal the same fact.

1. Atikandu (excessive itching) In eczema, itching varies from mild to severe paroxysm which even may interfere with work and sleep.
2. Bahu strava (lasikadhya) Eczema is characterized by superficial inflammatory oedema of epidermis associated with vesicle formation. In acute condition wet eczema is common
3. Rukshata (dryness) Chronic illness of Eczema also persists or it may be found in the same patients at different stages.
4. Shyaava Pidika In chronic cases of eczema, integument appears thickened and is hyperpigmented.
5. Raji (Lichenification) Due to scratching in chronic cases of eczema, the skin becomes thick, hyperpigmented with visible criss cross ridges known as lichenification.

Considering the fact that, the combination of external as well internal therapy will play its best role in cure of Eczema. With this view, for present research I have proposed to focus the upashayatmaka effect of Aragwadhadi Kashaya (kalpit

compound) as internal medicine and Yashadamrut malahar as external application in patients of Vicharchika.

NEED OF STUDY:

- ☐ Incidence—Great prevalence of the disease i.e. 3% in Indian Population
- ☐ Burning problem—Severe itching disturbing routine and its nature susceptible to be chronic.
- ☐ Socio-Psychological impacts—Affects psychological status and disturb the social life due to its appearance;
- ☐ WHO celebrates 29th October as World Psoriasis day

AIMS:

- ☐ To study Nidanpanchaka (aetiopathogenesis) of Vicharchika and its Upashaya according to Ayurveda.
- ☐ To study the Upashaytmaka effect of Aragwadhadhi Kashaya and Yashadamrut malahara lepa on Vicharchika.

OBJECTIVES:

- ☐ To assess the efficacy of Aragwadhadhi kashaya and Yashadamruta Malahara in the management of Vicharchika w.r.to Eczema.
- ☐ To draw a hypothesis regarding the mode of action of drugs used in the present research on the scientific basis.

MATERIALS AND METHODS:

1. Conceptual Study

Disease Review: It comprises of

- 1) Ayurvedic review
- 2) Modern review

1) Ayurvedic review: In this, Vicharchika will be defined according to Ayurvedic literature

2) Modern review: In this, Eczema will be defined according to Modern literature

Following materials are used for this study.

- ☐ **Selection of Patient**—Minimum 60 patients having signs and symptoms of “Vicharchika” were randomly selected from OPD and IPD wings of Government Ayurved College, Nanded
- ☐ The patients will diagnosed on the basis of classical signs and symptoms of Vicharchika described in Ayurvedic classics like Kandu, Daha, Strava, Rukshata, Pidika, Vaivarnya, Raji and Vedna etc.
- ☐ **Informed written consent** was taken
- ☐ **Type of study:** Clinical trial
- ☐ **Study design:** Parallel group
- ☐ **Patients selection:** Randomized
- ☐ **Examination of Patient**—Examination of Patient was done according to special case proforma which was included
 - **Etiological factors of Vicharchika** with
 - **Dushti lakshan of Dosha;**
 - **Dushya;**
 - **Strotas etc.**
- ☐ **Resulting Pathogenesis or Samprapti after administration of hetu** was studied in detailed.

INCLUSION CRITERIA-

1. Patients showing Pratyatma Lakshana of Vicharchika (eczema) described in classical Ayurvedic texts as well in modern medical literature.
2. Age group of 16 to 60 years of either sex
3. Chronicity of disease not more than 3 years.

~~—EXCLUSION CRITERIA—~~

~~1. Patients suffering from disease like Anemia, Hemorrhagic disorders, Hemiplegia, Convulsion, Tuberculosis, Cancer; severe systemic diseases like Diabetes, Renal disease, H/O liver diseases etc.~~

~~2. Pregnaney, lactation~~

~~Registered 60 patients were divided in two groups as-~~

~~1. Group A: Control group~~

~~———— 30 registered patients of Vicharchika were administered Tablet Defeort in the dose of 6 mg twice a day with a glass of water for 30 days.~~

~~2. Group B: Aragvadhadi Kashaya~~

~~———— 30 registered patients of Vicharchika were administered with Aragvadhadi Kashaya (Kalpita compound) in the dose of 40ml twice a day for 30 days along with Yashadamruta Malahara lepa at night as external application on affected parts of body.~~

~~Tablet Defeort :~~

~~☐ Dose- 6 mg twice a day with a glass of water after food,~~

~~☐ Duration- at same time every day for 30 days.~~

~~Aragvadhadi Kashaya-~~

~~☐ Period: 4 weeks~~

~~☐ Dosage: 40 ml twice a day with parts of Ghrita~~

~~☐ Duration: Morning- 40ml and Evening- 40ml (daily)~~

~~☐ Bhaishajya Kal: Before meal~~

~~☐ Mode of Administration: Oral~~

~~Yashadamruta Malahara-~~

~~☐ Period: 4 weeks~~

~~☐ Dosage: Quantity sufficient as per affected area of body~~

~~☐ Period of application: In day time~~

~~☐ Mode of Administration: External application~~

~~LABORATORY INVESTIGATIONS—~~

~~☐ Routine investigations wherever needed~~

~~Actual Plan of Work-~~

~~☐ The patients were diagnosed on the basis of classical signs and symptoms of Vicharchika with the help of special standard case paper incorporating Nidanpanchaka~~

~~☐ More concentration was given on Evaluation of Hetus and resulting Samprapti or Nidanpanchaka.~~

~~☐ After diagnosis of the patients, study was intervened by Upashayatmaka therapy(exploration) in the form of Aragvadhadi kashaya and Yashadamruta Malahara~~

~~☐ Group A: Control Tab.Defeort 6mg twice a day~~

~~☐ Group B: Aragvadhadi Kwatha: 40ml twice~~

~~☐ Patients were studied for 6 weeks with the follow up after every 1 week interval.~~

~~☐ The Upashayatmaka effect of Aragvadhadi kashaya and Yashadamruta Malahara was assessed in regards to the clinical signs and symptoms on the basis of grading and scoring systems and overall upashaya.~~

~~☐ Place of work: OPD and IPD Wings of Government Ayurved College, Nanded~~

~~☐ Formulation of drug : Was carried out in Rasashala, Government Ayurved College, Nanded~~

~~☐ Duration of work: Was completed in scheduled course of 4 week~~

~~Criteria of assessment:~~

❑ Criteria of assessment were kept on the basis of relief in the signs and symptoms of the disease Vicharchika.

❑ For this, the cardinal signs and symptoms were given scores according to their severity, before and after treatment.

1. Kandu (Itching)
2. Daha (Burning sensation)
3. Vaivarnya (Discoloration)
4. Strava (discharge)
5. Raji (Lichenification, thickening and ridges on skin)
6. Rukshata (Dryness)
7. Pidika (Eruption)
8. Vedana (Pain)

Contents of Aragvadhadi Kashaya (Kalpita compound)

S. N.	Contents	Botanical name	Part used	Quantity
1	Aragwadha	Cassia fistula	Root	1 Part
2	Nimba	Azadiracta indica	Root	1 Part
3	Guduchi	Tinospora cordifolia	Kanda	1 Part
4	Khadir	Acacia catechu	Root	1 Part
5	Kutaja	Hollarhena antidysentria	Root	1 Part
6	Atrushaka	Adhatoda vasica	Root	1 Part

Contents of Yashadamruta Malahara (Rasa tarangini)

S. N.	Contents	Botanical name	Quantity
1.	Siktha	Wax	12 gm
2.	Tilataila	Sesamum indicum	q.s.
3.	Yashad	Zincum	1 tula

Praman of lepa— $\frac{1}{4}$ angul $\approx$ 5mm

GRADING AND SCORING OF SIGNS AND SYMPTOMS—

Grading and Scoring—

For symptoms—subjective parameters were considered

For signs—appropriate clinical parameters were considered

Scoring—

Grade III—+++—severe

Grade II—++—moderate

Grade I—+—mild

Grade 0—0—nil

1) Kandu (itching)–

+++—itching continuously and cannot concentrate on

—routine work and in Night

++—intermittent itching for more than 5 times per hour

+—itching only once or twice a day

0—no itching

2) Daha (burning sensation)–

- +++ continuously burning cannot concentrate on work and even during sleep
- ++ burning sensation but can concentrate on work
- + burning only 1 or 2 times a day
- 0 no burning

3) Vaivarnya (discolouration)–

- +++ easily looking discolouration
- ++ mild discolouration only visible in light
- + very mild discolouration only visible in light
- 0 no discolouration

4) Srava (discharge)–

- +++ continuous discharge patient requires dressing to lesion to soak up the discharge and disturb his routine work
- ++ need to put dressing but not disturbing
- + need not to put dressing
- 0 scanty discharge need not to soak or dressing and dries their own

5) Raji–

- +++ multiple lines with discomfort
- ++ lines without discomfort
- + single line
- 0 absent

6) Rookshata (dryness)–

- +++ with discomfort on skin
- ++ without discomfort on skin
- + negligible
- 0 absent

7) Pidika (eruption)–

Number of Pitika per square cm on the effected skin will be measured.

8) Ruja (pain)-

- ~~+++ continuously paining or aching cannot concentrate on~~
- ~~———— work and even during sleep~~
- ~~++ pain is there but can concentrate on work~~
- ~~+ pain only 1 or 2 times a day~~
- ~~0 no pain~~

OVERALL EFFECT OF THERAPY:

- ~~1. Cured: 100% relief in the sign and symptoms with plain skin surface and significant changes in the color of the affected skin lesion towards normal was considered as cured.~~
- ~~2. Complete Remission: more than 76 to 99% relief in the sign and symptoms was recorded as complete remission with marked improvement in the pigmentation and thickening of the skin.~~
- ~~3. Marked improvement: 51-75% relief in sign and symptoms was considered as marked improve with in pigmentation and thickening of the skin.~~
- ~~4. Improvement: patients showing improvement between 25-50% in sign and symptoms with slight improvement of pigmentation and thickening of the skin was taken as improvement.~~
- ~~5. No relief: below 25% relief sign~~

OBSERVATIONS:

~~On the basis of results found during study upashayatmaka effect of Aragvadhadi kashaya and Yashadamruta Malahara was quoted as follows-~~




Formed Malahara

Contents of Yasahdamruta Malhara and Aragadhadi kashaya **RESULT**


Symptoms	Group A % (n=10)	Group B % (n=10)
----------	------------------	------------------

Observation	Result	Total % n=20
Age	31-40yrs	56
Sex	Female	31
Religion	Hindu	88
Habitat	Urban	95
Socio-economic	Middle	80
Education	Educated	86
Marital status	Married	76
Occupation	Housewife	26
Diet	Mix	86
Agni	Manda	41
Prakruti	Vata-pitta	40

Kandu	53	86
Ruja	50	75
Vaivarnya	50	77
Daha	50	88
Strava	20	83
Rukshata	58	81
Raji	77	80
Pidika	0	0
Average	<u>53</u>	<u>81</u>



Before Treatment



After Treatment



~~Before Treatment~~ ~~After Treatment~~

~~CONCLUSION:~~

- ~~■ Combined effect of Aragwadhadi Kashaya with Yashadamruta malahara was found more effective in patients of Group B(81%) than that of Group A patients treated with Tab. Defecort (53%)~~
- ~~■ Aragwadhadi Kashaya, a concentrated Decoction of herbal drugs showed mild laxative and detoxifier action.~~
- ~~■ Yashadamruta malahara showed Shodhan property; reduction and thickness of skin by exfoliation and scrapping, ropan and rejuvenation~~
- ~~■ More rate of recurrence observed with control group that of study group was nil, observed in follow up study~~
- ~~■ Economical; Cost effective~~
- ~~■ Yashadamruta Malahara provided better relief in thick dispigmented lesions of dry Eczema~~
- ~~■ Drug used in present research, proved their best effect against Vicharchika, in their combination form.~~

~~REFERENCES:~~

- ~~□ sa kNDU ipiDka Syaavaa bahUs~avaa ivacaica-ka È ca.ica.7À26~~
- ~~□ rajyaa AitkNDU Ait\$jaa sa \$xaa Bavaint gaa~oYau ivacaica kayaama\ È sau.ina.5À137~~
- ~~□ ivaraoQalnyannapanaaina d`vaisnagQagau\$Na ca ÈBajataamaagataM Cid-M vaogaaMXcaanyaalp`itGnatama\ È vyaayaamamaitsaMtapmaitBau@%vaaopsaoivanaama \ÈSaltaoYNala=Ganaaharana\ k`maM mau@%vaa inaYaoivaNaama\ ... vyavaayaM caaPyajalNao |nnaoinad`aM ca BajataMidvaaÈivap`ana\gau\$na\GaYa yataM papM kmaM kuva tama\ È ca.ica.7~~

~~☐ i~kYa-M isa@qatOlantu pUvaao >ivaiQasaaiQatma\È
taolakOkimatM-dVat\yaSadM-vaihnajaairtma\È
Klvao |itmasaRNao-xaud`o-mad-yoditya%nat:È
samaa#yaatao-malahrao-yaSadamaRtsaM&k:È r.t.19/146ú147
☐ matao-malahrao|yaM-tu ivaivaQava`NaraopNa:È
ivacaica-kahr: kamamaignadgQava`Naaph:È r.t.19/148~~

ACKNOWLEDGEMENT:

- ~~• I take this priviliage to express my gratitude to all those who directly indirectly inspired during course of research.~~
- ~~• Prepared trial product for present study is not a coomercial or Industry product.~~
- ~~• There are no any conflicts of interests.~~