

[Some text](#)

[An image will be added below:](#)



## ~~\_\_\_\_\_m:d Delimiter - ECMA-376 Compliance Tests~~

### **Basic Structure**

#### **Case 1: Default parentheses, single expression**

No dPr. Expected: (x+y)

~~(x+y)~~

#### **Case 2: Multiple expressions, default separator**

Two m:e, no dPr. Default sep is U+2502

~~(x|y)~~

#### **Case 3: Three expressions, default separator**

Three m:e, no dPr. Default sep is U+2502

~~(a|b|c)~~

### **Beginning Character (begChr)**

#### **Case 4: Custom begChr=[**

Expected: [x+y)

~~[x+y)~~

#### **Case 5: begChr present, no val (suppress opening) [BUG]**

Element present without m:val. Expected: x+y) with no opening delimiter

~~x + y)~~

#### **Case 6: begChr explicit empty val**

m:val="". Expected: x+y) same as Case 5

~~x + y)~~

#### **Ending Character (endChr)**

##### **Case 7: Custom endChr = }**

Expected: (x+y]

~~(x + y]~~

##### **Case 8: endChr present, no val (suppress closing) [BUG]**

Expected: (x+y with no closing delimiter

~~(x + y~~

#### **Combined Suppression**

##### **Case 9: Both present, no val (suppress both) [BUG]**

Expected: x+y with no delimiters at all

~~x + y~~

##### **Case 10: Both explicit empty val**

m:val="" on both. Expected: x+y same as Case 9

~~x + y~~

## Separator Character (sepChr)

### Case 11: Custom separator (semicolon)

Expected: (a;b)

$(a;b)$

### Case 12: sepChr present, no val (suppress separator) [BUG]

Expected: (xy) with no separator between expressions

$(xy)$

## Common Patterns

### Case 13: Absolute value

Expected: |x|

$|x|$

### Case 14: Half-open interval [a,b)

Mixed delimiters with comma separator

$[a,b)$

### Case 15: Floor function

Unicode delimiters U+230A, U+230B

$\lfloor x \rfloor$

### Case 16: Ceiling function

Unicode delimiters U+2308, U+2309

$\lceil x \rceil$

### Case 17: Nested delimiters

Delimiter inside delimiter. Expected:  $((x+y)+z)$

$$((x+y)+z)$$

### Grow Property

#### Case 18: grow=1 (default) with fraction

Delimiters should grow to match fraction height

$$\left(\frac{a+b}{c+d}\right)$$

#### Case 19: grow=0 with fraction

Delimiters should NOT grow, stay at text height

$$\left(\frac{a+b}{c+d}\right)$$

### Shape Property

#### Case 20: shp=centered (default) with stacked fraction

Delimiters centered around math axis

$$\left(\frac{a}{\frac{b}{c}}\right)$$

#### Case 21: shp=match with stacked fraction

Delimiters match exact shape of contents

$$\left(\frac{a}{\frac{b}{c}}\right)$$