

- First
- Second

### Third ~~m:d Delimiter - ECMA-376 Compliance Tests~~

#### **Basic Structure**

##### **Case 1: Default parentheses, single expression**

No dPr. Expected: (x+y)

~~(x+y)~~

##### **Case 2: Multiple expressions, default separator**

Two m:e, no dPr. Default sep is U+2502

~~(x|y)~~

##### **Case 3: Three expressions, default separator**

Three m:e, no dPr. Default sep is U+2502

~~(a|b|c)~~

#### **Beginning Character (begChr)**

##### **Case 4: Custom begChr = [**

Expected: [x+y)

~~[x+y)~~

##### **Case 5: begChr present, no val (suppress opening) [BUG]**

Element present without m:val. Expected: x+y) with no opening delimiter

~~x+y)~~

### **Case 6: begChr explicit empty val**

m:val="". Expected: x+y) same as Case 5

~~x+y)~~

### **Ending Character (endChr)**

#### **Case 7: Custom endChr = }**

Expected: (x+y}

~~(x+y}~~

#### **Case 8: endChr present, no val (suppress closing) [BUG]**

Expected: (x+y with no closing delimiter

~~(x+y~~

### **Combined Suppression**

#### **Case 9: Both present, no val (suppress both) [BUG]**

Expected: x+y with no delimiters at all

~~x+y~~

#### **Case 10: Both explicit empty val**

m:val="" on both. Expected: x+y same as Case 9

~~x+y~~

### **Separator Character (sepChr)**

#### **Case 11: Custom separator (semicolon)**

Expected: (a;b)

~~(a;b)~~

### Case 12: ~~sepChr present, no val {suppress separator}~~ [BUG]

Expected: ~~(xy)~~ with no separator between expressions

~~(xy)~~

## Common Patterns

### Case 13: ~~Absolute value~~

Expected: ~~|x|~~

~~|x|~~

### Case 14: ~~Half-open interval [a,b)~~

Mixed delimiters with comma separator

~~[a,b)~~

### Case 15: ~~Floor function~~

Unicode delimiters U+230A, U+230B

~~⌊x⌋~~

### Case 16: ~~Ceiling function~~

Unicode delimiters U+2308, U+2309

~~⌈x⌉~~

### Case 17: ~~Nested delimiters~~

Delimiter inside delimiter. Expected: ~~((x+y)+z)~~

~~((x+y)+z)~~

## Grow Property

### Case 18: grow=1 (default) with fraction

Delimiters should grow to match fraction height

$$\left(\frac{a+b}{c+d}\right)$$

### Case 19: grow=0 with fraction

Delimiters should NOT grow, stay at text height

$$\left(\frac{a+b}{c+d}\right)$$

## Shape Property

### Case 20: shp=centered (default) with stacked fraction

Delimiters centered around math axis

$$\left(\frac{a}{b}\right)$$

### Case 21: shp=match with stacked fraction

Delimiters match exact shape of contents

$$\bullet \left(\frac{a}{b}\right)$$