

- First
- Second

Third ~~m:d Delimiter - ECMA-376 Compliance Tests~~

Basic Structure

Case 1: Default parentheses, single expression

No dPr. Expected: (x+y)

(x+y)

Case 2: Multiple expressions, default separator

Two m:e, no dPr. Default sep is U+2502

(x|y)

Case 3: Three expressions, default separator

Three m:e, no dPr. Default sep is U+2502

(a|b|c)

Beginning Character (begChr)

Case 4: Custom begChr=[

Expected: [x+y)

[x+y)

Case 5: begChr present, no val (suppress opening) [BUG]

Element present without m:val. Expected: x+y) with no opening delimiter

x+y)

Case 6: begChr explicit empty val

m:val="". Expected: x+y) same as Case 5

~~x+y)~~

Ending Character (endChr)

Case 7: Custom endChr = }

Expected: (x+y}

~~(x+y}~~

Case 8: endChr present, no val (suppress closing) [BUG]

Expected: (x+y with no closing delimiter

~~(x+y~~

Combined Suppression

Case 9: Both present, no val (suppress both) [BUG]

Expected: x+y with no delimiters at all

~~x+y~~

Case 10: Both explicit empty val

m:val="" on both. Expected: x+y same as Case 9

~~x+y~~

Separator Character (sepChr)

Case 11: Custom separator (semicolon)

Expected: (a;b)

~~(a;b)~~

Case 12: ~~sepChr present, no val {suppress separator}~~ [BUG]

Expected: ~~(xy)~~ with no separator between expressions

~~(xy)~~

Common Patterns

Case 13: ~~Absolute value~~

Expected: ~~|x|~~

~~|x|~~

Case 14: ~~Half-open interval [a,b)~~

Mixed delimiters with comma separator

~~[a,b)~~

Case 15: ~~Floor function~~

Unicode delimiters U+230A, U+230B

~~⌊x⌋~~

Case 16: ~~Ceiling function~~

Unicode delimiters U+2308, U+2309

~~⌈x⌉~~

Case 17: ~~Nested delimiters~~

Delimiter inside delimiter. Expected: ~~((x+y)+z)~~

~~((x+y)+z)~~

Grow Property

Case 18: grow=1 (default) with fraction

Delimiters should grow to match fraction height

$$\left(\frac{a+b}{c+d}\right)$$

Case 19: grow=0 with fraction

Delimiters should NOT grow, stay at text height

$$\left(\frac{a+b}{c+d}\right)$$

Shape Property

Case 20: shp=centered (default) with stacked fraction

Delimiters centered around math axis

$$\left(\frac{a}{b}\right)$$

Case 21: shp=match with stacked fraction

Delimiters match exact shape of contents

$$\bullet \left(\frac{a}{b}\right)$$