

Supplementary Table 1. Comparison ÷

Change in mean heart rate (beats per minute) over time between injury grading, MRI findings and time to return to play two groups:

Participants number GROUP	MRI Injury grading at initial (modified Peetrans) N	MRI at RTPMEAN	Time to RTP (days)S.D	S.E.M	P-value			
		Injury grading at RTP (modified Peetrans)		Fibr osis	IMT disruption	Tendon waviness	Tendon thickening	
1	2	2		±	±	±	±	15
2	2	1		±	±	±	±	72
3	1	1		±	±	±	±	21
4	1	1		±	±	±	±	54
5	1	1		±	±	±	±	14
6	2	2		±	±	±	±	27
7	1	1		±	±	±	±	25
8	2	2		±	±	±	±	17
9Group A	230	177.600	±9.5247	±1.73841	±0.003	±62		
10	2	1		±	±	±	±	53
11	2	1		±	±	±	±	17

<u>12</u> Gr oup B	<u>130</u>	<u>168.200</u>	<u>+9.330</u> <u>7</u>	<u>-</u> <u>1.7035</u> <u>450</u>	<u>-</u>	<u>-</u>	<u>37</u>
<u>13</u>	<u>2</u>	<u>1</u>		<u>+</u>	<u>+</u>	<u>+</u>	<u>+</u> <u>42</u>
<u>14</u>	<u>2</u>	<u>1</u>		<u>+</u>	<u>+</u>	<u>+</u>	<u>+</u> <u>73</u>
<u>15</u>	<u>2</u>	<u>2</u>		<u>+</u>	<u>+</u>	<u>+</u>	<u>+</u> <u>17</u>
<u>16</u>	<u>2</u>	<u>1</u>		<u>+</u>	<u>-</u>	<u>-</u>	<u>-</u> <u>20</u>
<u>17</u>	<u>2</u>	<u>1</u>		<u>+</u>	<u>-</u>	<u>-</u>	<u>-</u> <u>58</u>
<u>18</u>	<u>2</u>	<u>1</u>		<u>+</u>	<u>-</u>	<u>-</u>	<u>-</u> <u>31</u>
<u>19</u>	<u>2</u>	<u>1</u>		<u>+</u>	<u>-</u>	<u>-</u>	<u>-</u> <u>15</u>
<u>20</u>	<u>2</u>	<u>1</u>		<u>+</u>	<u>-</u>	<u>-</u>	<u>-</u> <u>66</u>
<u>21</u>	<u>2</u>	<u>0</u>		<u>+</u>	<u>-</u>	<u>-</u>	<u>-</u> <u>60</u>
<u>22</u>	<u>2</u>	<u>1</u>		<u>+</u>	<u>-</u>	<u>-</u>	<u>-</u> <u>45</u>
<u>23</u>	<u>2</u>	<u>1</u>		<u>+</u>	<u>-</u>	<u>-</u>	<u>-</u> <u>45</u>
<u>24</u>	<u>1</u>	<u>1</u>		<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u> <u>82</u>
<u>25</u>	<u>2</u>	<u>2</u>		<u>+</u>	<u>+</u>	<u>+</u>	<u>+</u> <u>9</u>
<u>26</u>	<u>2</u>	<u>0</u>		<u>-</u>	<u>-</u>	<u>-</u>	<u>+</u> <u>105</u>
<u>27</u>	<u>2</u>	<u>2</u>		<u>+</u>	<u>+</u>	<u>-</u>	<u>-</u> <u>31</u>
<u>28</u>	<u>2</u>	<u>2</u>		<u>-</u>	<u>+</u>	<u>-</u>	<u>+</u> <u>124</u>
<u>29</u>	<u>1</u>	<u>1</u>		<u>-</u>	<u>-</u>	<u>-</u>	<u>+</u> <u>18</u>
<u>30</u>	<u>2</u>	<u>2</u>		<u>+</u>	<u>+</u>	<u>+</u>	<u>+</u> <u>44</u>
<u>31</u>	<u>2</u>	<u>2</u>		<u>+</u>	<u>-</u>	<u>+</u>	<u>+</u> <u>53</u>
<u>32</u>	<u>2</u>	<u>2</u>		<u>+</u>	<u>-</u>	<u>-</u>	<u>+</u> <u>38</u>
<u>33</u>	<u>2</u>	<u>2</u>		<u>+</u>	<u>-</u>	<u>-</u>	<u>+</u> <u>45</u>
<u>34</u>	<u>2</u>	<u>2</u>		<u>+</u>	<u>-</u>	<u>-</u>	<u>+</u> <u>51</u>
<u>35</u>	<u>1</u>	<u>1</u>		<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u> <u>23</u>
<u>36</u>	<u>2</u>	<u>2</u>		<u>+</u>	<u>-</u>	<u>-</u>	<u>+</u> <u>42</u>

<u>37</u>	<u>2</u>	<u>2</u>	<u>+</u>	<u>-</u>	<u>-</u>	<u>+</u>	<u>56</u>
<u>38</u>	<u>2</u>	<u>2</u>	<u>+</u>	<u>+</u>	<u>+</u>	<u>+</u>	<u>39</u>
<u>39</u>	<u>2</u>	<u>2</u>	<u>+</u>	<u>-</u>	<u>+</u>	<u>+</u>	<u>79</u>
<u>40</u>	<u>1</u>	<u>1</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>21</u>
<u>41</u>	<u>2</u>	<u>0</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>82</u>
<u>42</u>	<u>1</u>	<u>1</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>16</u>
<u>43</u>	<u>1</u>	<u>1</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>14</u>
<u>44</u>	<u>2</u>	<u>2</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>+</u>	<u>25</u>
<u>45</u>	<u>1</u>	<u>1</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>+</u>	<u>11</u>
<u>46</u>	<u>2</u>	<u>2</u>	<u>+</u>	<u>+</u>	<u>-</u>	<u>+</u>	<u>17</u>
<u>47</u>	<u>2</u>	<u>2</u>	<u>+</u>	<u>+</u>	<u>+</u>	<u>+</u>	<u>11</u>
<u>48</u>	<u>2</u>	<u>2</u>	<u>+</u>	<u>+</u>	<u>+</u>	<u>+</u>	<u>31</u>
<u>49</u>	<u>2</u>	<u>2</u>	<u>+</u>	<u>-</u>	<u>-</u>	<u>+</u>	<u>35</u>
<u>50</u>	<u>2</u>	<u>2</u>	<u>+</u>	<u>+</u>	<u>+</u>	<u>+</u>	<u>37</u>
<u>51</u>	<u>2</u>	<u>2</u>	<u>+</u>	<u>+</u>	<u>-</u>	<u>+</u>	<u>71</u>
<u>52</u>	<u>1</u>	<u>1</u>	<u>+</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>66</u>
<u>53</u>	<u>2</u>	<u>2</u>	<u>+</u>	<u>+</u>	<u>+</u>	<u>+</u>	<u>46</u>
<u>54</u>	<u>2</u>	<u>2</u>	<u>+</u>	<u>+</u>	<u>+</u>	<u>+</u>	<u>31</u>
<u>55</u>	<u>2</u>	<u>2</u>	<u>+</u>	<u>+</u>	<u>+</u>	<u>+</u>	<u>119</u>
<u>56</u>	<u>2</u>	<u>2</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>+</u>	<u>39</u>
<u>57</u>	<u>1</u>	<u>1</u>	<u>+</u>	<u>-</u>	<u>-</u>	<u>+</u>	<u>33</u>
<u>58</u>	<u>2</u>	<u>2</u>	<u>-</u>	<u>+</u>	<u>-</u>	<u>+</u>	<u>29</u>

Abbreviations: RTP = Return to play. IMT = Intramuscular tendon. MRI = Magnetic Resonance Imaging. + = present on MRI. - = not present on MRI.

There was statistically significant decrease in mean heart rate in Group B compared to Group A ('p' value = 0.0003 [<0.05]).
(Table 1)

Table 2:

Change in mean of mean blood pressure (mm of Hg) over time between two groups:

GROUP	N	MEAN	S.D	S.E.M	P-value
Group A	30	84.700	10.6387	1.9423520	0.0078
Group B	30	78.300	6.9736	1.2730898	

There was statistically significant decrease in mean of mean blood pressure in Group B compared to Group A ('p' value = 0.0078 [<0.05]). (Table 2)

Table 3:

Change in Spo₂ (%) over time between two groups:

GROUP	N	MEAN	S.D	S.E.M	P-value
Group A	30	99.300	1.0222	0.1866273	1.000 -
Group B	30	99.300	1.2077	0.2204948	

There was no statistically significant changes in mean Spo₂ in Group B compared to Group A ('p' value = 1.000 [>0.05]). (Table 3)

Table 4:

Comparison of duration of sensory blockade (minutes) between two groups:

GROUP	N	MEAN	S.D	S.E.M	P-value
-------	---	------	-----	-------	---------

Group A	30	351.500	63.4381	11.5821595	-0.6936
Group B	30	358.500	73.1690	13.3587706	

There was no statistically significant difference in duration of sensory blockade between two groups. ('p' value = 0.6936 [>0.05]). (Table 4)

Table 5:

Comparison of duration of motor blockade (minutes) between two groups:

GROUP	N	MEAN	S.D	S.E.M	P-value
Group A	30	305.500	62.0532	11.3293125	0.1044
Group B	30	336.500	82.1285	14.9944527	

There was no statistically significant difference in duration of motor blockade between two groups. ('p' value = 0.1044 [>0.05]). (Table 5)

Table 6:

Comparison of duration of post-operative analgesia (minutes) between two groups:

GROUP	N	MEAN	S.D	S.E.M	P-value
Group A	30	459.000	68.7299	12.5481412	

Group-B	30	515.500	75.9917	13.8741228	0.0038
----------------	----	---------	---------	------------	--------

There was statistically significant prolongation of post-operative analgesia in group B compared to group A. ('p' value = 0.0038 [<0.05]). (Table 6)

Table 7:
Comparison of total ephedrine consumption (milligrams) between two groups:

GROUP	N	MEAN	S.D	S.E.M	P-value
Group-A	30	4.800	5.3201	0.9713129	0.0069
Group-B	30	9.000	6.2533	1.1416912	

There was statistically significant increase in total ephedrine consumption in group B compared to group A. ('p' value = 0.0069 [<0.05]). (Table 7)

Table 8:
Comparison of total blood loss (milliliter) between two groups:

GROUP	N	MEAN	S.D	S.E.M	P-value
Group-A	30	354.000	144.6625	26.29154165	0.002
Group-B	30	180.500	72.3229	13.15429458	

There was statistically significant decrease in blood loss in group B compared to group A. ('p' value = 0.002 [<0.05]). (Table 8)