

Creating New Filters

Summary

If you want to filter the information provided in a given page based on specific criteria, you can create your own My Filter. By selecting a given filter from the My Filters dropdown on a page, the page will display information according the criteria set up for that Filter. For example, if you want the Records List Page to display permits that were submitted in a certain timeframe, you can use filters to display only those records in that time period.

The pages that have the My Filters dropdown will also have a My Filters option in the Menu dropdown. This is where you can create and edit your own custom Filters. *Filters are specific to the page and specific to the user who created it.* If you create a custom filter, a coworker would not have access to your custom filter in their My Filter dropdown.

Steps to create a custom filter in the Record List Page

1. Click on the **four-square** Launchpad icon > open the **Record** list page > Click **Menu** > Select **My Filters**.

The screenshot shows the 'Record' list page interface. A red arrow points to the 'Menu' dropdown in the top navigation bar. The dropdown menu is open, showing options: 'Customize Content', 'CSV Export', 'Expand List', 'My Filters' (highlighted with a red box), 'Charts', 'Edit View', and 'Print Page'. Below the menu, a table of records is visible with columns: Record Type, Description, Number, Dir, Street Name, Street Type, Post Dir, Unit #, City, Parcel #, Status, Related Records, and Opened. The table contains four rows of data.

Record Type	Description	Number	Dir	Street Name	Street Type	Post Dir	Unit #	City	Parcel #	Status	Related Records	Opened
Residential Electrical	Master Bathroom Remodel	3333		LONE OAK RD ...				MCMINNVILLE	R4410 00202	Permit Issued	View	11/06/2
Residential Electrical	low voltage burglar alarm	2737	NE	BUNN	RD			MCMINNVILLE	R4411 02300	Permit Issued	View	11/06/2
Commercial Electrical	Wire 200 amp feeder and tasting room	18655	NE	TRUNK	RD			DAYTON	R3334 00700	Permit Issued	View	11/06/2
Commercial Electrical	Wire tasting room	8670	NE	WORDEN HILL				DUNDEE	R3327 01600	Permit Issued	View	11/06/2

2. You will see all of the global filters for your agency and your custom filters . Click **New** to create a new custom filter. *Note, while you can see Global Filters, you cannot edit them.*

The screenshot shows the 'My Filters' page. At the top, there is a 'Menu' dropdown and a 'New' button (highlighted with a red box). Below these are buttons for 'Delete', 'Cancel', and 'Help'. The page indicates 'Showing 1-5 of 18' filters. A table lists the filters with columns: Name, Primary, and Description. One filter is visible: 'Permits - Issued' with a 'No' primary status and 'Permits - Issued' description.

Name	Primary	Description
Permits - Issued	No	Permits - Issued

Creating New Filters_

The School District of Palm Beach County

Project Name

SDPBC Project No.

3. Enter a **Name** and **Description** for the custom filter. Next, under the **Search By** area, click the field dropdown and select which field you first want to filter on - then select the proper operator, and enter the specific value (case sensitive). You will be able to choose from available fields for that particular page, to pull in the information you might be looking for. For example, if you want to create a Filter for records with an **Addl Info Needed** status, you might select **Status** as one of your fields. You will also use a dropdown menu to choose from operators like = (equals), and != (not equal to). The field after the operator dropdown gives you the option of choosing from a generic menu or entering a specific value.

The screenshot shows the 'Search By' section of a form. A dropdown menu is open, displaying a list of fields: --Select--, Activity Assigned to Department, Activity Assigned to Staff, Activity Description, Activity Due Date, Activity Name, Activity Start Date, Activity Type, Actual Prod. Units, Address Description, Address Line 1, Address Line 2, and Address Template. The dropdown is labeled 'FIELD DROPDOWN' in blue text. To the right of the dropdown is an operator dropdown menu showing an equals sign (=) and a downward arrow. Below the dropdown is a text input field labeled 'Resulting Query'.

[See Operator definition list at the end of this document](#)

The screenshot shows the 'Search By' section of a form. The field dropdown is closed, and the operator dropdown menu is open, displaying a list of operators: !=, <, <=, =, >, >=, CONTAINS, IS NOT NULL, IS NULL, and LIKE. The dropdown is labeled 'OPERATOR DROPDOWN' in blue text. To the right of the operator dropdown is a text input field labeled 'SPECIFIC VALUE' with a small icon to its right. Below the dropdown is a text input field labeled 'Resulting Query'.

Values are case sensitive and your Filters will not work if there are any differences between your search and the actual data. In our example, if you select **Status** is = (equal to) and then you enter a value of “addl info needed”, if the actual status as it appears in Accela is “**Addl Info Needed**”, your Filter will not pull data because of the difference in case.



Your link
to building Oregon

Last modified: September 25, 2026

Creating New Filters__

The School District of Palm Beach County
Project Name
SDPBC Project No.

4. Click the New Field button to add another filter criteria. Once you have set the criteria, click the **Submit** button to save your custom filter.

Record

Submit Reset New Field Delete Field Preview SQL Cancel Help

Name * Addl info needed - BLDG Description Building Review - Addl Info Primary No

Search By *

☐ Status LIKE %Addl Info Needed% ☐ AND

☐ Record Type = Building ☐ AND

Resulting Query

% = wildcard

5. You will see the list of **My Filters** once you click **Submit**. Click **Cancel** to get back to the **Record list page**.

My Filters

Menu New Delete Cancel Help

Global Filters

Global filters can only be directly created or added by ePermitting staff. The filters that the ePermitting team create for the Model are set as Global Filters, therefore available to all agencies in the My Filters dropdown.

If you are looking to have a custom agency filter you have created added to your agency as a Global filter, please submit a helpdesk ticket to epermitshelp.BCD@oregon.gov to make this request. Please make sure to include a screenshot of your filter criteria with Name and Description, indicate which modules you want to access it, and which page you want it associated to - Record List, My Tasks Activities, My Tasks Workflow Tasks, or Inspections.

Creating New Filters

The School District of Palm Beach County

Project Name

SDPBC Project No.

6. Now, you can select the new custom filter from the **My Filters** dropdown and filter the Record List page based on this new filter.

Record

Menu Search New Delete GIS Create a Set View Log Reports Help My Filters Addl info needed - BLDG

Showing 1-10 of 100+

☐	Record Number	Record Type	Description	Number	Dir	Street Name	Street Type	Post Dir	Unit #	City	Parcel #	Status	Related Records	Op
☐	979-19-001553-ELEC	Residential Electrical	Branch Circuits additional to serv...	11060	SW	BELLEVUE	HWY			AMITY	R5419 01200	In Review/Addl Info Needed	View	10/
☐	979-19-001517-STR	Residential Structural	In-ground concrete swimming pool w...	22405	NE	RIDGE				GASTON	R2424 00600	In Review/Addl Info Needed	View	10/
☐	979-19-001356-STR	Residential Structural	INSTALLATION OF UTILITY INTERACTIV...	11210	NE	RED HILLS	RD			NEWBERG	R3323 00603	App Submitted/Addl Info Needed	View	10/

Operator	Description
<u>!=</u>	<u>Not equal to</u>
<u><</u>	<u>Less than</u>
<u><=</u>	<u>Less than or equal to</u>
<u>=</u>	<u>Equal to</u>
<u>></u>	<u>Greater than</u>
<u>>=</u>	<u>Greater than or equal to</u>
<u>IS NOT NULL</u>	<u>Used to query fields that contain any value, regardless of what that value is. When you use this operator, do not use a variable in the third field.</u>
<u>IS NULL</u>	<u>Used to query fields that do not have a value. For example, you might set up a data filter to query for records associated with a certain department, but not to any individual within the department.</u> <u>When you use this operator, do not use a variable in the third field.</u>
<u>Like</u>	<u>The alphabetic character field values that you want to include in the filter or query contain a string (alphabetic characters).</u> <u>For example, if you want to set up a query to list all contacts with the string "Jeff" in their email addresses, choose "Like" as the relational operator and enter "Jeff" as the value.</u>

SECTION 13-60-00 SPRAY PAINTING BOOTH

PART 1—GENERAL

1.1 RELATED DOCUMENTS:



Your *link*
to building Oregon

Last modified: September 25, 2026

Creating New Filters

The School District of Palm Beach County

Project Name

SDPBC Project No.

~~A. Drawings and general provisions of Contract, including General and Supplementary Conditions and Division 1 specification sections, apply to work in this section.~~

~~1.2 DESCRIPTION OF WORK~~

~~A. Provide a Pressurized Dry Filter Booth/Paint Mix System as specified herein or as shown on the drawings.~~

~~1.3 REFERENCES~~

~~A. FM—Factory Mutual~~

~~B. OSHA—Occupational Safety and Health Administration~~

~~C. UL—Fire Hazard Classifications~~

~~1.4 QUALITY ASSURANCE~~

~~A. Manufacturer: Company specializing in manufacturing the products specified in this section with minimum 5-years documented experience.~~

~~1.5 SUBMITTALS~~

~~A. Provide product data on unit construction, size, configuration, jointing methods, and attachment method.~~

~~B. Provide manufacturer's installation instructions, indicating any special installation criteria to interfacing with adjacent components.~~

~~1.6 REGULATORY REQUIREMENTS~~

~~A. Conform to applicable Code for UL and FM requirements~~

~~B. Florida Building Code~~

~~C. Florida Fire Prevention Code~~

PART 2—PRODUCTS

2.1 SPRAY BOOTH SYSTEM

A. Pressurized Dry Filter Booth shall be Model # T1000 as manufactured by Spray Systems or approved equal. Outside Dimensions shall be 26'-10" L x 14'-11" W x 10'-0" H.

1. Booth shall be 18-ga G90 galvanized steel and a 12-ga base angle.

2. Door shall be one set of single leaf entrance doors, 8' 9½" H x 9' 2¼" W having a structural tube frame, continuously welded, with leak proof seals at the base.

3. Door will also have heavy duty safety latches.

4. Side access door shall be 36" W x 84" H with one observation window, 18" W x 36" H x ¼" T clear-tempered glass.

a. Door will also have heavy duty safety latches.

5. Lighting: Manufacturer's standard UL approved lighting package.

6. Exhaust System:

a. Provide two 34" dia high efficiency tube axial fans, one for exhaust, and one for supply.

b. Average face velocity through the booth shall be 100 FPM.

c. System shall carry a 5-year manufacturer's warranty.

7. Exhaust Filters: (22) American Air Filters, AG28, 20" x 25" with holding hardware, UL approved.

8. Intake Filters: (20) Viledon, R-1, 20" x 25" with holding hardware, 95% efficiency rating.

9. Draft Gauge: (2) Dwyer Mark II manometer to indicate replacement of filters.

10. Provide all necessary hardware and caulking as required for a complete working system.

B. Paint Mix Room shall be Model # MR-1089 as manufactured by Spray Systems or approved equal, with an outside dimensions of 10'-4" W x 9'-11" H x 9'-8" D.

1. Room shall be 18-ga construction G90 galvanized prime steel.



Your *link*
to building Oregon

Last modified: September 25, 2026

Creating New Filters

The School District of Palm Beach County

Project Name

SDPBC Project No.

- ~~2. Side access door shall be 36" W x 84" H with one observation window, 18" W x 36" H x ¼" T clear tempered glass.~~
 - ~~a. Door will also have heavy duty safety latches.~~
- ~~3. Lighting: Manufacturer's standard UL approved lighting package.~~
- ~~4. Exhaust System:~~
 - ~~a. Provide one 9" dia. Intake blower and one 9" dia. Exhaust blower.~~
 - ~~b. Fan system shall be capable of exhausting 930 CFM @ 0.25 static pressure, 1.3 air changes per minute, 78 air changes per hour, with a max paint quantity of 180 gal~~
 - ~~c. System shall carry a five year manufacturer's warranty.~~
- ~~5. Exhaust Filters: (22) American Air Filters, AG28, 20" x 25" with holding hardware, UL approved.~~
- ~~6. Intake Filters: (5) Viledon R-1, 20" x 25" with holding hardware.~~
- ~~7. Draft Gauge: (2) Dwyer Mark II manometer to indicate replacement of filters.~~
- ~~8. Provide all necessary hardware and caulking as required for a complete working system.~~
- ~~9. Provide a 4" x 4" prefabricated curb; spill containment, and a diamond plate material approach ramp.~~

PART 3 — EXECUTION

3.1 — INSTALLATION

- ~~A. Install in accordance with manufacturer's instructions.~~
- ~~B. Coordinate with installation of Division 23.~~

3.2 — PROTECTION OF FINISHED WORK

- ~~A. Protect adjacent surfaces from damage by material installation.~~
- ~~B. Protect installation during construction activities.~~

END OF SECTION



Your *link*
to building Oregon

Last modified: September 25, 2026