

file_176175.docx

eigenpal/docx-editor

Project Charter & Contributor Agreement

npm [@eigenpal/docx-js-editor](#)

github [eigenpal/docx-editor](#)

1.-What this is ___-Track Changes Demo

An open-source WYSIWYG [___](#).docx [___](#) editor for React. Drop in [___<DocxEditor](#)
documentBuffer={file} /> [___](#) and your users can open, edit, and save Word documents
entirely in the browser — [___no backend required___](#), no document data leaving the client.

Most editors serialise to HTML and back: [___DOCX → HTML → edits → HTML → DOCX___](#).
Every hop loses formatting, tracked changes, and styles. [___](#) This library skips it [___](#) — OOXML is
the canonical format throughout.

```
import { DocxEditor } from '@eigenpal/docx-js-editor'  
import '@eigenpal/docx-js-editor/styles.css'  
  
function App({ file }: { file: ArrayBuffer }) {  
  —return (  
    —<DocxEditor  
    —documentBuffer={file}  
    —onSave={ (buffer) => uploadToServer(buffer) }  
  />  
  )  
  —>  
  +
```

2.- Collaboration — Tracked Changes & Comments

Both features round-trip through OOXML so documents open correctly in Word, LibreOffice, and
Google Docs.

Suggestion mode

Toggle between [___Editing___](#) and [___Suggesting___](#) via the toolbar dropdown.
In Suggesting mode, every edit becomes a tracked insertion ([___green underline___](#)) or deletion
([___red strikethrough___](#)). Consecutive keystrokes group into a single change. Accept or reject
individually or all at once.

Commented [AS1]: Horrible.

Commented [AS1R2]: Terrible.

Serialises to `<w:ins />` — the same OOXML markup Word uses. Tracked changes survive a save/reload cycle and are reviewable in Word with full accept/reject UI.

Comments

Select text and click the floating button on the page edge to `<w:comment />` add a comment anchored to that selection. A Google Docs-style sidebar shows threaded cards positioned at their anchor point in the document. Reply, resolve, reopen, or delete inline.

Commented [2]: Just like that!

Commented [3]: Just like that!

Serialises to `<w:commentRangeStart />` with `<w:commentRangeEnd />` markers. Comments and reply threads are preserved on round-trip.

Agent-friendly

Because tracked changes and comments are native OOXML, an AI agent can write `<w:ins />` markup directly into a document and hand it to `<DocxEditor />` for human review — no custom diff format, no proprietary API.

3. -Props

Pass `author="Your App"` to set the author name for comments and tracked changes. Toggle suggestion mode via the toolbar dropdown.

Prop	Type	Default	Description
documentBuffer	ArrayBuffer	<code>==</code>	.docx file contents to load
readOnly	boolean	false	Preview mode — no editing UI
showToolbar	boolean	true	Show formatting toolbar
author	string	'User'	Author name for comments and tracked changes
onChange	function	<code>==</code>	Called on every document change
onSave	function	<code>==</code>	Called on save, receives ArrayBuffer
onError	function	<code>==</code>	Called on error

Ref methods

```
const ref = useRef<DocxEditorRef>(null)

await ref.current.save() // ArrayBuffer of the .docx
ref.current.getDocument() // current document object
ref.current.setZoom(1.5) // set zoom to 150%
ref.current.scrollToPage(3) // scroll to page 3
ref.current.print() // print
```

4. -Contributing

Read [docs/PLUGINS.md](#) before opening a pull request that touches the plugin API.

Ground rules

- Every PR must pass the round-trip test: load a .docx, apply an edit, export, reload — content and formatting must be stable on unchanged content.
- Run `__bun test` and `__bun run test:e2e` locally before pushing.
- Avoid intermediate HTML serialisation where possible.
- Tracked changes and comments must survive a full OOXML round-trip — save, open in Word, verify changes are reviewable, reload in the editor.

Dev setup

```
bun install
bun run dev // Vite demo on localhost:5173
```

~~Sign-off~~ eigenpal/docx-editor

Project Charter &

Contributor Agreement

<u>npm</u> <u>@eigenpal/docx-js-editor</u> EigenPal Maintainer <u>- eigenpal.com</u>	<u>github</u> <u>eigenpal/docx-editor</u> Contributor on behalf of the community
<u>signature</u> <u>- date</u>	<u>signature</u> <u>- date</u>

1. What this is

An open-source WYSIWYG .docx editor for React. Drop in `<DocxEditor`
`documentBuffer={file}` /> and your users can open, edit, and save Word documents
entirely in the browser — no backend required, no document data leaving the client.

Most editors serialise to HTML and back: DOCX → HTML → edits → HTML → DOCX.
Every hop loses formatting, tracked changes, and styles. This library skips it — OOXML is
the canonical format throughout.

```
import { DocxEditor } from '@eigenpal/docx-js-editor'  
import '@eigenpal/docx-js-editor/styles.css'  
  
function App({ file }: { file: ArrayBuffer }) {  
  return (  
    <DocxEditor  
      documentBuffer={file}  
      onSave={(buffer) => uploadToServer(buffer)}  
    />  
  )  
}
```

2. Collaboration — Tracked Changes & Comments

Both features round-trip through OOXML so documents open correctly in Word, LibreOffice, and Google Docs.

Suggestion mode

Toggle between Editing and Suggesting via the toolbar dropdown.
In Suggesting mode, every edit becomes a tracked insertion (green underline) or deletion (red strikethrough). Consecutive keystrokes group into a single change. Accept or reject individually or all at once.

Serialises to `w:ins` / `w:del` — the same OOXML markup Word uses.
Tracked changes survive a save/reload cycle and are reviewable in Word with full accept/reject UI.

Comments

Select text and click the floating button on the page edge to add a comment anchored to that selection. A Google Docs-style sidebar shows threaded cards positioned at their anchor point in the document. Reply, resolve, reopen, or delete inline.

Commented [5]: Just like that!

Serialises to `comments.xml` with `w:commentRangeStart` /
`w:commentRangeEnd` markers. Comments and reply threads are preserved on round-trip.

Agent-friendly

Because tracked changes and comments are native OOXML, an AI agent can write `w:ins`
`/ w:del / w:comment` markup directly into a document and hand it to
`<DocxEditor />` for human review — no custom diff format, no proprietary API.

3. Props

Pass `author="Your App"` to set the author name for comments and tracked changes.
Toggle suggestion mode via the toolbar dropdown.

Prop	Type	Default	Description
<code>documentBuffer</code>	<code>ArrayBuffer</code>	<code>=</code>	<code>.docx</code> file contents to load
<code>readOnly</code>	<code>boolean</code>	<code>false</code>	Preview mode — no editing UI
<code>showToolbar</code>	<code>boolean</code>	<code>true</code>	Show formatting toolbar
<code>author</code>	<code>string</code>	<code>'User'</code>	Author name for comments and tracked changes
<code>onChange</code>	<code>function</code>	<code>=</code>	Called on every document change
<code>onSave</code>	<code>function</code>	<code>=</code>	Called on save, receives <code>ArrayBuffer</code>
<code>onError</code>	<code>function</code>	<code>=</code>	Called on error

Ref methods

```
const ref = useRef<DocxEditorRef>(null)

await ref.current.save() // ArrayBuffer of the .docx
ref.current.getDocument() // current document object
ref.current.setZoom(1.5) // set zoom to 150%
ref.current.scrollToPage(3) // scroll to page 3
ref.current.print() // print
```

4. Contributing

Read [docs/PLUGINS.md](#) before opening a pull request that touches the plugin API.

Ground rules

- Every PR must pass the round-trip test: load a .docx, apply an edit, export, reload — content and formatting must be stable on unchanged content.
- Run `bun test` and `bun run test:e2e` locally before pushing.
- Avoid intermediate HTML serialisation where possible.
- Tracked changes and comments must survive a full OOXML round-trip — save, open in Word, verify changes are reviewable, reload in the editor.

Dev setup

```
bun install
bun run dev // Vite demo on localhost:5173
```

Sign-off

EigenPal

Maintainer · [eigenpal.com](#)

Contributor

on behalf of the community

signature · date

signature · date

Sign-off

EigenPal

Contributor

[Maintainer · eigenpal.com](#)

[on behalf of the community](#)

[signature · date](#)

[signature · date](#)