Name: Verdad, Jane Benneth Dione
Year & Section: BSCS IS 4B
Date: 09/16/24
Instructor: Sir Mark Bernardino

Image Processing Techniques Comparison

Blurring Techniques

- **Gaussian blur** is often used to reduce noise and soften edges. It's a popular choice for general purpose blurring.
- **Median blur** is particularly effective at removing salt-and-pepper noise (random black and white pixels). It preserves edges better than Gaussian blur.
- **Bilateral filters** are useful for preserving edges while reducing noise. It's a good choice for images with fine details.
- **Box filter** is a simple blurring technique that can be used to smooth out noise. However, it can also blur edges.
- **Motion blur** can be used to create artistic effects or to simulate real-world motion.
- **Unsharp mask** is often used to enhance image details and make them appear sharper.

Comparisons

- **Blurring:** This refers to the smoothing effect that a filter applies to reduce detail in an image, usually to reduce noise or imperfections.
- **Noise Reduction:** Noise reduction techniques work by smoothing or filtering out unwanted variations, while attempting to preserve important image details like edges.
- **Edge Preservation:** Edge preservation refers to removing noise but retaining structural details such as object boundaries.
- **Artistic Effects:** It creates effects that can give an artistic appearance to an image.
- **Sharpening:** Enhance the edges of objects within an image, making the image appear clearer and crisper.

Output:



Comparison:

Blurring Techniques	Blurring	Noise Reduction	Edge Preservation	Artistic Effects	Sharpening
Gaussian blur	✔	✔			
Median blur	✔	✔	✔		
Bilateral filters	✔	✔	✔		
Box filter	✔				
Motion blur	✔			✔	
Unsharp mask					✔

Edge Detection

- Canny edge detection is considered one of the most robust edge detection algorithms. It's less sensitive to noise than Sobel and Laplacian, and it can produce thin, continuous edges.
- Sobel edge detection is a simple and computationally efficient method. It's sensitive to noise and can produce double edges.
- Laplacian edge detection is less sensitive to noise than Sobel edge detection but can be more susceptible to noise. It may also produce multiple edges for a single edge.
- Prewitt edge detection is also a simple and computationally efficient method. It's like Sobel edge detection in terms of sensitivity to noise and the potential for double edges.

Comparisons

- **Sensitivity to Noise:** This refers to how much a filter is affected by noise in the image.
- **Edge Thinness**: Describes how sharply defined the edges are after filtering. A technique that preserves edge thinness maintains narrow, well-defined boundaries, whereas a filter that thickens edges might blur or broaden them, reducing clarity.
- **Edge Continuity**: Edge continuity refers to how well the edges in an image remain connected and smooth after applying a filter.
- **Computational Efficiency**: This measures how quickly and resource-effectively a filter processes an image.

Output:







Comparison:

Edge Detection	Sensitivity to Noise	Edge Thinness	Edge Continuity	Computational Efficiency
Canny Edge Detection	✔	✔	✔	✔
Sobel Edge Detection	✔		✔	✔
Laplacian Edge Detection	✔	✔		✔
Prewitt Edge Detection	✔	✔	✔	✔