

```

1  /*
2    Core logic/payment flow for this comes from here:
3    https://stripe.com/docs/payments/accept-a-payment
4
5    CSS from here:
6    https://stripe.com/docs/stripe-js
7  */
8
9  var stripePublicKey = $('#id_stripe_public_key').text().slice(1, -1);
10 var clientSecret = $('#id_client_secret').text().slice(1, -1);
11 var stripe = Stripe(stripePublicKey);
12 var elements = stripe.elements();
13 var style = {
14   base: {
15     color: '#000',
16     fontFamily: '"Helvetica Neue", Helvetica, sans-serif',
17     fontSmoothing: 'antialiased',
18     fontSize: '16px',
19     '::placeholder': {
20       color: '#aab7c4'
21     }
22   },
23   invalid: {
24     color: '#dc3545',
25     iconColor: '#dc3545'
26   }
27 };
28 var card = elements.create('card', {style: style});
29 card.mount('#card-element');
30
31 // Handle realtime validation errors on the card element
32 card.addEventListener('change', function (event) {
33   var errorDiv = document.getElementById('card-errors');
34   if (event.error) {
35     var html = `
36       <span class="icon" role="alert">
37         <i class="fas fa-times"></i>
38       </span>
39       <span>${event.error.message}</span>
40     `;
41     $(errorDiv).html(html);
42   } else {
43     errorDiv.textContent = '';
44   }
45 });
46
47 // Handle form submit

```

## CONFIGURE

### Metrics

There are 5 functions in this file.

Function with the largest signature take 1 arguments, while the median is 1.

Largest function has 10 statements in it, while the median is 5.

The most complex function has a cyclomatic complexity value of 3 while the median is 1.



version 2.13.6

(<https://github.com/jshint/jshint/>)

[About \(/about\)](#)

[Documentation \(/docs\)](#)

[Install \(/install\)](#)

[Contribute \(/contribute\)](#)

[Blog \(/blog\)](#)

### One undefined variable

11 Stripe

```

48 var form = document.getElementById('payment-form');
49
50 form.addEventListener('submit', function(ev) {
51     ev.preventDefault();
52     card.update({ 'disabled': true});
53     $('#submit-button').attr('disabled', true);
54     $('#payment-form').fadeToggle(100);
55     $('#loading-overlay').fadeToggle(100);
56
57     var saveInfo = Boolean($('#id-save-info').attr('checked'));
58     // From using {% csrf_token %} in the form
59     var csrfToken = $('#input[name="csrfmiddlewaretoken"]').val();
60     var postData = {
61         'csrfmiddlewaretoken': csrfToken,
62         'client_secret': clientSecret,
63         'save_info': saveInfo,
64     };
65     var url = '/checkout/cache_checkout_data/';
66
67     $.post(url, postData).done(function () {
68         stripe.confirmCardPayment(clientSecret, {
69             payment_method: {
70                 card: card,
71                 billing_details: {
72                     name: $.trim(form.full_name.value),
73                     phone: $.trim(form.phone_number.value),
74                     email: $.trim(form.email.value),
75                     address:{
76                         line1: $.trim(form.street_address1.value),
77                         line2: $.trim(form.street_address2.value),
78                         city: $.trim(form.town_or_city.value),
79                         country: $.trim(form.country.value),
80                         state: $.trim(form.county.value),
81                     }
82                 }
83             },
84             shipping: {
85                 name: $.trim(form.full_name.value),
86                 phone: $.trim(form.phone_number.value),
87                 address: {
88                     line1: $.trim(form.street_address1.value),
89                     line2: $.trim(form.street_address2.value),
90                     city: $.trim(form.town_or_city.value),
91                     country: $.trim(form.country.value),
92                     postal_code: $.trim(form.postcode.value),
93                     state: $.trim(form.county.value),
94                 }
95             },
96         }).then(function(result) {

```



version 2.13.6

## Metrics

There are 5 functions in this file.

Function with the largest signature take 1 arguments, while the median is 1.

Largest function has 10 statements in it, while the median is 5.

The most complex function has a cyclomatic complexity value of 3 while the median is 1.

[\(https://github.com/jshint/jshint/\)](https://github.com/jshint/jshint/)

[About \(/about\)](#)

[Documentation \(/docs\)](#)

[Install \(/install\)](#)

[Contribute \(/contribute\)](#)

[Blog \(/blog\)](#)

## One undefined variable

11 Stripe

```

97     if (result.error) {
98         var errorDiv = document.getElementById('card-errors');
99         var html = `
100             <span class="icon" role="alert">
101                 <i class="fas fa-times"></i>
102             </span>
103             <span>${result.error.message}</span>`;
104         $(errorDiv).html(html);
105         $('#payment-form').fadeToggle(100);
106         $('#loading-overlay').fadeToggle(100);
107         card.update({ 'disabled': false});
108         $('#submit-button').attr('disabled', false);
109     } else {
110         if (result.paymentIntent.status === 'succeeded') {
111             form.submit();
112         }
113     }
114 });
115 }).fail(function () {
116     // just reload the page, the error will be in django messages
117     location.reload();
118 });
119 });
120

```



version 2.13.6

## Metrics

There are 5 functions in this file.

Function with the largest signature take 1 arguments, while the median is 1.

Largest function has 10 statements in it, while the median is 5.

The most complex function has a cyclomatic complexity value of 3 while the median is 1.

[About \(/about\)](#)

[Documentation \(/docs\)](#)

[Install \(/install\)](#)

[Contribute \(/contribute\)](#)

[Blog \(/blog\)](#)

## One undefined variable

11 Stripe