# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source ☐ outline ☐ image report [Options…]

Check by [text input ▾] ☐ css

```
<!doctype html>
<html lang="en">
    <head>

            <meta http-equiv="X-UA-Compatible" content= "ie=edge">
            <meta charset="utf-8">
            <meta name="description" content="E-Commerce site for takeaway food
retailers">
            <meta name="keywords" content="pizza, calzone, vegan, vegetarian, pepperoni,
chilli, garlic, handmade, flame-baked">
            <meta name="author" content="Janet Dornan">
            <meta name="viewport" content="width=device-width, initial-scale=1, shrink-
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

1. ↵
2. ↵
3. ↵
4. `<!doctype html>`↵
5. `<html lang="en">`↵
6.   `<head>`↵
7.   ↵
8.   `<meta http-equiv="X-UA-Compatible" content= "ie=edge">`↵
9.   `<meta charset="utf-8">`↵
10.   `<meta name="description" content="E-Commerce site for takeaway food retailers">`↵
11.   `<meta name="keywords" content="pizza, calzone, vegan, vegetarian, pepperoni, chilli, garlic, handmade, flame-baked">`↵
12.   `<meta name="author" content="Janet Dornan">`↵
13.   `<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">`↵
14.   ↵
15. ↵
16.   ↵
17.   ↵
18. ↵
19.   ↵
20.   `<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css" integrity="sha384-xOolHFLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N" crossorigin="anonymous">`↵
21.   `<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Syne&display=swap">`↵
22.   `<link rel="stylesheet" href="https://janet-dev-clickcollect.s3.amazonaws.com/static/css/base.css">`↵
23.   ↵
24. ↵
25.   ↵
26.   ↵
27. ↵
28.   ↵
29.   `<script src="https://kit.fontawesome.com/7c6e646adf.js" crossorigin="anonymous"></script>`↵
30.   `<script src="https://cdn.jsdelivr.net/npm/jquery@3.5.1/dist/jquery.min.js" integrity="sha256-9/aliU8dGd2tb6OSsuzixeV4y/faTqgFtohetphbbj0=" crossorigin="anonymous"></script>` ↵
31.   `<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js" integrity="sha384-9/reFTGAW83EW2RDu2S0VKaIzap3H66lZH81PoYlFhbGU+6BZp6G7niu735Sk7lN" crossorigin="anonymous">`

```html
        </script>
32.             <script src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/js/bootstrap.min.js"
        integrity="sha384-+sLIOodYLS7CIrQpBjl+C7nPvqq+FbNUBDunl/OZv93DB7Ln/533i8e/mZXLi/P+" crossorigin="anonymous">
        </script>
33.             <!-- Stripe -->
34.             <script src="https://js.stripe.com/v3/"></script>
35.             
36.     
37.         
38.         
39.     
40.         <title>Click-Collect </title>
41.         <link rel="icon" type="image/x-icon" href="https://janet-dev-
        clickcollect.s3.amazonaws.com/static/favicon.ico">
42.     </head>
43.     <body>
44.         <header class="container-fluid fixed-top">
45.             <div id="topnav" class="row bg-white pt-lg-2 d-none d-lg-flex">
46.                 <!-- Link to home page -->
47.                 <div class="col-12 col-lg-4 my-auto py-1 py-lg-0 text-center text-lg-left">
48.                     <a href="/" class="nav-link main-logo-link">
49.                         <h2 class="logo-font text-black my-0">
50.                             <strong>Click</strong>Collect
51.                         </h2>
52.                     </a>
53.                 </div>
54.                 <!-- Search Form -->
55.                 <div class="col-12 col-lg-4 my-auto py-1 py-lg-0">
56.                     <form method="GET" action="/products/">
57.                         <div class="input-group w-100">
58.                             <input class="form-control border border-black rounded-0" type="text" name="q"
        placeholder="Search our site">
59.                             <div class="input-group-append">
60.                                 <button class="form-control btn btn-black border border-black rounded-0"
        type="submit">
61.                                     <span class="icon">
62.                                         <i class="fas fa-search"></i>
63.                                     </span>
64.                                 </button>
65.                             </div>
66.                         </div>
67.                     </form>
68.                 </div>
69.                 <!-- Account and Shopping bag links -->
70.                 <div class="col-12 col-lg-4 my-auto py-1 py-lg-0">
71.                     <ul class="list-inline list-unstyled text-center text-lg-right my-0">
72.                         <li class="list-inline-item dropdown">
73.                             <a class="text-black nav-link" href="#" id="user-options-base" data-
        toggle="dropdown" 
```

```
74.                                              aria-haspopup="true" aria-expanded="false" aria-label="my account icon">↵
75.                                              <div class="text-center">↵
76.                                                  <div><i class="fas fa-user fa-lg"></i></div>↵
77.                                                  <p class="my-0">My Account</p>↵
78.                                              </div>↵
79.                                          </a>↵
80.                                          <div class="dropdown-menu border-0" aria-labelledby="user-options-base">↵
81.                                              ↵
82.                                                  <a href="/accounts/signup/" class="dropdown-item">Register</a>↵
83.                                                  <a href="/accounts/login/" class="dropdown-item">Login</a>↵
84.                                              ↵
85.                                          </div>↵
86.                                      </li>↵
87.                                      <li class="list-inline-item">↵
88.                                          <a class="text-black nav-link" href="/bag/">↵
89.                                          <div class="text-center">↵
90.                                              <div><i class="fas fa-shopping-bag fa-lg"></i></div>↵
91.                                              <p class="my-0">↵
92.                                                  ↵
93.                                                      £0.00↵
94.                                                  ↵
95.                                              </p>↵
96.                                          </div>↵
97.                                      </a>↵
98.                                      </li>↵
99.                                  </ul>↵
100.                              </div>↵
101.                          </div>↵
102.                          <div class="row bg-white">↵
103.                              <nav class="navbar navbar-expand-lg navbar-light w-100">↵
104.                                  <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#main-
     nav" aria-controls="main-nav" aria-expanded="false" aria-label="Toggle navigation">↵
105.                                      <span class="navbar-toggler-icon"></span>↵
106.                                  </button>↵
107.                                  <!-- ↵
108.      From:↵
109.      https://github.com/Code-Institute-Solutions/Boutique-Ado/blob/master/05-The-Home-Page/Main-Site-
     Navigation/templates/includes/mobile-top-header.html  ↵
110.  -->↵
111.  ↵
112.  <ul>↵
113.      <li class="list-inline-item">↵
114.          <a class="text-black nav-link d-block d-lg-none" href="#" id="mobile-search" data-toggle="dropdown"
     aria-haspopup="true" aria-expanded="false">↵
115.              <div class="text-center">↵
116.                  <div><i class="fas fa-search fa-lg"></i></div>↵
117.                  <p class="my-0">Search</p>↵
118.              </div>↵
119.          </a>↵
```

```
120.        <div class="dropdown-menu border-0 w-100 p-3 rounded-0 my-0" aria-labelledby="mobile-search">↵
121.            <form class="form" method="GET" action="/products/">↵
122.                <div class="input-group w-100">↵
123.                    <input class="form-control border border-black rounded-0" type="text" name="q"
       placeholder="Search our site">↵
124.                    <div class="input-group-append">↵
125.                        <button class="form-control form-control btn btn-black border border-black rounded-0"
       type="submit">↵
126.                            <span class="icon">↵
127.                                <i class="fas fa-search"></i>↵
128.                            </span>↵
129.                        </button>↵
130.                    </div>↵
131.                </div>↵
132.            </form>↵
133.        </div>↵
134.    </li>↵
135.    <li class="list-inline-item dropdown">↵
136.        <a class="text-black nav-link d-block d-lg-none" href="#" id="user-options" data-toggle="dropdown"
       aria-haspopup="true" aria-expanded="false">↵
137.            <div class="text-center">↵
138.                <div><i class="fas fa-user fa-lg"></i></div>↵
139.                <p class="my-0">My Account</p>↵
140.            </div>↵
141.        </a>↵
142.        <div class="dropdown-menu border-0" aria-labelledby="user-options">↵
143.            ↵
144.                <a href="/accounts/signup/" class="dropdown-item">Register</a>↵
145.                <a href="/accounts/login/" class="dropdown-item">Login</a>↵
146.            ↵
147.        </div>↵
148.    </li>↵
149.    <li class="list-inline-item">↵
150.        <a class="text-black nav-link d-block d-lg-none" href="/bag/">↵
151.            <div class="text-center">↵
152.                <div><i class="fas fa-shopping-bag fa-lg"></i></div>↵
153.                <p class="my-0">↵
154.                    ↵
155.                    £0.00↵
156.                    ↵
157.                </p>↵
158.            </div>↵
159.        </a>↵
160.    </li>↵
161.    </ul>↵
162.                    <!--↵
163.    From:↵
164.    https://github.com/Code-Institute-Solutions/Boutique-Ado/blob/master/05-The-Home-Page/Main-Site-
       Navigation/templates/includes/main-nav.html↵
```

```
165.   -->↵
166.   ↵
167.   <div class="collapse navbar-collapse" id="main-nav">↵
168.       <ul class="navbar-nav w-auto mx-auto">↵
169.           <li class="nav-item d-block d-md-none">↵
170.               <a class="logo-font font-weight-bold nav-link text-black mr-5" href="/" id="home-link">↵
171.                   Home↵
172.               </a>↵
173.           </li>↵
174.           <li class="nav-item dropdown">↵
175.               <a class="logo-font font-weight-bold nav-link text-black mr-5" href="#" id="all-products-link"
       data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">↵
176.                   All Products↵
177.               </a>↵
178.               <div class="dropdown-menu border-0" aria-labelledby="all-products-link">↵
179.                   <a href="/products/?sort=price&direction=asc" class="dropdown-item">By Price</a>↵
180.                   <a href="/products/?sort=rating&direction=desc" class="dropdown-item ">By Rating</a>↵
181.                   <a href="/products/?sort=category&direction=asc" class="dropdown-item ">By Category</a>↵
182.                   <a href="/products/" class="dropdown-item">All Products</a>↵
183.               </div>↵
184.           </li>↵
185.   ↵
186.           <li class="nav-item dropdown">↵
187.               <a class="logo-font font-weight-bold nav-link text-black mr-5" href="#" id="pizza-link"↵
188.                   data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">↵
189.                   Pizza &amp; Calzone↵
190.               </a>↵
191.               <div class="dropdown-menu border-0" aria-labelledby="pizza-link">↵
192.                   <a href="/products/?category=meat" class="dropdown-item">Meat</a>↵
193.                   <a href="/products/?category=vegetarian" class="dropdown-item">Vegetarian</a>↵
194.                   <a href="/products/?category=vegan" class="dropdown-item">Vegan</a>↵
195.                   <a href="/products/?category=meat,vegetarian,vegan" class="dropdown-item">All Pizza</a>↵
196.               </div>↵
197.           </li>↵
198.   ↵
199.           <li class="nav-item dropdown">↵
200.               <a class="logo-font font-weight-bold nav-link text-black mr-5" href="#" id="drinks-link"↵
201.                   data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">↵
202.                   Drinks↵
203.               </a>↵
204.               <div class="dropdown-menu border-0" aria-labelledby="drinks-link">↵
205.                   <a href="/products/?category=cold_drinks" class="dropdown-item">Cold Drinks</a>↵
206.                   <a href="/products/?category=hot_drinks" class="dropdown-item">Hot Drinks</a>↵
207.                   <a href="/products/?category=cold_drinks,hot_drinks" class="dropdown-item">All Drinks</a>↵
208.               </div>↵
209.           </li>↵
210.   ↵
211.           <li class="nav-item dropdown">↵
```

```html
212.            <a class="logo-font font-weight-bold nav-link text-black" href="#" id="specials-link" data-
        toggle="dropdown" aria-haspopup="true" aria-expanded="false">↵
213.                    More...↵
214.                </a>↵
215.                <div class="dropdown-menu border-0" aria-labelledby="specials-link">↵
216.                    <a href="/blog/" class="dropdown-item">Our Blog</a>↵
217.                    <a href="/subscribe/" class="dropdown-item">Subscribe</a>↵
218.                </div>↵
219.            </li>↵
220.        </ul>↵
221. </div>↵
222.                </nav>↵
223.            </div>↵
224.            <!-- Banner -->↵
225.            <div id="delivery-banner" class="row text-center">↵
226.                <div class="col bg-danger text-white">↵
227.                    <h4 class="logo-font my-1">↵
228.                        Follow us ↵
229.                        <a href="https://www.facebook.com/people/Luca-Loves-Pizza/100075726265051/" ↵
230.                            target="_blank" aria-label="Facebook page for Lucas Loves Pizza">↵
231.                            <i class="fa-brands fa-facebook text-warning"></i>↵
232.                        </a>↵
233.                    </h4>                    ↵
234.                </div>            ↵
235.            </div>↵
236.        </header>↵
237. ↵
238.        ↵
239. ↵
240.        ↵
241.    <div class="container header-container">↵
242.        <div class="row">↵
243.            <div class="col"></div>↵
244.        </div>↵
245.    </div>↵
246. ↵
247. ↵
248.        ↵
249.    <div class="overlay"></div>↵
250.    <div class="container-fluid"><br><br>        ↵
251.        <div class="row">↵
252.            <div class="col-12 col-md-6 col-lg-4 offset-lg-2">↵
253.                <div class="image-container my-5">↵
254.                    ↵
255.                        <a href="https://janet-dev-clickcollect.s3.amazonaws.com/media/pizza-testarossa.jpg"
        target="_blank">↵
256.                            <img class="card-img-top img-fluid" src="https://janet-dev-
        clickcollect.s3.amazonaws.com/media/pizza-testarossa.jpg" alt="Testarossa Pizza">↵
257.                        </a>↵
```

```
258.                                    ↵
259.                        </div>↵
260.                    </div>↵
261.                    <div class="col-12 col-md-6 col-lg-4">↵
262.                        <p class="mb-0">Testarossa Pizza</p>↵
263.                        <p class="lead mb-0 text-left font-weight-bold">£9.00</p>↵
264.                            ↵
265.                            <p class="small mt-1 mb-0">↵
266.                                <a class="text-muted" href="/products/?category=meat">↵
267.                                    <i class="fas fa-tag mr-1"></i>Meat↵
268.                                </a>↵
269.                            </p>↵
270.                            ↵
271.                        ↵
272.                            <small class="text-muted"><i class="fas fa-star mr-1"></i>5.00 / 5</small>↵
273.                        ↵
274.                        ↵
275.                        <p class="mt-3">With san marzano tomatoes, mozzarella, pepperoni, chilli flakes and chilli
    oil</p>↵
276.                        <form class="form" action="/bag/add/3/" method="POST">↵
277.                            <input type="hidden" name="csrfmiddlewaretoken"
    value="1u3pnUcq3dn1TK70pEThtDZK0bXl1tuIf31feZ26mi6304wEyPzGoPCJCjjesdb9">↵
278.                            <div class="form-row">↵
279.                                <div class="col-12">↵
280.                                    <p class="mt-3"><strong>Quantity:</strong></p>↵
281.                                    <div class="form-group w-50">↵
282.                                        <div class="input-group input-group-3">↵
283.                                            <div class="input-group-prepend">↵
284.                                                <button class="decrement-qty btn btn-black rounded-0 decrement-
    qty_3" ↵
285.                                                    data-item_id="3" aria-label="decrement quantity">↵
286.                                                    <span class="icon">↵
287.                                                        <i class="fas fa-minus"></i>↵
288.                                                    </span>↵
289.                                                </button>↵
290.                                            </div>↵
291.                                            <input class="form-control qty_input id_qty_3" type="number"↵
292.                                                name="quantity" value="1" min="1" max="99"↵
293.                                                data-item_id="3" aria-label="quantity">↵
294.                                            <div class="input-group-append">↵
295.                                                <button class="increment-qty btn btn-black rounded-0 increment-
    qty_3"↵
296.                                                    data-item_id="3" aria-label="increment quantity">↵
297.                                                    <span class="icon">↵
298.                                                        <i class="fas fa-plus"></i>↵
299.                                                    </span>↵
300.                                                </button>↵
301.                                            </div>↵
302.                                        </div>↵
```

```
303.                             </div>
304.                         </div>
305.
306.                         <div class="col">
307.                             <a href="/products/" class="btn btn-outline-black rounded-0 mt-5">
308.                                 <span class="icon">
309.                                     <i class="fas fa-chevron-left"></i>
310.                                 </span>
311.                                 <span class="text-uppercase">Keep Shopping</span>
312.                             </a>
313.                             <input type="submit" class="btn btn-black rounded-0 text-uppercase mt-5"
      value="Add to Bag">
314.                         </div>
315.                         <input type="hidden" name="redirect_url" value="/products/3/">
316.                     </div>
317.                 </form>
318.             </div>
319.         </div>
320.     </div>
321.
322.
323.
324.
325.         <script>
326.             $('.toast').toast('show');
327.         </script>
328.
329. <script>
330.
331.     /*
332.      * Disable +/- buttons outside 1-99 range.
333.      * If no mod is passed to the function, the parameter will have a value of undefined by default,
334.      * which prevents any errors
335.      */
336.     function handleEnableDisable(itemId, mod) {
337.         if (mod) {
338.             var currentValue = parseInt($(`.mod_${itemId}_${mod}`).val());
339.         } else {
340.             var currentValue = parseInt($(`.id_qty_${itemId}`).val());
341.         }
342.
343.         var minusDisabled = currentValue < 2;
344.         var plusDisabled = currentValue > 98;
345.
346.         if (mod) {
347.             $(`.decrement-mod_${itemId}_${mod}`).prop('disabled', minusDisabled);
348.             $(`.increment-mod_${itemId}_${mod}`).prop('disabled', plusDisabled);
349.         } else {
350.             $(`.decrement-qty_${itemId}`).prop('disabled', minusDisabled);
```

```
351.            $(`.increment-qty_${itemId}`).prop('disabled', plusDisabled);
352.          }
353.       }
354.
355.       // Ensure proper enabling/disabling of all inputs on page load
356.       var allQtyInputs = $('.qty_input');
357.       for(var i = 0; i < allQtyInputs.length; i++){
358.          var itemId = $(allQtyInputs[i]).data('item_id');
359.          var mod = $(allQtyInputs[i]).data('mod');
360.          handleEnableDisable(itemId, mod);
361.       }
362.
363.       // Check enable/disable every time the input is changed
364.       $('.qty_input').change(function() {
365.          var itemId = $(this).data('item_id');
366.          var mod = $(this).data('mod');
367.          handleEnableDisable(itemId, mod);
368.       });
369.
370.       // Increment quantity
371.       $('.increment-qty').click(function(e) {
372.          e.preventDefault();
373.          var itemId = $(this).data('item_id');
374.          var mod = $(this).data('mod');
375.          var closestInput = $(this).closest('.input-group').find('.qty_input')[0];
376.          if (mod) {
377.             var allQuantityInputs = $(`.input-group-${itemId} input[data-mod='${mod}']`);
378.          } else {
379.             var allQuantityInputs = $(`.input-group-${itemId} input[name='quantity']`);
380.          }
381.          var currentValue = parseInt($(closestInput).val());
382.          $(allQuantityInputs).val(currentValue + 1);
383.          handleEnableDisable(itemId, mod);
384.       });
385.
386.       // Decrement quantity
387.       $('.decrement-qty').click(function(e) {
388.          e.preventDefault();
389.          var itemId = $(this).data('item_id');
390.          var mod = $(this).data('mod');
391.          var closestInput = $(this).closest('.input-group').find('.qty_input')[0];
392.          if (mod) {
393.             var allQuantityInputs = $(`.input-group-${itemId} input[data-mod='${mod}']`);
394.          } else {
395.             var allQuantityInputs = $(`.input-group-${itemId} input[name='quantity']`);
396.          }
397.          var currentValue = parseInt($(closestInput).val());
398.          $(allQuantityInputs).val(currentValue - 1);
399.          handleEnableDisable(itemId, mod);
```

```
400.        });↵
401.   </script>↵
402.   ↵
403.   ↵
404.        </body>↵
405.   </html>
```

Used the HTML parser.

Total execution time 32 milliseconds.