
Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Document checking completed. No errors or warnings to show.

Source

```
1. ←
 2. ←
 3. ←
 4. <!doctype html>↔
 5. <html lang="en">↔
        <head>←
 6.
 7.
 8.
                 <meta http-equiv="X-UA-Compatible" content= "ie=edge">←
 9.
                 <meta charset="utf-8">←
                <meta name="description" content="E-Commerce site for takeaway food retailers">←
10.
                <meta name="keywords" content="pizza, calzone, vegan, vegetarian, pepperoni, chilli, garlic,</pre>
11.
    handmade, flame-baked">←
12.
                 <meta name="author" content="Janet Dornan">←
13.
                 <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">←
14.
            \leftarrow
15. ←
16.
17.
18. ←
19.
                <link rel="stylesheet"</pre>
20.
    href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css" integrity="sha384-
    xOolHFLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N" crossorigin="anonymous">↔
21.
                <link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Syne&display=swap">←
                <link rel="stylesheet" href="https://janet-dev-</pre>
22.
    clickcollect.s3.amazonaws.com/static/css/base.css">←
23.
24. ←
25.
            \hookrightarrow
26.
            \hookrightarrow
27. ←
28.
            \leftarrow
29.
                <script src="https://kit.fontawesome.com/7c6e646adf.js" crossorigin="anonymous"></script>
30.
                <script src="https://cdn.jsdelivr.net/npm/jquery@3.5.1/dist/jquery.min.js" integrity="sha256-</pre>
    9/aliU8dGd2tb6OSsuzixeV4y/faTqgFtohetphbbj0=" crossorigin="anonymous"></script>
31.
                <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js"</pre>
    integrity="sha384-9/reFTGAW83EW2RDu2SØVKaIzap3H661ZH81PoY1FhbGU+6BZp6G7niu735Sk71N" crossorigin="anonymous">
```

```
</script>←
32.
               <script src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/js/bootstrap.min.js"</pre>
   integrity="sha384-+sLIOodYLS7CIrQpBjl+C7nPvqq+FbNUBDunl/OZv93DB7Ln/533i8e/mZXLi/P+" crossorigin="anonymous">
   </script>←
33.
               <!-- Stripe -->↔
34.
               <script src="https://js.stripe.com/v3/"></script>↔
35.
36. ←
37.
           \leftarrow
38.
39 ←
40.
           <title>Click-Collect </title>←
41.
           <link rel="icon" type="image/x-icon" href="https://janet-dev-</pre>
   clickcollect.s3.amazonaws.com/static/favicon.ico">←
42.
       </head>↩
43.
       <body>←
44.
           <header class="container-fluid fixed-top">←
45.
               <div id="topnav" class="row bg-white pt-lg-2 d-none d-lg-flex">←
46.
                   <!-- Link to home page -->↩
47.
                   <div class="col-12 col-lg-4 my-auto py-1 py-lg-0 text-center text-lg-left">←
48.
                       <a href="/" class="nav-link main-logo-link">↔
49.
                           <h2 class="logo-font text-black my-0">↔
50.
                               <strong>Click</strong>Collect↔
51.
                           </h2>←
52.
                       </a>←
53.
                   </div>←
54.
                   <!-- Search Form -->↔
55.
                   <div class="col-12 col-lg-4 my-auto py-1 py-lg-0">←
56.
                       <form method="GET" action="/products/">↔
57.
                           <div class="input-group w-100">←
58.
                               <input class="form-control border border-black rounded-0" type="text" name="q"</pre>
   placeholder="Search our site">↔
59.
                               <div class="input-group-append">←
60.
                                   <button class="form-control btn btn-black border border-black rounded-0"</pre>
   type="submit">←
61.
                                       <span class="icon">←
62.
                                           <i class="fas fa-search"></i></i>
63.
                                       </span>←
64.
                                   </button>←
65.
                               </div>↩
66.
                           </div>←
67.
                       </form>←
68.
                   </div>←
69.
                   <!-- Account and Shopping bag links -->↔
70.
                   <div class="col-12 col-lg-4 my-auto py-1 py-lg-0">←
71.
                       ←
72.
                           ←
73.
                               <a class="text-black nav-link" href="#" id="user-options-base" data-</pre>
   toggle="dropdown" ←
```

```
74.
                                   aria-haspopup="true" aria-expanded="false" aria-label="my account icon">↔
75.
                                   <div class="text-center">←
76.
                                      <div><i class="fas fa-user fa-lg"></i></div>↔
77.
                                      My Account←
 78.
                                   </div>←
79.
                               </a>←
80.
                               <div class="dropdown-menu border-0" aria-labelledby="user-options-base">←
 81.
 82.
                                      <a href="/accounts/signup/" class="dropdown-item">Register</a>↔
                                      <a href="/accounts/login/" class="dropdown-item">Login</a>←
 83.
 84.
 85.
                               </div>←
                           ↩
 86.
87.
                           ←
 88.
                               <a class="text-black nav-link" href="/bag/">↔
 89.
                               <div class="text-center">←
 90.
                                   <div><i class="fas fa-shopping-bag fa-lg"></i></div>←
 91.
                                   ←
92.
 93.
                                          £0.00↔
 94.
 95.
                                   ←
96.
                               </div>↩
97.
                           </a>←
98.
                           ←
99.
                       ←
100.
                   </div>←
101.
               </div>↩
102.
               <div class="row bg-white">←
103.
                   <nav class="navbar navbar-expand-lg navbar-light w-100">←
104.
                       <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#main-</pre>
    nav" aria-controls="main-nav" aria-expanded="false" aria-label="Toggle navigation">↔
105.
                           <span class="navbar-toggler-icon"></span>←
106.
                       </button>←
107.
                       <!-- ←
108.
        From:←
109.
        https://github.com/Code-Institute-Solutions/Boutique-Ado/blob/master/05-The-Home-Page/Main-Site-
    Navigation/templates/includes/mobile-top-header.html ↔
110. -->↩
111. ←
112. →
113.
        ←
          <a class="text-black nav-link d-block d-lg-none" href="#" id="mobile-search" data-toggle="dropdown"</pre>
114.
    aria-haspopup="true" aria-expanded="false">↔
              <div class="text-center">←
115.
116.
                  <div><i class="fas fa-search fa-lg"></i></div>←
117.
                  Search←
118.
              </div>←
119.
          </a>←
```

```
120.
          <div class="dropdown-menu border-0 w-100 p-3 rounded-0 my-0" aria-labelledby="mobile-search">←
121.
              <form class="form" method="GET" action="/products/">←
122.
                  <div class="input-group w-100">←
123.
                      <input class="form-control border border-black rounded-0" type="text" name="q"</pre>
    placeholder="Search our site">←
124.
                      <div class="input-group-append">←
125.
                          <button class="form-control form-control btn btn-black border border-black rounded-0"</pre>
    type="submit">↔
126.
                             <span class="icon">←
127.
                                 <i class="fas fa-search"></i></i>
128.
                             </span>←
129.
                          </button>←
130.
                      </div>↩
131.
                  </div>←
132.
              </form>←
133.
          </div>↩
134.
      ↩
135.
      ←
          <a class="text-black nav-link d-block d-lg-none" href="#" id="user-options" data-toggle="dropdown"</pre>
136.
    aria-haspopup="true" aria-expanded="false">↔
137.
              <div class="text-center">←
138.
                  <div><i class="fas fa-user fa-lg"></i></div>←
139.
                  My Account←
140.
              </div>↩
141.
          </a>←
142.
          <div class="dropdown-menu border-0" aria-labelledby="user-options">←
143.
                  <a href="/accounts/signup/" class="dropdown-item">Register</a>↔
144.
145.
                  <a href="/accounts/login/" class="dropdown-item">Login</a>↔
146.
147.
          </div>←
148.
      ↩
149.
      ←
150.
          <a class="text-black nav-link d-block d-lg-none" href="/bag/">←
151.
              <div class="text-center">←
152.
                  <div><i class="fas fa-shopping-bag fa-lg"></i></div>←
153.
                  ←
154.
155.
                        £0.00↔
156.
157.
                  ←
158.
              </div>←
159.
          </a>←
160.
        ↩
161.
      ↩
162.
                        <!--←
163.
        From:←
164.
        https://github.com/Code-Institute-Solutions/Boutique-Ado/blob/master/05-The-Home-Page/Main-Site-
    Navigation/templates/includes/main-nav.html↔
```

```
165. -->↩
166. ←
167. <div class="collapse navbar-collapse" id="main-nav">←
168.
        ←
169.
            ←
170.
               <a class="logo-font font-weight-bold nav-link text-black mr-5" href="/" id="home-link">↔
171.
                   Home←
172.
               </a>←
173.
            ←
174.
            ←
175.
               <a class="logo-font font-weight-bold nav-link text-black mr-5" href="#" id="all-products-link"</pre>
    data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">↔
176.
                   All Products↔
177.
               </a>←
178.
               <div class="dropdown-menu border-0" aria-labelledby="all-products-link">←
                   <a href="/products/?sort=price&direction=asc" class="dropdown-item">By Price</a>↔
179.
180.
                   <a href="/products/?sort=rating&direction=desc" class="dropdown-item ">By Rating</a>↔
181.
                   <a href="/products/?sort=category&direction=asc" class="dropdown-item ">By Category</a>↔
182.
                   <a href="/products/" class="dropdown-item">All Products</a>↔
183.
               </div>←
184.
           ←
185. ←
186.
            ←
187.
               <a class="logo-font font-weight-bold nav-link text-black mr-5" href="#" id="pizza-link"↔
188.
                   data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">↔
189.
                   Pizza & Calzone↔
190.
               </a>←
191.
               <div class="dropdown-menu border-0" aria-labelledby="pizza-link">↔
192.
                   <a href="/products/?category=meat" class="dropdown-item">Meat</a>↔
193.
                   <a href="/products/?category=vegetarian" class="dropdown-item">Vegetarian</a>↔
194.
                   <a href="/products/?category=vegan" class="dropdown-item">Vegan</a>↔
195.
                   <a href="/products/?category=meat,vegetarian,vegan" class="dropdown-item">All Pizza</a>↔
196.
               </div>↩
197.
            ↩
198. ←
199.
            ←
200.
               <a class="logo-font font-weight-bold nav-link text-black mr-5" href="#" id="drinks-link"↔
201.
                   data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">↔
202.
                   Drinks↔
203.
               </a>←
204.
               <div class="dropdown-menu border-0" aria-labelledby="drinks-link">←
205.
                   <a href="/products/?category=cold drinks" class="dropdown-item">Cold Drinks</a>↔
206.
                   <a href="/products/?category=hot drinks" class="dropdown-item">Hot Drinks</a>↔
207.
                   <a href="/products/?category=cold_drinks,hot_drinks" class="dropdown-item">All Drinks</a>↔
208.
               </div>←
209.
           ↔
210. ←
211.
           ←
```

```
212.
                 <a class="logo-font font-weight-bold nav-link text-black" href="#" id="specials-link" data-</pre>
     toggle="dropdown" aria-haspopup="true" aria-expanded="false">↔
213.
                     More...
214.
                 </a>←
215.
                 <div class="dropdown-menu border-0" aria-labelledby="specials-link">←
216.
                     <a href="/blog/" class="dropdown-item">Our Blog</a>↔
217.
                     <a href="/subscribe/" class="dropdown-item">Subscribe</a>←
218.
                 </div>←
219.
             ↔
220.
         ←
221. </div>↔
222.
                     </nav>↔
223.
                 </div>←
224.
                 <!-- Banner -->↔
225.
                 <div id="delivery-banner" class="row text-center">←
226.
                     <div class="col bg-danger text-white">←
227.
                          <h4 class="logo-font my-1">←
228.
                              Follow us ←
229.
                              <a href="https://www.facebook.com/people/Luca-Loves-Pizza/100075726265051/" ↔
230.
                                  target=" blank" aria-label="Facebook page for Lucas Loves Pizza">↔
231.
                                  <i class="fa-brands fa-facebook text-warning"></i></i>
232.
                              </a>←
233.
                          </h4>
                                               \hookrightarrow
234.
                     </div>
                                        \leftarrow
235.
                 </div>↩
236.
             </header>←
237. ←
238.
239.
                 <div class="message-container">←
240.
                     \leftarrow
241.
242.
                              \leftarrow
243.
                                  <!-- ←
244.
         Bootstrap code snippet for success toast from Chris Z, Code Institute↔
245.
         https://github.com/Code-Institute-
     Solutions/boutique ado v1/tree/d2c3833acdc59434e38f2ba03b4b5135377f89f4/templates/includes/toasts↔
246. -->←
247. ←
248. <div class="toast custom-toast rounded-0 border-top-0" data-autohide="false">↔
249.
         <div class="arrow-up arrow-success"></div>←
250.
         <div class="w-100 toast-capper bg-success"></div>←
251.
         <div class="toast-header bg-white text-dark">←
252.
             <strong class="mr-auto">Success!</strong>←
253.
             <button type="button" class="ml-2 mb-1 close text-dark" data-dismiss="toast" aria-label="Close">↔
254.
                 <span aria-hidden="true">&times;</span>↔
255.
             </button>←
256.
         </div>←
257.
         <div class="toast-body bg-white">←
258.
             <div class="row">↔
```

```
259.
                  <div class="col">↔
260.
                      Password successfully changed. ←
261.
                      <hr class="mt-1 mb-3">↔
262.
                  </div>←
263.
              </div>↩
264.
265.
          </div>↩
266. </div>↩
267.
268.
                           \leftarrow
269.
                       \leftarrow
270.
                  </div>↩
271.
              \leftarrow
272. ←
273.
              \leftarrow
274.
              \leftarrow
275. ←
276.
277.
         <div class="container header-container">←
              <div class="overlay"></div>←
278.
279.
              <div class="row">↔
280.
                  <div class="col-12 col-md-6 mt-3 title-padding">←
281.
                      <div class="allauth-form-inner-content">←
282.
283.
          <hr>→
284.
         <h2 class="logo-font text-center mb-3">Change Password</h2>↔
285.
          <hr>→
286.
         Your password is now changed.↔
287. ←
288.
                      </div>↔
289.
                  </div>←
290.
              </div>←
291.
          </div>←
292. ←
293. ←
294.
              \leftarrow
295.
              <script>←
296.
                  $('.toast').toast('show'); ←
297.
              </script>←
298.
299. ←
300.
          </body>←
301. </html>
```

Used the HTML parser.

Total execution time 31 milliseconds.

About this checker • Report an issue • Version: 23.5.31