

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by ☐ CSS

```
<div class="col-12 col-md-6 mt-3 title-padding">
  <div class="allauth-form-inner-content">

  <hr>
  <h2 class="logo-font text-center mb-3">Change Password</h2>
  <hr>

  <form method="POST" action="/accounts/password/reset/key/4-set-password/">
    <input type="hidden" name="csrfmiddlewaretoken"
value="5H25C1YbmZJgnOspxD5uFMMnnaTd18Wujg0VtqORF4siu8R3GOLTAYpmZif6sSDV">

  <div id="div_id_password1" class="form-group"> <label for="id_password1" class="
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Document checking completed. No errors or warnings to show.

Source

```

1.  ↵
2.  ↵
3.  ↵
4.  <!doctype html>↵
5.  <html lang="en">↵
6.      <head>↵
7.          ↵
8.              <meta http-equiv="X-UA-Compatible" content="ie=edge">↵
9.              <meta charset="utf-8">↵
10.             <meta name="description" content="E-Commerce site for takeaway food retailers">↵
11.             <meta name="keywords" content="pizza, calzone, vegan, vegetarian, pepperoni, chilli, garlic,
handmade, flame-baked">↵
12.             <meta name="author" content="Janet Dornan">↵
13.             <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">↵
14.         ↵
15.     ↵
16.         ↵
17.         ↵
18.     ↵
19.         ↵
20.             <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css" integrity="sha384-
x0O1HFLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N" crossorigin="anonymous">↵
21.             <link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Syne&display=swap">↵
22.             <link rel="stylesheet" href="https://janet-dev-
clickcollect.s3.amazonaws.com/static/css/base.css">↵
23.         ↵
24.     ↵
25.         ↵
26.         ↵
27.     ↵
28.         ↵
29.             <script src="https://kit.fontawesome.com/7c6e646adf.js" crossorigin="anonymous"></script>
↵
30.             <script src="https://cdn.jsdelivr.net/npm/jquery@3.5.1/dist/jquery.min.js" integrity="sha256-
9/aliU8dGd2tb60SsuzixeV4y/faTqgFtohetphbbj0=" crossorigin="anonymous"></script> ↵
31.             <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js"
integrity="sha384-9/reFTGAW83EW2RDu2S0VKAizap3H66lZH81PoYlFhbGU+6BZp6G7niu735Sk7lN" crossorigin="anonymous">

```

```

32. </script><
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/js/bootstrap.min.js"
integrity="sha384-+sLIOdYLS7CIRqPbjl+C7nPvqq+FbNUBDunl/OZv93DB7Ln/533i8e/mZXLi/P+" crossorigin="anonymous">
</script><
33.     <!-- Stripe --><
34.     <script src="https://js.stripe.com/v3/"></script><
35.     <
36. <
37.     <
38.     <
39. <
40.     <title>Click-Collect </title><
41.     <link rel="icon" type="image/x-icon" href="https://janet-dev-
clickcollect.s3.amazonaws.com/static/favicon.ico"><
42. </head><
43. <body><
44.     <header class="container-fluid fixed-top"><
45.         <div id="topnav" class="row bg-white pt-lg-2 d-none d-lg-flex"><
46.             <!-- Link to home page --><
47.             <div class="col-12 col-lg-4 my-auto py-1 py-lg-0 text-center text-lg-left"><
48.                 <a href="/" class="nav-link main-logo-link"><
49.                     <h2 class="logo-font text-black my-0"><
50.                         <strong>Click</strong>Collect<
51.                     </h2><
52.                 </a><
53.             </div><
54.             <!-- Search Form --><
55.             <div class="col-12 col-lg-4 my-auto py-1 py-lg-0"><
56.                 <form method="GET" action="/products/"><
57.                     <div class="input-group w-100"><
58.                         <input class="form-control border border-black rounded-0" type="text" name="q"
placeholder="Search our site"><
59.                         <div class="input-group-append"><
60.                             <button class="form-control btn btn-black border border-black rounded-0"
type="submit"><
61.                                 <span class="icon"><
62.                                     <i class="fas fa-search"></i><
63.                                 </span><
64.                             </button><
65.                         </div><
66.                     </div><
67.                 </form><
68.             </div><
69.             <!-- Account and Shopping bag links --><
70.             <div class="col-12 col-lg-4 my-auto py-1 py-lg-0"><
71.                 <ul class="list-inline list-unstyled text-center text-lg-right my-0"><
72.                     <li class="list-inline-item dropdown"><
73.                         <a class="text-black nav-link" href="#" id="user-options-base" data-
toggle="dropdown" <

```

```

74.         aria-haspopup="true" aria-expanded="false" aria-label="my account icon"><
75.         <div class="text-center"><
76.             <div><i class="fas fa-user fa-lg"></i></div><
77.             <p class="my-0">My Account</p><
78.         </div><
79.     </a><
80.     <div class="dropdown-menu border-0" aria-labelledby="user-options-base"><
81.         <
82.             <a href="/accounts/signup/" class="dropdown-item">Register</a><
83.             <a href="/accounts/login/" class="dropdown-item">Login</a><
84.         <
85.     </div><
86. </li><
87. <li class="list-inline-item"><
88.     <a class="text-black nav-link" href="/bag/"><
89.     <div class="text-center"><
90.         <div><i class="fas fa-shopping-bag fa-lg"></i></div><
91.         <p class="my-0"><
92.             <
93.                 £0.00<
94.             <
95.         </p><
96.     </div><
97. </a><
98. </li><
99. </ul><
100. </div><
101. </div><
102. <div class="row bg-white"><
103.     <nav class="navbar navbar-expand-lg navbar-light w-100"><
104.         <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#main-
nav" aria-controls="main-nav" aria-expanded="false" aria-label="Toggle navigation"><
105.             <span class="navbar-toggler-icon"></span><
106.         </button><
107.         <!-- <
108.         From:<
109.         https://github.com/Code-Institute-Solutions/Boutique-Ado/blob/master/05-The-Home-Page/Main-Site-
Navigation/templates/includes/mobile-top-header.html <
110. --><
111. <
112. <ul><
113.     <li class="list-inline-item"><
114.         <a class="text-black nav-link d-block d-lg-none" href="#" id="mobile-search" data-toggle="dropdown"
aria-haspopup="true" aria-expanded="false"><
115.             <div class="text-center"><
116.                 <div><i class="fas fa-search fa-lg"></i></div><
117.                 <p class="my-0">Search</p><
118.             </div><
119.         </a><

```

```

120.         <div class="dropdown-menu border-0 w-100 p-3 rounded-0 my-0" aria-labelledby="mobile-search">↵
121.             <form class="form" method="GET" action="/products/">↵
122.                 <div class="input-group w-100">↵
123.                     <input class="form-control border border-black rounded-0" type="text" name="q"
placeholder="Search our site">↵
124.                     <div class="input-group-append">↵
125.                         <button class="form-control form-control btn btn-black border border-black rounded-0"
type="submit">↵
126.                             <span class="icon">↵
127.                                 <i class="fas fa-search"></i>↵
128.                             </span>↵
129.                         </button>↵
130.                     </div>↵
131.                 </div>↵
132.             </form>↵
133.         </div>↵
134.     </li>↵
135.     <li class="list-inline-item dropdown">↵
136.         <a class="text-black nav-link d-block d-lg-none" href="#" id="user-options" data-toggle="dropdown"
aria-haspopup="true" aria-expanded="false">↵
137.             <div class="text-center">↵
138.                 <div><i class="fas fa-user fa-lg"></i></div>↵
139.                 <p class="my-0">My Account</p>↵
140.             </div>↵
141.         </a>↵
142.         <div class="dropdown-menu border-0" aria-labelledby="user-options">↵
143.             ↵
144.             <a href="/accounts/signup/" class="dropdown-item">Register</a>↵
145.             <a href="/accounts/login/" class="dropdown-item">Login</a>↵
146.             ↵
147.         </div>↵
148.     </li>↵
149.     <li class="list-inline-item">↵
150.         <a class="text-black nav-link d-block d-lg-none" href="/bag/">↵
151.             <div class="text-center">↵
152.                 <div><i class="fas fa-shopping-bag fa-lg"></i></div>↵
153.                 <p class="my-0">↵
154.                     ↵
155.                     £0.00↵
156.                     ↵
157.                 </p>↵
158.             </div>↵
159.         </a>↵
160.     </li>↵
161. </ul>↵
162.     <!--↵
163.     From:↵
164.     https://github.com/Code-Institute-Solutions/Boutique-Ado/blob/master/05-The-Home-Page/Main-Site-
Navigation/templates/includes/main-nav.html↵

```

```

165. -->↵
166. ↵
167. <div class="collapse navbar-collapse" id="main-nav">↵
168.     <ul class="navbar-nav w-auto mx-auto">↵
169.         <li class="nav-item d-block d-md-none">↵
170.             <a class="logo-font font-weight-bold nav-link text-black mr-5" href="/" id="home-link">↵
171.                 Home↵
172.             </a>↵
173.         </li>↵
174.         <li class="nav-item dropdown">↵
175.             <a class="logo-font font-weight-bold nav-link text-black mr-5" href="#" id="all-products-link"
data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">↵
176.                 All Products↵
177.             </a>↵
178.             <div class="dropdown-menu border-0" aria-labelledby="all-products-link">↵
179.                 <a href="/products/?sort=price&direction=asc" class="dropdown-item">By Price</a>↵
180.                 <a href="/products/?sort=rating&direction=desc" class="dropdown-item ">By Rating</a>↵
181.                 <a href="/products/?sort=category&direction=asc" class="dropdown-item ">By Category</a>↵
182.                 <a href="/products/" class="dropdown-item">All Products</a>↵
183.             </div>↵
184.         </li>↵
185. ↵
186.         <li class="nav-item dropdown">↵
187.             <a class="logo-font font-weight-bold nav-link text-black mr-5" href="#" id="pizza-link"↵
188.                 data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">↵
189.                 Pizza & Calzone↵
190.             </a>↵
191.             <div class="dropdown-menu border-0" aria-labelledby="pizza-link">↵
192.                 <a href="/products/?category=meat" class="dropdown-item">Meat</a>↵
193.                 <a href="/products/?category=vegetarian" class="dropdown-item">Vegetarian</a>↵
194.                 <a href="/products/?category=vegan" class="dropdown-item">Vegan</a>↵
195.                 <a href="/products/?category=meat,vegetarian,vegan" class="dropdown-item">All Pizza</a>↵
196.             </div>↵
197.         </li>↵
198. ↵
199.         <li class="nav-item dropdown">↵
200.             <a class="logo-font font-weight-bold nav-link text-black mr-5" href="#" id="drinks-link"↵
201.                 data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">↵
202.                 Drinks↵
203.             </a>↵
204.             <div class="dropdown-menu border-0" aria-labelledby="drinks-link">↵
205.                 <a href="/products/?category=cold_drinks" class="dropdown-item">Cold Drinks</a>↵
206.                 <a href="/products/?category=hot_drinks" class="dropdown-item">Hot Drinks</a>↵
207.                 <a href="/products/?category=cold_drinks,hot_drinks" class="dropdown-item">All Drinks</a>↵
208.             </div>↵
209.         </li>↵
210. ↵
211.         <li class="nav-item dropdown">↵

```

```

212.         <a class="logo-font font-weight-bold nav-link text-black" href="#" id="specials-link" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false">↵
213.             More...↵
214.         </a>↵
215.         <div class="dropdown-menu border-0" aria-labelledby="specials-link">↵
216.             <a href="/blog/" class="dropdown-item">Our Blog</a>↵
217.             <a href="/subscribe/" class="dropdown-item">Subscribe</a>↵
218.         </div>↵
219.     </li>↵
220. </ul>↵
221. </div>↵
222.     </nav>↵
223. </div>↵
224. <!-- Banner -->↵
225. <div id="delivery-banner" class="row text-center">↵
226.     <div class="col bg-danger text-white">↵
227.         <h4 class="logo-font my-1">↵
228.             Follow us ↵
229.             <a href="https://www.facebook.com/people/Luca-Loves-Pizza/100075726265051/" ↵
230.                 target="_blank" aria-label="Facebook page for Lucas Loves Pizza">↵
231.                 <i class="fa-brands fa-facebook text-warning"></i>↵
232.             </a>↵
233.         </h4>↵
234.     </div>↵
235. </div>↵
236. </header>↵
237. ↵
238. ↵
239. ↵
240. ↵
241. ↵
242. ↵
243. ↵
244. <div class="container header-container">↵
245.     <div class="overlay"></div>↵
246.     <div class="row">↵
247.         <div class="col-12 col-md-6 mt-3 title-padding">↵
248.             <div class="allauth-form-inner-content">↵
249.                 ↵
250.             <hr>↵
251.             <h2 class="logo-font text-center mb-3">Change Password</h2>↵
252.             <hr>↵
253.         </div>↵
254.     </div>↵
255.     ↵
256.     <form method="POST" action="/accounts/password/reset/key/4-set-password/">↵
257.         <input type="hidden" name="csrfmiddlewaretoken"
value="5H25C1YbmZJgn0spxD5uFMMnnaTd18Wujg0VtqORF4siu8R3GOLTAYpmZif6sSDV">↵
258.         ↵

```

```

259. ↵
260. <div id="div_id_password1" class="form-group"> <label for="id_password1" class=" requiredField">↵
261.     New Password<span class="asteriskField">*</span> </label> <div> <input type="password"
name="password1" placeholder="New Password" class="textinput textInput form-control" required
id="id_password1"> </div> </div> <div id="div_id_password2" class="form-group"> <label for="id_password2"
class=" requiredField">↵
262.     New Password (again)<span class="asteriskField">*</span> </label> <div> <input
type="password" name="password2" placeholder="New Password (again)" class="textinput textInput form-control"
required id="id_password2"> </div> </div>↵
263. ↵
264.         <a class="btn btn-outline-black rounded-0" href="/accounts/login/">Back to Login</a>↵
265.         <input type="submit" name="action" value="change password">↵
266.     </form>↵
267. ↵
268. ↵
269. ↵
270.         </div>↵
271.     </div>↵
272. </div>↵
273. </div>↵
274. ↵
275. ↵
276.     ↵
277.     <script>↵
278.         $$('.toast').toast('show');↵
279.     </script>↵
280.     ↵
281. ↵
282. </body>↵
283. </html>

```

Used the HTML parser.

Total execution time 30 milliseconds.