

Objective

The objective of this workshop is to

- a. Provision a volume for a storing data
- b. Deploy a S3 compatible object storage. The object storage will use the provisioned volume to hold its data
- c. Expose the object store's web console through Ingress

Setup

- a. Assumed that you have a Docker Hub account. If not create one at <https://hub.docker.com>
- b. Look at Code Server Github repository <https://github.com/coder/code-server> and the image at Docker hub <https://hub.docker.com/r/linuxserver/code-server>

Workshop

In this workshop you will be deploying Code Server, a browser-based version of Visual Studio Code.

The following creates a Code Server container

```
docker run -d \  
  --name=code-server \  
  -e TZ=Asia/Singapore \  
  -e PASSWORD=password \  
  -e SUDO_PASSWORD=password \  
  -e DEFAULT_WORKSPACE=/config/workspace \  
  -p 8443:8443 \  
  -e PROXY_DOMAIN=code-<IP>.nip.io \  
  -v workspace-vol:/config/workspace \  
  linuxserver/code-server:amd64-<version tag>
```


where

- TZ is the timezone
- PASSWORD for logging into Code Server
- SUDO_PASSWORD is for sudo access in the Code Server's terminal

- `PROXY_DOMAIN` sets the domain for the Code Server instance
- `DEFAULT_WORKSPACE` sets the directory to use

See **Parameters** section in <https://hub.docker.com/r/linuxserver/code-server> for other parameter settings.

Deploy Code Server according to the following Kubernetes deployment architecture diagram.




The following are some requirements of the deployment

- Each deployment of Code Server should be isolated from other instances
- There should be only a single instance of Code Server running consuming 256 MB of memory and 200 milli cores of CPU. This should be the upper and lower limit
- User's work should be safe and recoverable if the Code Server pod crashes or is rescheduled to another node [volumes, pvc deleted will retain/delete the volume](#)
- The entire deployment should be flexible to accommodate configuration changes especially password [kustomisation](#)
- Assign a domain name to each instance of Code Server. Use `nip.io` to simulate a domain name

Test your Deployment

Open the assigned domain name on your browser and you should see the following

A screenshot of a web interface for code-server. At the top, it says "Welcome to code-server" in bold. Below that, a message says "Please log in below. Check code-server's logs for the generated password." There is a horizontal line separating the header from the login area. In the login area, there is a light blue rectangular input field with the placeholder text "PASSWORD" and a blue rectangular button to its right with the text "SUBMIT" in white capital letters.

Welcome to code-server

Please log in below. Check code-server's logs for the generated password.

PASSWORD

SUBMIT

Login with your configured password.

Submission

Create a Git repo for this course if you have not done so. Clone the Git repo. This repo will be used for all the assignment for this course. This should be the same repos as you used for previous workshops.

Create a directory called `workshop03` inside your repo. Place all the files for this workshop inside `workshop03` directory.