



**European Research Council**

Established by the European Commission

# Video Holography

**Jan Genoe**

**Oct 04, 2023**

CONTENTS

1 Team 3

1.1 Core Team 3

1.2 Other contributors 5

2 Publications 6

2.1 Journal papers 6

2.2 Conferences 7

2.3 PhD thesis 8

Bibliography 9

## Introduction

Today, despite many efforts by researchers world-wide, there are no holographic projectors that allow video-rate electronically controlled projection of complex holograms. Optically re-write-able holograms exist, but they are too slow; Acoustically-formed holograms can be switched fast but the image complexity is very limited. We identify the essential roadblock as one that we intend to clear by a breakthrough innovation coming from a combination of electronics, optics and material science. We propose a radically novel way to make and control holograms, that will be based on the direct, analog, nanometer-resolution and nanosecond-speed control over the local refractive index of a slab waveguide core over several square centimetres. Holograms will be formed by leaky waves evanescent from the waveguide, and controlled by the refractive-index modulation profile in the core. That profile will be controlled and modulated by electrical fields applied with nano-precision through one of the cladding layers of the waveguide. To that end, a novel metamaterial is proposed for this cladding. Also novel driving schemes will be needed to control the new holographic projecting method. With this combined radical innovation in architecture, materials and driving schemes, it is the goal of this project to fully prove the concept of video-rate electrically-controlled holographic projection. This will be the basis for many future innovations and applications, in domains such as augmented reality, automotive, optical metrology (LIDAR, microscopy, ...), mobile communication, education, safety, etc..., and result in a high economic and social impact.

Fig. 1 shows the evolution of hologram demonstrators, both in resolution and speed.




Fig. 1: Scaling Roadmap

Fig. 2 shows the selected implementation that has been elaborated in this project. A 500 nm thick metamaterial separates the metal electrodes where the requested hologram is applied from the BTO waveguide. As a consequence, no metal is in the presence of the BTO waveguide, which allows light to propagate in the waveguide without scattering losses. The metamaterial is fabricated using SiN wherein vertical trenches are etched at 100 nm pitch in both directions. These trenches have been filled with InGaZnO that has been engineered such that the dielectric constant carefully matches the dielectric constant of SiN. This lead to a metamaterial that is completely uniform and has no losses, when it is considered as the optical material that forms the cladding of the waveguide. However, when the same metamaterial is looked at from the electrical perspective, we have conductive channels at a 100 nm pitch that guides the electrical signal from the electrical contacts below to the waveguide above. As the waveguide material, BTO has been selected. BTO is known to have the highest Pockels effect. This enables us to alter the effective dielectric constant of the waveguide locally at a pitch of 100 nm using relative small electric fields. This dielectric variation forms the hologram that is applied.

Changing the hologram using the hardware in Fig. 2 can be obtained by changing the voltages at the bottom electrodes, which can be done reasonably fast, e.g. at 100 Hz rate. This allows also to swap the hologram between 3 subsequent holograms, one for red, one for green and one for blue at video rates. This yields full color video holography.




Fig. 2: Selected implementation

## Main project results

### Metamaterial development

### High-quality BTO waveguide

### Remaining challenges en further work

The control of the BTO waveguide at 100 nm resolution requires close interaction with the metamaterial. Our simulations (see [1]) indicate that when the separation between the BTO and the metamaterial goes beyond 5 nm, the effective control is too low for an efficient demonstrator. Therefore, we targeted an oxide-oxide bonding process yielding an separation below 2 nm. Although other demonstrators of oxide-oxide bonding, also in our lab, have indicated that this should be in reach, the practical between the BTO wafer and the metamaterial wafer has not yet been possible.

### Main funding info

- Programme Funding: Horizon 2020
- Sub Programme Area: ERC-2016-ADG
- Project Reference: 742299
- From October 1, 2017 to March 31, 2023
- Budget: EUR 2 499 074
- Contract type: ERC-ADG

TEAM

## 1.1 Core Team





### 1.1.1 Principal Investigator



Prof. Jan Genoe is scientific director at the Host institution imec and has received all support from the Host institution to build the research team and execute the research. Prof. Jan Genoe also takes the scientific leadership of the Video Holography ERC research.



### 1.1.2 Senior academic staff in the team

Table 1.1: Senior academic staff

	Dr. Robert Gehlhaar provides scientific input on the optical stack design and characterization.
	Dr. Zsolt Tokei provides technology input on the realisation of devices in the 300mm cleanroom.
	Prof. Clement Merckling provides scientific input on the material growth conditions for the BTO and STO waveguide materials.
	Prof. Paul Heremans provides scientific input on the device performance.

### 1.1.3 PhD students

Table 1.2: PhD students

	<p>Guillaume Croes is the PhD student elaborating the metamaterial stack and optical model for the optimization for driving the hologram.</p>
	<p>Tsang-Hsuan Wang is the PhD student elaborating the optimized growth conditions for the BTO and STO waveguide materials.</p>




## 1.2 Other contributors

- Diana Tsvetanova provides input on the CMP processes in the 300mm line.
- Yunlong Li provides input on the process sequence in the 300 mm line.
- Renauld Puybaret is in charge of the daily supervision of the process in the 300 mm line.
- Thomas Raes is in charge of the Mask preparation for the process in the 300 mm line.
- Deniz Sabuncuoglu Tezcan is in charge of the supervision of the process in the 300 mm line.
- Jeremy Segers is in charge of the oxide-oxide bonding process between the BTO wafer and the optical transparent metamaterial.

## PUBLICATIONS

### 2.1 Journal papers

Table 2.1: Journal papers

 <p>erc European Research Council Established by the European Commission</p>	<p>Tsang-Hsuan Wang, Po-Chun Hsu, Maxim Korytov, Jan Genoe, Clement Merckling, <b>Polarization control of epitaxial barium titanate (BaTiO<sub>3</sub>) grown by pulsed-laser deposition on a MBE-SrTiO<sub>3</sub>/Si(001) pseudo-substrate</b>, Journal of Applied Physics 128, 104104 (September 2020), DOI: <a href="https://doi.org/10.1063/5.0019980">10.1063/5.0019980</a></p>
 <p>erc European Research Council Established by the European Commission</p>	<p>Tsang-Hsuan Wang, Robert Gehlhaar, Thierry Conard, Paola Favia, Jan Genoe, Clement Merckling, <b>Interfacial control of SrTiO<sub>3</sub>/Si(0 0 1) epitaxy and its effect on physical and optical properties</b>, Journal of Crystal Growth 582, 126524 (March 2022), DOI: <a href="https://doi.org/10.1016/j.jcrysgro.2022.126524">10.1016/j.jcrysgro.2022.126524</a></p>
 <p>SiN:IGZO Metamaterial SiO<sub>2</sub> Tungsten Electrodes Si Backplane</p>	<p>Guillaume Croes, Renaud Puybaret, Janusz Bogdanowicz, Umberto Celano, Robert Gehlhaar, Jan Genoe, <b>Photonic Metamaterial with a Subwavelength Electrode Pattern</b>, Applied Optics 62,F14 (March 2023), DOI: <a href="https://doi.org/10.1364/AO.481396">10.1364/AO.481396</a></p>





## 2.2 Conferences

Table 2.2: Conferences

  <small>European Research Council Established by the European Commission</small>	<p>Artur Hermans, Robby Janneck, Cedric Rolin, S. Clemmen, Paul Heremans, Jan Genoe, Roel Baets, <b>Growth of Thin Film Organic Crystals with Strong Nonlinearity for On-Chip Second-Order Nonlinear Optics</b>, Proc. IEEE Photonics Benelux Symposium, Brussels, Belgium, November 15-16, 2018.</p>
  <small>European Research Council Established by the European Commission</small>	<p>Guillaume Croes, Nikolay Smolentsev, Tsang-Hsuan Wang, Robert Gehlhaar, Jan Genoe, <b>Non-linear electro-optic modelling of a Barium Titanate grating coupler</b>, Proc. SPIE 11484, 114840D: Optical Modeling and Performance Predictions XI (August 2020), DOI: <a href="https://doi.org/10.1117/12.2568032">10.1117/12.2568032</a></p>
  <small>European Research Council Established by the European Commission</small>	<p>Guillaume Croes, Robert Gehlhaar, Jan Genoe, <b>Hologram Wavefront Shaping by a Non-Linear Electro-Optic Spatial Light Modulator</b>, Holography: Advances and Modern Trends VIII, April 2023, Prague, Czech Republic</p>
  <small>European Research Council Established by the European Commission</small>	<p>Guillaume Croes, Robert Gehlhaar, Jan Genoe, <b>Sub-Wavelength Custom Reprogrammable Active Photonic Platform for High-Resolution Beam Shaping and Holography</b>, Proc. SPIE PC12196, PC1219619: Active Photonic Platforms, San Diego, California, United States (October 2022)</p>
  <small>European Research Council Established by the European Commission</small>	<p>Clement Merckling, Islam Ahmed, Tsang-Hsuan Wang, Moloud Kaviani, Jan Genoe, Stefan De Gendt, <b>Integrated Perovskites Oxides on Silicon: From Optical to Quantum Applications</b>, ECS Meeting Abstracts MA2022-01, 1060 , July 2022, DOI: <a href="https://doi.org/10.1149/MA2022-01191060mtgabs">10.1149/MA2022-01191060mtgabs</a></p>
  <small>European Research Council Established by the European Commission</small>	<p>Tsang-Hsuan Wang, Robert Gehlhaar, Thierry Conard, Jan Genoe, Clement Merckling, <b>Interface Control and Characterization of SrTiO<sub>3</sub>/Si(001)</b>, Proc. E-MRS-fall, 20th to 23rd September 2021</p>

## 2.3 PhD thesis

Table 2.3: PhD thesis

	<p>Tsang-Hsuan Wang, <b>Study of Barium Titanate Epitaxy on Silicon toward Its Application in Video Holography</b>, PhD Thesis, KULeuven, Leuven, Belgium, Monday, February 13, 2023.</p>
	<p>Guillaume Croes, (PhD Thesis in preparation), KULeuven, Leuven, Belgium</p>

## BIBLIOGRAPHY

- [1] Guillaume Croes, Robert Gehlhaar, and Jan Genoe. Sub-wavelength custom reprogrammable active photonic platform for high-resolution beam shaping and holography. In *Active Photonic Platforms 2022*, volume PC12196, PC1219619. San Diego, California, United States, October 2022. SPIE. doi:[10.1117/12.2632022](https://doi.org/10.1117/12.2632022).